

End-of-Sale and End-of-Life Announcement for the Cisco Redundant Power System 675

EOL5531

Cisco Systems® announces the end-of-sale and end-of-life dates for the Cisco Redundant Power System 675 (RPS 675). The last day to order the Cisco RPS 675 is October 15, 2007. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin.

Table 1 describes the end-of-life milestones, definitions, and dates for the Cisco RPS 675. Table 2 lists the product part numbers affected by this announcement.

Customers are encouraged to migrate to the Cisco Redundant Power System 2300 (RPS 2300), which provides new and enhanced functionality, including active backup power for up to two routers and switches with Class 3 PoE on 48 ports, and additional management and configuration capabilities. The RPS 2300 also allows hot insertion of external devices and power supplies, thereby reducing potential down time. The RPS 2300 supports the new Cisco Catalyst 3750-E and 3560-E series switches, in addition to the Cisco Catalyst switches and Integrated Services Routers (ISR's) supported by the RPS 675. In addition, the RPS 2300 uses the same modular 1150W AC and 750W AC power supplies used by the Cisco Catalyst 3750-E and 3560-E series switches. This consistency and modularity allow for common sparring, a lower mean time to repair, and greater configuration flexibility. Detailed information about the RPS 2300 can be obtained at: <http://www.cisco.com/go/rps2300>. Table 1 below lists some important end-of-life milestones and dates for the Cisco RPS 675.

Table 1. End-of-Life Milestones and Dates for the Cisco Redundant Power System 675.

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	April 16, 2007
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	October 15, 2007
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	January 13, 2008
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	October 14, 2008
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	October 14, 2008
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	January 10, 2012
Last Date of Support: HW	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	October 13, 2012

HW = Hardware

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part umber	Replacement Product Description
PWR675-AC-RPS-N1=	675W Redundant Power Supply with 1 connector cable	PWR-RPS2300	Cisco Redundant Power System 2300 and Blower, No Power Supply

Product Migration Options

Customers are encouraged to migrate to the Cisco Redundant Power System 2300. Information about this product can be found at: <http://www.cisco.com/go/rps2300>. Table 3 below compares some of the features of the Cisco RPS 2300 with those of the Cisco RPS 675.

Table 3. Product Comparisons

Feature	Cisco Redundant Power System 675	Cisco Redundant Power System 2300
Maximum number of switches and routers actively backed up	1	2
Modular power supplies and blower	NO	YES
Dual power supplies	NO	YES
Maximum power output	Class 3 PoE on 24 Ports Class 2 PoE on 48 Ports	Class 3 PoE on 48 Ports
Automatic back-off	NO	Yes—for Catalyst 3750-E and 3560-E
Separate AC sources possible for switch and RPS 2300	NO	YES

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through Cisco's Authorized Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to: http://www.cisco.com/en/US/ordering/or6/or17/order_refurbished_equipment_program_description.html

For More Information

For more information about the Cisco Redundant Power System 2300, visit <http://www.cisco.com/go/rps2300>, contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/prod_end_of_life.html

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>



Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95128-1708
USA
www.cisco.com
Tel: +1 (408) 553-4000
E-Mail: csr@cs.cisco.com
Fax: +1 (408) 553-0663

Asia Pacific Headquarters
Cisco Systems, Inc.
169 Robinson Road
#20-01 Central Tower
Singapore 068913
www.cisco.com
Tel: +65 (65) 17 7777
Fax: +65 (65) 17 7768

Europe Headquarters
Cisco Systems International BV
Heisterbergpark
Heisterbergweg 13-18
1101 CH Amsterdam
The Netherlands
www.europe.cisco.com
Tel: +31 (0) 20 699 0733
Fax: +31 (0) 20 697 1000

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

©2007 Cisco Systems, Inc. All rights reserved. CCNY, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Actix is a registered trademark of Cisco Systems, Inc. Other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0701R)