



The bridge to possible

Data sheet  
Cisco public

# Cisco Jabber for Android and Cisco Jabber for iPhone and iPad: Enterprise Collaboration Made Simple

---

# Contents

Product overview	3
Features and benefits	4
System requirements	9
Device and OS requirements	10
Samsung Knox Support	10
Mobile app management support	11
Warranty information	11
Ordering information	11
Cisco environmental sustainability	12
Cisco Unified Communications Services	12
Cisco Capital	12

---

## Product overview


The Cisco Jabber® client is a unified communications application that lets you be more productive from anywhere on a broad array of devices. Find the right people, see if and how they are available, and collaborate using your preferred method.

Today's global, distributed work environment has resulted in significant challenges for workers, making it harder to connect with the right people and significantly increasing the quantity and modes of communications. Organizations of all sizes are striving to improve communications in order to retain customers, compete for new business, control costs, and grow their business globally.

The Cisco Jabber mobile client streamlines communications and enhances productivity by unifying presence, messaging, video, voice, voice messaging, file transfer, and conferencing capabilities securely into one client on your mobile device. The solution delivers highly secure, clear, and reliable communications. It offers flexible deployment models and is built on open standards. You can communicate and collaborate effectively from anywhere you have an Internet connection (Figures 1 and 2).



**Figure 1.**  
Cisco Jabber for Android (on an Android phone)



**Figure 2.**  
Cisco Jabber for iPhone and iPad (on an iPad)

## Features and benefits

- **Reduce communication delays with presence and contact information:** The Cisco Jabber client enables you to see the availability of co-workers and colleagues within and outside your organization. You can immediately see who is offline, available, away, on a call, or in a do-not-disturb state. You can create customized availability states, such as “in a customer meeting,” to provide added context. Contact cards provide additional contact information and multiple options for initiating communications. These capabilities help reduce communication delays, and can result in faster decision making and enhanced productivity.
- **Quickly communicate with borderless enterprise-class messaging:** Messaging is an important communication option that lets you efficiently interact in today's multitasking business environment. Cisco Jabber delivers enterprise-class messaging capabilities that are based on the Extensible Messaging and Presence Protocol (XMPP). The solution provides personal chat, group chat, and persistent chat rooms so you can quickly connect with your business colleagues. Messaging is integrated with other communication capabilities so you can simply move between chats, audio conversations, and web conferences. You can even share your availability status and send messages to people outside your organization who may not be using the Cisco Jabber application. The enterprise-class messaging capabilities of this application provide more efficient, highly secure, flexible, and borderless collaboration.
- **Bring business-class IP telephony to your mobile device:** Powered by the market-leading Cisco® Unified Communications Manager (UCM) call-control solution, the Cisco Jabber client provides enterprise-grade telephony with high-fidelity audio and standards-based, high-definition video capabilities. These features mean that high-quality and high-availability voice and video telephony are available when you need it, whether you are in the office or mobile. You can also hand off calls to your mobile provider's network as you leave Wi-Fi coverage or move Cisco Jabber calls to your Cisco IP phone to continue a conversation on a different phone.

- **Accelerate team performance with multiparty conferencing and collaboration:** The Cisco Jabber client provides for smooth escalation to desktop sharing or multiparty conferencing and collaboration solutions. You can instantly expand chats and conversations to multiparty voice, video, and web conferencing. Cisco Jabber can support cloud-based Webex® meetings, or on-premises Cisco Meeting Server meetings. As a host, you have several meeting controls features.
- **Secure firewall traversal technology that enables unbounded mobile use cases:** Cisco Expressway™ for Mobile and Remote Access enables users to easily access their Cisco Jabber collaboration services outside the corporate network, allowing them to be more productive when they are mobile. Even without VPN, it still secures Cisco Jabber traffic, helping ensure that the user’s personal data does not cross the corporate network.
- **Lower mobility costs:** Cisco Jabber allows you to place and receive calls over your corporate Wireless LAN (WLAN) and telephony infrastructure. With Cisco Jabber, you can place and receive calls when at home, in hotels, or at Wi-Fi hotspots. For mobile users, that means reducing the number of mobile minutes used and saving on roaming charges. Because the Cisco Jabber client uses your Cisco Unified Communications Manager call-routing capabilities, you may be able to avoid long-distance charges for international calls. You can reduce these costs further by using the optional Dial-via-Office feature (available only on Jabber mobile clients).

Table 1 outlines the features and benefits of Cisco Jabber.

**Table 1.** Features and benefits

Feature	Benefit
<b>Communication integration</b>	Use a single, intuitive interface for instant messaging with individuals and groups, voice and video calls, visual voicemail, voice and web conferencing, communication history, and integrated directories.
<b>Presence</b>	View real-time availability of co-workers and colleagues within and outside the enterprise network. <ul style="list-style-type: none"> <li>• Exchange and display presence availability information and instant messages with other Cisco Jabber users or many other XMPP-compatible clients.</li> <li>• Exchange presence information with mobile devices using Cisco Jabber or third-party XMPP-compatible clients.</li> <li>• Display customized availability messages.</li> <li>• Publish the location information of “on mobile”.</li> </ul>
<b>Enterprise instant messaging</b>	Chat in real time using instant messaging to save time and reduce phone tag. Several chat modes are supported, including: <ul style="list-style-type: none"> <li>• Point-to-point chat with co-workers inside your network or supported federated business and personal contacts.</li> <li>• Group chat, which enables multiple colleagues to communicate and collaborate in a single discussion.</li> <li>• Chat rooms, enabling persistent chat among distributed teams<sup>1</sup>.</li> <li>• Personal instant messaging history for your reference.</li> <li>• File transfer: Cisco Jabber supports file transfer through instant messaging. You can send and receive a file in both the 1:1 chat, group chat and persistent chat rooms. Compliance and policy control are supported, and you can set up rules for file transfer such as limiting the size and type of the files.</li> <li>• Ability to create interactive bot experiences with the Cisco Jabber Bot Software Development Kit (SDK).</li> </ul>

Feature	Benefit
<b>Cisco Webex and Jabber Interop<sup>2</sup></b>	Enables basic messaging between Cisco Webex and Jabber clients. Supported for users with access to the Cisco Unified Communications Manager IM and Presence service <sup>3</sup> .
<b>Predictive search</b>	Look up contacts quickly. Predictive search offers you suggestions as you type in a search query and can index your Cisco Jabber contact list, recent contacts, personal phone address book contacts and company directory.
<b>Media escalation</b>	Choose the right communication tool for your situation. Escalate from a chat to an audio call, video call, or Webex <sup>®</sup> meeting. Media escalations are as easy as clicking a button.
<b>Cisco Webex meeting controls</b>	When starting or joining a Cisco Webex meeting with Cisco Jabber, the Jabber application gives you several meeting controls features. For instance, attendees can view all participants in the meeting. And hosts can assign host role to another participant, lock the room, admit people waiting in the lobby, record meetings, and mute and unmute all participants.
<b>Desktop share</b>	Video desktop share: Binary Floor Control Protocol (BFCP) provides video desktop sharing capabilities for collaboration sessions across dedicated video endpoints, mobile devices, and personal computers running collaboration software. Cisco Jabber for iPhone and iPad and Cisco Jabber for Android officially supports receiving BFCP video sharing on tablets and smartphones. With the BFCP share, users can easily switch between single view (video or share) and equal view (video + share).
<b>Integrated enterprise calling</b>	<p>Using the Cisco Jabber application on your supported mobile device, you can place and receive calls through Cisco Unified Communications Manager without incurring mobile or roaming charges.</p> <ul style="list-style-type: none"> <li>• Make, receive, and control your phone calls whether you are in or out of the office.</li> <li>• A variety of call-control features are available, including mute, call transfer, call park, and ad-hoc conferencing.</li> <li>• The Cisco Jabber client supports business-quality video communications. The standards-based video means you are not restricted to collaboration with just other Cisco Jabber clients. You can use voice and video when interacting with telepresence endpoints and room-based and multipoint video conferencing systems.</li> <li>• The Cisco Jabber application allows you to switch active calls between shared lines with the hold and resume features<sup>4</sup>.</li> <li>• You can send and receive High-Definition (HD) video on a call<sup>5</sup>.</li> <li>• With the Far End Camera Control feature, you can direct cameras on the other end of video calls and control video display of how participant screens are shown using the Cisco Jabber application. The enterprise-class IP telephony reliability and failover features of Cisco Unified Communications Manager are supported.</li> <li>• With the active controls, you may have the capability to control the meeting participants, change layouts, see active speaker, see active presenter, start or stop meeting reordering.</li> </ul>
<b>Visual voice message access</b>	Send, forward, reply, view, play back, and delete voice messages from Cisco Unity <sup>®</sup> Connection.

Feature	Benefit
<b>Secure mobile and remote access</b>	<p>We offer our customers deployment options to access the Cisco Jabber application outside the corporate network.</p> <ul style="list-style-type: none"> <li>• Cisco Expressway for Mobile and Remote Access firewall traversal technology enables users to easily access their Cisco Jabber collaboration services outside the corporate network, securing only the Cisco Jabber traffic.</li> <li>• Cisco AnyConnect® VPN secures the entire device, providing remote access to the Cisco Jabber client and all services on the corporate network.</li> <li>• Cisco Expressway for Mobile and Remote Access provides service-level access controls for Cisco Jabber desktop and mobile clients.</li> </ul>
<b>Encryption</b>	<ul style="list-style-type: none"> <li>• Encrypt instant messaging communications using up to 256-bit Advanced Encryption Standard (AES) encryption and Transport Layer Security/Secure Sockets Layer (TLS/SSL) connections.</li> </ul>
<b>Single Sign-On (SSO)</b>	<p>SSO allows users to securely access all Cisco Jabber services without being prompted to log in to each of them separately. The Cisco Jabber application uses authentication performed by the corporate identity provider. The identity provider can control the authentication experience for Cisco Jabber users, for example, by prompting users for their enterprise username and password once when the Cisco Jabber application is first run and by specifying the length of time a user is authorized to use Cisco Jabber services.</p> <p>The Cisco Jabber application uses the Security Assertion Markup Language (SAML), which is an XML-based open standard data format that enables access to a defined set of Cisco services transparently after verifying credentials with an identity provider. SAML SSO can be enabled for Cisco Unified Communications Manager, and Cisco Unity Connection. SSO is deployed for use with Cisco Jabber clients using service discovery.</p> <p>A mobile device's biometrics authentication enables users to quickly unlock Cisco Jabber.</p>
<b>Flexible deployment models</b>	<p>Cisco Jabber can be deployed on-premises or in the cloud, offering IT departments the flexibility to choose the model that best suits their business. In addition, the Cisco Jabber application can be deployed in the following modes:</p> <p><b>Instant messaging-only mode</b></p> <p>You can use the Cisco Jabber application for instant messaging and presence capabilities without enabling phone services for deployments that do not have access to Cisco Unified Communications Manager.</p> <p><b>Phone-only mode</b></p> <p>You can use the Cisco Jabber application as a phone-only client without the instant messaging and presence service on your mobile device. In this mode, Cisco Jabber turns your mobile device into a full-featured Cisco IP Phone with video capability.</p> <p><b>Phone mode with contacts</b></p> <p>You can deploy Cisco Jabber as a phone-only client without instant messaging but with a contact list that is maintained by Cisco Unified Communications Manager Instant Messaging and Presence Service. Optionally, you can enable contacts for presence.</p> <p><b>Full unified communications mode</b></p> <p>Full unified communications mode enables all Cisco Jabber capabilities, including instant messaging and presence, voice and video, and visual voicemail.</p>

Feature	Benefit
<b>IPv6</b>	Cisco Jabber supports IPv6-enabled networks. Administrators can configure it to use IPv4, IPv6, or dual-stack networks.
<b>Localization</b>	Languages supported: Arabic, Chinese (China), Chinese (Taiwan), Danish, Dutch, English, French, German, Hungarian, Italian, Japanese, Korean, Polish, Portuguese (Brazilian), Russian, Spanish, Swedish, Turkish.

<sup>1</sup> Feature available in on-premises deployments only. Requires Cisco Unified Communications Manager Instant Messaging and Presence Service 11.5(1) SU5a or later.

<sup>2</sup> Before enabling the Jabber to Jabber calling or the Cisco Webex and Jabber Interop features, the administrator must contact Cisco Customer Support or the assigned Cisco customer success manager to migrate users from the Cisco Webex Messenger Server to the Cisco Common Identity Server.

<sup>3</sup> See the Cisco Webex Hybrid Services data sheet for more information on Hybrid Messaging.

<sup>4</sup> Feature available in Cisco Unified Communications Manager 10.5 or later.

<sup>5</sup> HD video is available on iPhone 5s or newer, iPad Air or newer, and many Android devices. Refer to the release notes for additional details.

<sup>6</sup> Requires Cisco Unified Communications Manager 12.0 or later and Cisco Expressway 8.10 or later.

Table 2 outlines Cisco Jabber for Android specific features and benefits.

**Table 2.** Cisco Jabber for Android features and benefits

Feature	Benefit
<b>Android for Work support</b>	Cisco Jabber for Android supports preconfiguration of the application based on the Android for Work mechanism. With this feature, company administrators can preconfigure and distribute Cisco Jabber for Android to the entire company through some enterprise mobility management providers <sup>1</sup> .
<b>App on Android Wear</b>	<b>Cisco Jabber for Android provides an app on Android Wear. With this app, you can:</b> <ul style="list-style-type: none"> <li>• Check new chat messages, reply to a chat with Google Now, and use emoticons and predefined messages.</li> <li>• Answer or decline a call, check recent calls, and call back from recent calls.</li> <li>• Play a new voice message.</li> </ul>
<b>Android Auto</b>	Cisco Jabber for Android lets users plug into a compatible vehicle to receive and respond to instant messages using voice commands.
<b>Chromebook</b>	Cisco Jabber for Android is supported on Chromebook over Cisco Expressway <sup>2</sup> .

<sup>1</sup> Supported only on Android mobile devices with Android OS Version 5.0 or later. Cisco has tested the solution with Airwatch.

<sup>2</sup> Supported only on Chrome OS version 53 or later. Refer to the release notes for the supported models.



Table 3 outlines Cisco Jabber for iPhone and iPad specific features and benefits.

**Table 3.** Cisco Jabber for iPhone and iPad features and benefits

Feature	Benefit
<b>Apple Managed App Configuration</b>	Cisco Jabber for iPhone and iPad supports preconfiguration of the application based on the Apple Managed App Configuration mechanism. With this feature, company administrators can do some preconfiguration for Cisco Jabber for iPhone and iPad through certain enterprise mobility management providers.
<b>Push notification</b>	Cisco Jabber for iPhone and iPad supports Apple push notification for instant messaging and presence <sup>1</sup> and voice and video calls <sup>2</sup> .
<b>App on Apple Watch</b>	<p><b>Cisco Jabber for iPhone and iPad provides an app on Apple Watch. With this app, you can:</b></p> <ul style="list-style-type: none"> <li>• Check new chat messages, reply to a chat with Siri, and use emoticons and predefined messages.</li> <li>• Answer, decline, or end a call; check recent calls; and call back from recent calls.</li> <li>• Change your presence status.</li> </ul>

<sup>1</sup> Requires Cisco Unified Communications Manager 11.5(1)SU2, recommends Cisco Unified Communications Manager 11.5(1)SU8 and Cisco Expressway X12.6.

<sup>2</sup> Requires Cisco Unified Communications Manager 11.5(1)SU3 and Cisco Expressway 8.10, recommends Cisco Unified Communications Manager 11.5(1)SU8.

## System requirements

Table 4 outlines system requirements for Cisco Jabber for iPhone and iPad and Cisco Jabber for Android.

**Table 4.** Cisco Unified Communications system requirements (refer to the release notes for more details).

<b>Telephony</b>	<p><b>Android:</b></p> <ul style="list-style-type: none"> <li>• Cisco Unified Communications Manager 10.5(2) or later.</li> <li>• Recommended: Cisco Unified Communications Manager 12.5(1) SU3 or later<sup>1</sup>.</li> </ul> <p><b>iOS:</b></p> <ul style="list-style-type: none"> <li>• Cisco Unified Communications Manager 11.5(1) SU8 or later<sup>1</sup>.</li> <li>• Due to China's regulation, the supported version in China is Cisco Unified Communications Manager 12.5(1) SU3 or later<sup>1</sup>.</li> <li>• Recommended: Cisco Unified Communications Manager 12.5(1) SU3 or later<sup>1</sup>.</li> <li>•</li> </ul>
<b>Instant messaging and presence</b>	<p><b>Android:</b></p> <ul style="list-style-type: none"> <li>• Cisco Unified Communications Manager Instant Messaging and Presence Service 10.5(2) or later.</li> </ul> <p><b>iOS:</b></p> <ul style="list-style-type: none"> <li>• Cisco Unified Communications Manager 11.5(1) SU8 or later<sup>1</sup>.</li> <li>•</li> </ul>

<b>Contact search</b>	<p>On-premises sources:</p> <ul style="list-style-type: none"> <li>• Microsoft Active Directory Domain Services for Windows Server 2008 R2 or later.</li> <li>• Open Lightweight Directory Access Protocol (OpenLDAP) 2.4 or later.</li> <li>• Active Directory Lightweight Directory Service (AD LDS) or Active Directory Application Mode (ADAM).</li> <li>• Cisco Unified Communications Manager User Data Service (UDS) with Cisco Unified Communications Manager 10.5(2) or later.</li> </ul>
<b>Cisco conferencing</b>	<ul style="list-style-type: none"> <li>• Cisco TelePresence® Server 3.1 or later.</li> <li>• Cisco TelePresence Multipoint Control Unit (MCU) 4.3 or later.</li> <li>• Cisco Integrated Services Router (ISR) with Cisco Packet Voice DSP Module 3 (PVDM3)2.</li> <li>• Cisco Webex Meetings Server with Collaboration Meeting Rooms.</li> <li>• Cisco Webex Meeting Center WBS39 or later.</li> <li>• Cisco Webex Meetings Server 2.8 or later.</li> <li>• Cisco Meetings Server 2.2 or later4.</li> </ul>
<b>Voicemail</b>	<ul style="list-style-type: none"> <li>• Cisco Unity Connection 10.5 or later (Cisco Unity Connection 11.5 or later recommended).</li> </ul>
<b>Cisco Expressway for Mobile and Remote Access</b>	<p><b>Minimum:</b></p> <p>Cisco Expressway Series for Cisco Unified Communications Manager</p> <ul style="list-style-type: none"> <li>• Cisco Expressway-E, Version 8.10.1 or later.</li> <li>• Cisco Expressway-C, Version 8.10.1 or later.</li> </ul> <p><b>Recommended:</b></p> <p>Cisco Expressway Series for Cisco Unified Communications Manager</p> <ul style="list-style-type: none"> <li>• Cisco Expressway-E, Version X12.6 or later1.</li> <li>• Cisco Expressway-C, Version X12.6 or later1.</li> </ul>

<sup>1</sup> Supports Apple/Android push notification, required for voice, video, and IM notifications for Cisco Jabber iOS/Android users.

<sup>2</sup> Cisco ISR (with PVDM3) is not supported over Cisco Expressway for Mobile and Remote Access. It is supported with Cisco Unified Communications Manager 8.6(2) or later.

<sup>3</sup> SRST does not support push notifications; only outbound calls are supported for Cisco Jabber for iPhone and iPad.

<sup>4</sup> Active controls supported with Cisco Meeting Server 2.3 or later.

## Device and OS requirements

Please refer to latest version of “Release Notes for Cisco Jabber for Android” and “Release Notes for Cisco Jabber for iPhone and iPad”.

## Samsung Knox Support

Please refer to latest version of “Release Notes for Cisco Jabber for Android”.

---

## Mobile app management support

Cisco Jabber for Android is distributed through Google Play and Cisco.com. It is not available with Mobile App Management (MAM) wrappers through these distribution channels. MAM wrapping is available as a Customer Connection Program offering for customers who wish to pursue this option.

Cisco Jabber for iPhone and iPad is distributed through Apple iTunes. MAM wrapping is available as a Customer Connection Program offering but does not support Apple push notifications.

Cisco Jabber integrates with Microsoft Intune SDK to offer a separate Jabber MAM app – Jabber for Intune. It is distributed through Apple iTunes and Google Play. For those customers who are working in the Microsoft management environment, Jabber for Intune gives enterprise users all the features they expect from Jabber, while providing IT administrators expanded mobile app management capabilities to help prevent leakage of company information. Jabber for Intune for iPhone and iPad does not support Apple push notifications.

Cisco Jabber also integrates with BlackBerry Dynamics SDK to offer another separate Jabber MAM app – Jabber for BlackBerry. It is distributed through Apple iTunes and Google Play. For those customers who are using BlackBerry UEM solution, IT administrators can configure the secured IT policies in the BlackBerry UEM server. When the end users are using Jabber for BlackBerry to communicate each other, the app will follow these secured policies. Jabber for BlackBerry for iPhone and iPad does not support Apple push notifications.

Both Jabber for Intune and Jabber for BlackBerry have two separate release cycles, which are different than standard Jabber.

Please refer to the latest version of planning guide and deployment guide to get more information about two Jabber MAM apps.

## Warranty information

Find warranty information on Cisco.com at the [Product Warranties](#) page.

## Ordering information

You can download Cisco Jabber for iPhone and iPad at no cost from the Apple iTunes App Store and Cisco Jabber for Android from Google Play. The instant messaging and presence services in the app are free for organizations with a license to use Cisco Unified Communications Manager instant messaging and presence application. To use the software with telephony capabilities, additional licensing may be required to connect to Cisco Unified Communications Manager. To place an order, visit the [Cisco Ordering homepage](#). Cisco Jabber is a part of Cisco Unified Workspace Licensing. Visit [https://www.cisco.com/go/workspace\\_licensing](https://www.cisco.com/go/workspace_licensing) for more information and to determine whether Cisco Unified Workspace Licensing is appropriate for your organization.

To enable Cisco AnyConnect® Secure Mobility Client for VPN access on Cisco Jabber, you will need a Cisco ASA 5500 Series Adaptive Security Appliance and the corresponding Cisco AnyConnect Essentials and Cisco AnyConnect Mobile licenses. To learn more, visit the [Cisco ASA website](#).

## Cisco environmental sustainability

Information about Cisco’s environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the “Environment Sustainability” section of Cisco’s [Corporate Social Responsibility](#) (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the “Environment Sustainability” section of the CSR Report) are provided in the following table:

Sustainability topic	Reference
Information on product material content laws and regulations	<a href="#">Materials</a>
Information on electronic waste laws and regulations, including products, batteries, and packaging	<a href="#">WEEE compliance</a>

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

## Cisco Unified Communications Services

Cisco and our certified partners can help you deploy a highly secure, resilient Cisco Unified Communications solution so you can meet aggressive deployment schedules and accelerate your business advantage. The Cisco portfolio of services is based on proven methodologies for unifying voice, video, data, and mobile applications on fixed and mobile networks.

The unique Cisco lifecycle approach to services defines the requisite activities at each phase of the solution lifecycle. Customized planning and design services focus on creating a solution that meets your business needs. Award-winning technical support increases operational efficiency. Remote management services simplify day-to-day operations, and optimization services enhance solution performance as your business needs change.

## Cisco Capital

### Flexible payment solutions to help you achieve your objectives

Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments.

[Learn more.](#)

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)