

UCS Hyperflex Zookeeper Service Explanation and Verification

Contents

[Introduction](#)

[Check Exhibitor Service Status](#)

[Query Zookeeper Service](#)

[Zookeeper Log Files in a Live Setup](#)

[Zookeeper Log Files from Support-bundle \(storfs\)](#)

Introduction

This document describes ZooKeeper, which is essentially a centralized service for distributed systems to a hierarchical key-value store. It is used to provide a distributed configuration service, synchronization service, and naming registry for large distributed systems. ZooKeeper's architecture supports high availability through redundant services. Clients can thus ask another ZooKeeper leader if the first fails to answer. ZooKeeper nodes store their data in a hierarchical namespace, much like a file system or a tree data structure. Clients can read from and write to the nodes and in this way have a shared configuration service. ZooKeeper can be viewed as an atomic broadcast system through which updates are totally ordered.

ZooKeeper offers these main features:

- Reliable system - The system is very reliable because it keeps working even if a node fails.
- Simple architecture - The architecture of ZooKeeper is quite simple; it uses a shared hierarchical namespace, which helps in process coordination.
- Fast processing - ZooKeeper is especially fast for read-dominant workloads.
- Scalable - The performance of ZooKeeper can be improved by the addition of nodes.

In HX, there is this specific implementation:

- The Service called **exhibitor** manages zookeeper startup/shutdown.
- Processes within the HX cluster are clients to Zookeeper and communicate over tcp port **2181** ex storfs, stmgr, and so on.
- Systems with more than five nodes will have some nodes in standalone. Systems with five nodes or less should never have a node in standalone.
- The minimum number of nodes required for Quorum = $N/2 + 1$.

For example, for a three node cluster - $N/2=1.5$ Rounded off to 1 +1 =2 (Only one node failure can be tolerated)

For example, for a five node cluster - $N/2=2.5$ Rounded off to 2 +1 =3 (Only two node failures can be tolerated)

Since you only ever do five nodes for a ZK cluster, you only tolerate a maximum of two node failures for any number of nodes in the cluster. This is true of converged nodes.

Check Exhibitor Service Status

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# service exhibitor status
exhibitor start/running, process 4905
```

```
root@help:/var/log/springpath# ps -aux | grep -i exhibitor
root 12519 0.0 0.2 4690592 198892 ? Ssl May19 7:19 exhibitor -cp exhibitor.jar:/etc/exhibitor/ -
Xmx256M -XX:+HeapDumpOnOutOfMemoryError -
XX:HeapDumpPath=/var/log/exhibitor_heap_dump_2019_05_19_22:19:48.hprof -
Dlog4j.configuration=file:///etc/exhibitor/log4j.properties -
Dspringpath.zkdownscript=/usr/share/springpath/storfs-misc/zkMonitor.sh -
Djava.security.egd=file:/dev/./urandom -jar exhibitor.jar --hostname 10.197.252.100 -c file --
fsconfigdir /etc/exhibitor --port 8180 --listenaddress 10.197.252.100
root@help:/var/log/springpath# pidof exhibitor
12519
```

Query Zookeeper Service

Zookeeper has a four letter command syntax that enables you to query status, list connections, number of znodes, and so on.

Check zookeeper status on local node - (ruok ==> Are you OK?. imok==>I am OK).

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo ruok|nc localhost 2181
imok
```

Check whether the zookeeper is a leader or follower.

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo srvr | nc localhost 2181
Zookeeper version: 3.4.6--1, built on 06/16/2015 22:50 GMT
Latency min/avg/max: 0/0/101
Received: 213128515
Sent: 213164119
Connections: 6
Outstanding: 0
Zxid: 0xa000301d0
Mode: leader
Node count: 17090
```

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo stat | nc localhost 2181
Zookeeper version: 3.4.6--1, built on 06/16/2015 22:50 GMT
Clients:
 /192.168.5.161:56128[1](queued=0,recved=169146196,sent=169162634)
 /192.168.5.161:38614[1](queued=0,recved=186015,sent=186017)
 /192.168.5.164:44412[1](queued=0,recved=184398,sent=184399)
 /192.168.5.164:44447[1](queued=0,recved=561168,sent=563034)
 /127.0.0.1:60060[0](queued=0,recved=1,sent=0)
 /192.168.5.161:58754[1](queued=0,recved=39233,sent=39261)
```

```
Latency min/avg/max: 0/0/101
Received: 213109927
Sent: 213145531
Connections: 6
Outstanding: 0
Zxid: 0xa000301d0
Mode: leader
Node count: 17090
```

```

root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo mntr | nc localhost 2181
zk_version      3.4.6--1, built on 06/16/2015 22:50 GMT
zk_avg_latency  0
zk_max_latency  101
zk_min_latency  0
zk_packets_received  213148668
zk_packets_sent    213184272
zk_num_alive_connections  6
zk_outstanding_requests  0
zk_server_state   leader
zk_znode_count    17090
zk_watch_count    4305
zk_ephemerals_count  20
zk_approximate_data_size  1831768
zk_open_file_descriptor_count  43
zk_max_file_descriptor_count  4096
zk_followers      3
zk_synced_followers  3
zk_pending_syncs  0

```

Check the Zookeeper configuration:

```

root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo conf | nc localhost 2181
clientPort=2181
dataDir=/var/zookeeper/version-2
dataLogDir=/var/zookeeper/version-2
tickTime=3000
maxClientCnxns=60
minSessionTimeout=6000
maxSessionTimeout=60000
serverId=3
initLimit=10
syncLimit=3
electionAlg=3
electionPort=3888
quorumPort=2888
peerType=0

```

Zookeeper Log Files in a Live Setup

If there are any issues in Zookeeper services, these log files will help to find traces:

- /var/log/zookeeper/zookeeper* - Maintains archived logs, helpful search keywords WARN, ERROR, Goodbye, Leader , and so on.
- /var/log/springpath/zk-*
- /var/log/springpath/exhibitor.log

```

root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# grep -i leader
/var/log/zookeeper/zookeeper.log*
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,088 [myid:3] - INFO
[QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Leader@60] - TCP NoDelay set to: true
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,099 [myid:3] - INFO
[QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Leader@358] - LEADING - LEADER ELECTION TOOK - 354
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,120 [myid:3] - INFO [LearnerHandler-
/192.168.5.164:36487:LearnerHandler@522] - Received NEWLEADER-ACK message from 0
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,120 [myid:3] - INFO [LearnerHandler-
/192.168.5.163:43451:LearnerHandler@522] - Received NEWLEADER-ACK message from 1
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,120 [myid:3] - INFO
[QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Leader@943] - Have quorum of supporters, sids: [ 0,1,3
]; starting up and setting last processed zxid: 0x100000000

```

```
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,272 [myid:3] - INFO
[WorkerReceiver[myid=3]:FastLeaderElection@597] - Notification: 1 (message format version), 3
(n.leader), 0x0 (n.zxid), 0x1 (n.round), LOOKING (n.state), 2 (n.sid), 0x0 (n.peerEpoch) LEADING
(my state)
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,291 [myid:3] - INFO [LearnerHandler-
/192.168.5.162:48778:LearnerHandler@486] - Sending snapshot last zxid of peer is 0x0 zxid of
leader is 0x100000000sent zxid of db as 0x100000000
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:59:26,298 [myid:3] - INFO [LearnerHandler-
/192.168.5.162:48778:LearnerHandler@522] - Received NEWLEADER-ACK message from 2
```

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# grep -i warn
```

```
/var/log/zookeeper/zookeeper.log*
```

```
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:46:30,354 [myid:] - WARN
[main:QuorumPeerMain@113] - Either no config or no quorum defined in config, running in
standalone mode
/var/log/zookeeper/zookeeper.log.7:2016-10-14 22:52:55,238 [myid:] - WARN
[main:QuorumPeerMain@113] - Either no config or no quorum defined in config, running in
standalone mode
```

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# grep -i goodbye
```

```
/var/log/zookeeper/zookeeper.log*
```

```
/var/log/zookeeper/zookeeper.log.1:2017-01-23 03:55:50,429 [myid:3] - WARN [LearnerHandler-
/192.168.5.163:44118:LearnerHandler@646] - ***** GOODBYE /192.168.5.163:44118 *****
/var/log/zookeeper/zookeeper.log.1:2017-01-24 23:30:14,956 [myid:3] - WARN [LearnerHandler-
/192.168.5.164:44720:LearnerHandler@646] - ***** GOODBYE /192.168.5.164:44720 *****
/var/log/zookeeper/zookeeper.log.3:2016-12-01 23:45:22,510 [myid:3] - WARN [LearnerHandler-
/192.168.5.164:44051:LearnerHandler@646] - ***** GOODBYE /192.168.5.164:44051 *****
/var/log/zookeeper/zookeeper.log.3:2016-12-08 00:36:37,752 [myid:3] - WARN [LearnerHandler-
/192.168.5.162:46577:LearnerHandler@646] - ***** GOODBYE /192.168.5.162:46577 *****
/var/log/zookeeper/zookeeper.log.4:2016-11-22 23:45:30,957 [myid:3] - WARN [LearnerHandler-
/192.168.5.163:49016:LearnerHandler@646] - ***** GOODBYE /192.168.5.163:49016 *****
/var/log/zookeeper/zookeeper.log.4:2016-11-23 00:03:59,397 [myid:3] - WARN [LearnerHandler-
/192.168.5.164:45952:LearnerHandler@646] - ***** GOODBYE /192.168.5.164:45952 *****
/var/log/zookeeper/zookeeper.log.4:2016-12-01 22:51:00,538 [myid:3] - WARN [LearnerHandler-
/192.168.5.163:45284:LearnerHandler@646] - ***** GOODBYE /192.168.5.163:45284 *****
/var/log/zookeeper/zookeeper.log.5:2016-11-10 23:39:47,477 [myid:3] - WARN [LearnerHandler-
/192.168.5.163:43576:LearnerHandler@646] - ***** GOODBYE /192.168.5.163:43576 *****
/var/log/zookeeper/zookeeper.log.5:2016-11-11 00:49:39,782 [myid:3] - WARN [LearnerHandler-
/192.168.5.164:35219:LearnerHandler@646] - ***** GOODBYE /192.168.5.164:35219 *****
```

Some Sample Logs - Zookeeper Logging Election

```
2017-01-22 23:47:29,427 [myid:3] - INFO [Thread-2:QuorumCnxManager$Listener@504] - My election
bind port: /192.168.5.161:3888
2017-01-22 23:47:29,435 [myid:3] - INFO
[QuorumPeer[myid=3]/0:0:0:0:0:0:0:2181:QuorumPeer@714] - LOOKING
2017-01-22 23:47:29,438 [myid:3] - INFO
[QuorumPeer[myid=3]/0:0:0:0:0:0:0:2181:FastLeaderElection@815] - New election. My id = 3,
proposed zxid=0x9000a6b4d
2017-01-22 23:47:29,443 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] -
Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round),
FOLLOWING (n.state), 0 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)
2017-01-22 23:47:29,444 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] -
Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round),
FOLLOWING (n.state), 1 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)
2017-01-22 23:47:29,444 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] -
Notification: 1 (message format version), 3 (n.leader), 0x9000a6b4d (n.zxid), 0x1 (n.round),
LOOKING (n.state), 3 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)
2017-01-22 23:47:29,444 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] -
Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round),
FOLLOWING (n.state), 1 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)
```

2017-01-22 23:47:29,445 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] - Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round), LEADING (n.state), 2 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)

2017-01-22 23:47:29,445 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] - Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round), FOLLOWING (n.state), 0 (n.sid), 0x9 (n.peerEpoch) LOOKING (my state)

2017-01-22 23:47:29,446 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:QuorumPeer@784] - FOLLOWING

2017-01-22 23:47:29,449 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Learner@86] - TCP NoDelay set to: true

2017-01-22 23:47:29,449 [myid:3] - INFO [WorkerReceiver[myid=3]:FastLeaderElection@597] - Notification: 1 (message format version), 2 (n.leader), 0x800055ea0 (n.zxid), 0x1 (n.round), LEADING (n.state), 2 (n.sid), 0x9 (n.peerEpoch) FOLLOWING (my state)

2017-01-22 23:47:29,660 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:zookeeper.version=3.4.6--1, built on 06/16/2015 22:50 GMT

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:host.name=SpringpathControllerMSH7NHXRFL

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.version=1.7.0_79

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.vendor=Oracle Corporation

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.home=/usr/lib/jvm/java-7-openjdk-amd64/jre

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.class.path=/usr/share/zookeeper/bin/./build/classes:/usr/share/zookeeper/bin/./build/lib/*.jar:/usr/share/zookeeper/bin/./lib/slf4j-log4j12-1.6.1.jar:/usr/share/zookeeper/bin/./lib/slf4j-api-1.6.1.jar:/usr/share/zookeeper/bin/./lib/netty-3.7.0.Final.jar:/usr/share/zookeeper/bin/./lib/log4j-1.2.16.jar:/usr/share/zookeeper/bin/./lib/jline-0.9.94.jar:/usr/share/zookeeper/bin/./zookeeper-3.4.6.jar:/usr/share/zookeeper/bin/./src/java/lib/*.jar:/usr/share/zookeeper/bin/./conf:

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.library.path=/usr/java/packages/lib/amd64:/usr/lib/x86_64-linux-gnu/jni:/lib/x86_64-linux-gnu:/usr/lib/x86_64-linux-gnu:/usr/lib/jni:/lib:/usr/lib

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.io.tmpdir=/tmp

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:java.compiler=<NA>

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:os.name=Linux

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:os.arch=amd64

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:os.version=3.2.0-58-generic

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:user.name=root

2017-01-22 23:47:29,661 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:user.home=/root

2017-01-22 23:47:29,662 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Environment@100] - Server environment:user.dir=/usr/share/zookeeper

2017-01-22 23:47:29,662 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:ZooKeeperServer@162] - Created server with tickTime

```
3000 minSessionTimeout 6000 maxSessionTimeout 60000 datadir /var/zookeeper/version-2 snapdir
/var/zookeeper/version-2
2017-01-22 23:47:29,663 [myid:3] - INFO [QuorumPeer[myid=3]/0:0:0:0:0:0:0:0:2181:Follower@63] -
FOLLOWING - LEADER ELECTION TOOK - 226
```

```
root@SpringpathControllerMSH7NHXRFL:/var/log/springpath# cat zk-debug-storfs.log
```

```
2017-01-22 23:47:18,702:5866(0x7fd1f7ef5700):ZOO_INFO@check_events@1760: initiated connection to
server [192.168.5.163:2181]
2017-01-22 23:47:18,704:5866(0x7fd1f7ef5700):ZOO_INFO@check_events@1807: session establishment
complete on server [192.168.5.163:2181], sessionId=0x159165ff6310005, negotiated timeout=17001
2017-01-22 23:47:18,704:5866(0x7fd1f76f4700):ZOO_INFO@process_completions@2170: Calling a
watcher for node s], type = s
2017-01-23 01:50:16,809:5866(0x7fd1f7ef5700):ZOO_ERROR@handle_socket_error_msg@1778: Socket
[192.168.5.163:2181] zk retcode=-4, errno=112(Host is down): failed while receiving a server
response
2017-01-23 01:50:16,818:5866(0x7fd1f76f4700):ZOO_INFO@process_completions@2170: Calling a
watcher for node s], type = s
2017-01-23 01:50:16,818:5866(0x7fd1f7ef5700):ZOO_INFO@check_events@1760: initiated connection to
server [192.168.5.164:2181]
2017-01-23 01:50:16,818:5866(0x7fd1f7ef5700):ZOO_ERROR@handle_socket_error_msg@1778: Socket
[192.168.5.164:2181] zk retcode=-4, errno=112(Host is down): failed while receiving a server
response
2017-01-23 01:50:17,819:5866(0x7fd1f7ef5700):ZOO_ERROR@handle_socket_error_msg@1740: Socket
[192.168.5.162:2181] zk retcode=-4, errno=115(Operation now in progress): poll refused to accept
read/write from the client
```

```
root@help:/var/log/springpath# cat zkEvents.log
```

```
INFO:ZkEvents:Send changes to listeners
INFO:EventDB:Received message{"timestamp": 1559200009008, "description": "Cluster policy
compliance is satisfied", "id": "ClusterPolicyComplianceSatisfiedEvent"}
DEBUG:kazoo.client:Received EVENT: Watch(type=3, state=3,
path=u'/zkEvents/lastModificationTime')
DEBUG:kazoo.client:Sending request(xid=42): GetData(path='/zkEvents/lastModificationTime',
watcher=<bound method DataWatch._watcher of <kazoo.recipe.watchers.DataWatch object at
0x7fec80ffd0d0>>)
DEBUG:kazoo.client:Received response(xid=42): ('{"timestamp": 1559200009009, "description":
"Cluster is healthy", "id": "ClusterHealthNormalEvent"}', ZnodeStat(czxid=4294968021,
mzxid=85899377486, ctime=1543045592975, mtime=1559200010730, version=465, cversion=0,
aversion=0, ephemeralOwner=0, dataLength=99, numChildren=0, pzxid=4294968021))
INFO:ZkEvents:Version: 465, data: {"timestamp": 1559200009009, "description": "Cluster is
healthy", "id": "ClusterHealthNormalEvent"}
INFO:ZkEvents:Send changes to listeners
INFO:EventDB:Received message{"timestamp": 1559200009009, "description": "Cluster is healthy",
"id": "ClusterHealthNormalEvent"}
INFO:EventDB:Client(38) disconnected
INFO:EventDB:New client connected and was given id 39
INFO:EventDB:Client(39) disconnected
```

```
root@SpringpathControllerPZTMTRSH7K:/var/log/springpath# tail exhibitor.log
```

```
05-20 05:28:52.223 INFO org.mortbay.log - Started SocketConnector@10.197.252.99:8180
05-20 05:29:20.106 INFO com.netflix.exhibitor.core.activity.ActivityLog - State: down
05-20 05:29:20.106 INFO com.netflix.exhibitor.core.activity.ActivityLog - Attempting to stop
instance
05-20 05:29:20.106 INFO com.netflix.exhibitor.core.activity.ActivityLog - Attempting to
start/restart ZooKeeper
05-20 05:29:20.328 INFO com.netflix.exhibitor.core.activity.ActivityLog - jps didn't find
instance - assuming ZK is not running
05-20 05:29:20.347 INFO com.netflix.exhibitor.core.activity.ActivityLog - Process started via:
/usr/share/zookeeper/bin/zkServer.sh
05-20 05:29:20.353 ERROR com.netflix.exhibitor.core.activity.ActivityLog - ZooKeeper Server:
ZooKeeper JMX enabled by default
05-20 05:29:20.353 ERROR com.netflix.exhibitor.core.activity.ActivityLog - ZooKeeper Server:
```

```
Using config: /usr/share/zookeeper/bin/../conf/zoo.cfg
05-20 05:29:21.366 INFO com.netflix.exhibitor.core.activity.ActivityLog - ZooKeeper Server:
Starting zookeeper ... STARTED
05-20 05:29:50.128 INFO com.netflix.exhibitor.core.activity.ActivityLog - State: serving
```

Zookeeper Log Files from Support-bundle (storfs)

In a support-bundle, these are important files to look at:

```
root@SpringpathControllerMSH7NHXRFL:/var/log/zookeeper# echo conf | nc localhost 2181
clientPort=2181
dataDir=/var/zookeeper/version-2
dataLogDir=/var/zookeeper/version-2
tickTime=3000
maxClientCnxns=60
minSessionTimeout=6000
maxSessionTimeout=60000
serverId=3
initLimit=10
syncLimit=3
electionAlg=3
electionPort=3888
quorumPort=2888
peerType=0
```