

PROTOS IPsec

ã,¹ã,¼ãf¼ãf^ã «ã, ^ã £ã |ç™ºè | <ã •ã,Œã, <ã¼š
è,,†ã¼±ç,¹



ã,çãf%ãfã,ã,¼ãfãf¼ID : cisco-sa-
20051114-ipsec

ã^ã...-é-<æ—¥ : 2005-11-14 11:00

ãfãf¼ã,ãfãf³ 1.9 : Final

ã>žéç- : [Yes](#)

Cisco ãfã,º ID : [CSCed94829](#)

[CVE-2005-4570](#)

[CVE-2006-0718](#)

[CVE-2005-3670](#)

[CVE-2005-3672](#)

[CVE-2005-4321](#)

[CVE-2005-3671](#)

[CVE-2005-3674](#)

[CVE-2005-4565](#)

[CVE-2005-3673](#)

[CVE-2005-4564](#)

[CVE-2006-1646](#)

[CVE-2005-3915](#)

[CVE-2005-4566](#)

[CVE-2005-3667](#)

[CVE-2005-3733](#)

[CVE-2005-3666](#)

[CVE-2005-3732](#)

[CVE-2005-3985](#)

[CVE-2005-](#)

[3669](#)

[CVE-2005-](#)

[3768](#)

[CVE-2005-](#)

[3668](#)

æ—Ÿæœ—èªžã «ã, ^ã, <æf...ã ±ã -ã€ è±èªžã «ã, ^ã, <ãžŸæ-†ã ®éžã...-ã¼ã

æ!, è!

è±æ•ã @ã, ·ã, ^ã, ³è£½ã“ã - IPsec IKE i¼^Internet Key
Exchangei¼^IKEi¼%oii¼%oãfjãffã,»ãf¼ã,ã @ã†|çã tã Sè,,tã¼±æ€Sã CEã «ã¾ã,CEã |ã,,ã¾ã
ã “ã,CEã,%oã @è,,tã¼±æ€Sã - IPsec ã @ããŸã,ã @ University of Oulu ã,»ã,ãfã,ç
ãf—ãfã,°ãfããfã ã,°ãfããfã—i¼^OUSPGi¼%o ã€CEPROTOSã€ãftã,¹ãf^
ã,¹ã,±ãf¼ãf^ã «ã, ^ã £ã |è~ã^Ÿã•ã,CEã€ã,±ãf¼ãf^ã,¹æ'ã |ã, 'ç"Ÿæ^
ã™ã,ã @ã «ç¹ã,Šèž"ã —ã,æ£ã^ç"ã™ã,ã “ã “ã CEã Sãã¾ã™ã€,

ã, ·ã, ¹ã, ³ã Sã -ã€ è²ã½“ã™ã,ã Šã@çæS~ç"ã «ã€ãã “ã @è,,tã¼±æ€Sã «ã¾ãçæã™ã,
ã,½ãfãf^ã, |ã, Sã, çã, 'é...ã™ã™ã,ã%ãã «ã€ãfjãf³ãftãfŠãf³ã,
ãf—ãfãfã,±ãf€ãf¼ã “ç,è«†ã™ã,ã «ã€æ©Ÿèf½ã,»ãfãf^ã @ã'æ>æ€Sã,,ç'°ãçfã'æœ%ã

ã “ã @ã, çãf%ããfã,±ã, ¶ãfãã -

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20051114-ipsec>

ã Sæž²çãã, CEã¾ã™ã€,

è²ã½“è£½ã“

ãç@æfæ, ^ã çã, ½ãfãf^ã, |ã, Sã, ç

ã½±éŸã, 'ã —ã “ã Ÿã,½ãfãf^ã, |ã, Sã, çã @ãfãf¼ã,ãfSãf³ã,ã@Ÿè;CEã —ã€ IKE
ã @ããŸã,ã “ã «è “ãŠãã•ã,CEã, < Ciscoãf†ãfãã,±ã,¹ã -è,,tã¼±ã Sã™ã€,
ã “ã @è,,tã¼±æ€Sã -ç%¹ã@šãã @ãfãf¼ãf%ã, |ã, Sã, çã, ³ãf³ãfã,£ã, @ãfãfãfãfãã
ã Ÿã “ã “ã “ããf†ãfãã,±ã,¹ã CEè,,tã¼±ã Sãã,ã,ã “ã “ã “ã CEã Sãã¾ãã,ã, ^ã tãã «ã€ C
VPNSM ã< VPN SPA ã CEãž...è|ã “ã “ãªã,Šã¾ã>ã,“ã€,

- 12.2SXDã€12.3Tã€12.4ã Šã, ^ã³ 12.4Tã «ãŸ°ãŸã€ Cisco IOSãfãf¼ã,ãfSãf³
- Cisco PIX Firewallãfãf¼ã,ãfSãf³ã, ^ã,Šã%ãã @ 6.3(5)
- 7.0.1.4ã, ^ã,Šã%ãã @ Cisco PIX Firewall/ASAãfãf¼ã,ãfSãf³
- Cisco Firewallã,±ãf¼ãf^ã,¹

afca, afyaf14af«i14^FWSMi14%af af14a, afSaf3a, ^a, Sã%oã 2.3(3)

- 4.1(7)H aŠã, ^ã 3 4.7(2)B a, ^ã, Šã%oã Cisco VPN 3000 a, .afaaf14a, °ã, 3af3ã, »af3af^af-af14ã, ç af af14ã, afSaf3
- Cisco MDS a, .afaaf14ã, ° SanOS af af14ã, afSaf3a, ^ã, Šã%oã 2.1(2)
- æš—ã·ã, çã, ^ã, »af©af-af14ã, çæããããã 3.2.78.0 ä»¥ã%oã Ciscoaf^ã, mafmaf-ã, 1 LAN a, 3af3af^afaf14af©ã€,

Cisco IOS

è£1/2ã“ãŠã®Yè;CEã·ã,CEã!ã,,ã,½af·af^ã, |ã, Šã, çã, 'çç°èªã™ã, <ã«ã-ã€af†ãã, version a, 3afzãf3af%oã, ç™°è;CEã—ã|ã, .ã, 1ãftãf afafŠaf14ã, 'èj çªã—ã¾ã™ã€, Cisco IOS a, ½af·af^ã, |ã, Šã, çã-ã€EInternetwork Operating System Softwareã€ã¾ãYã-ã~ã«EIOSã€ã”èj çªã·ã,CEã¾ã™ã€, åª°ãŠã®æ¬ã®è;CEã«ã-ã€ã, «ãffã, 3ã«ã²ã¾ã,CEãYã, mafjaf14ã, åããCEj çªã Cisco IOS afªafªaf14ã, 1ãããCEç¶šãã¾ã™ã€,ãããã®ã»-ã® Cisco af†ãã, mã, 1ã«ã- show version

ã, 3afzãf3af%oãCEãªã,,ã<ã€çªãªã, åª°ãŠã®CEè”ã·ã,CEã¾ã™ã€,

æ¬ãã®ã¾ã- C7200-J03S-Mã®ã, maf3ã, 1af^af14af«æ, ^ãçã, mafjaf14ã, åãã%ã” Cisco IOS Release 12.3(10a)ã, åª®Yè;CEã™ã, < Cisco 7200 af«af14ã, çã, è~ã^¥ã—ãYã,,ã®ãŠã™ã€,

<#root>

Router#

show version

Cisco Internetwork Operating System Software
 IOS (tm) 7200 Software (C7200-J03S-M), Version
 12.3(10a)
 , RELEASE SOFTWARE (fc2)
 Copyright (c) 1986-2004 by cisco Systems, Inc.

Cisco IOS afªafªaf14ã, 1æCE†ãã«ãªã,,ã|ã®ãããã®ã»-ã®æf...ã±ã-
<http://www.cisco.com/warp/public/620/1.html>

ãŠè|ãªãã,ã<ã”ã-ãCEãŠãã¾ã™ã€,

æš—ã·æ©Yèf1/2ã, »affaf^ãCEã«ã¾ã,CEã|ã,,ã,< Cisco IOSã, mafjaf14ã,ããã-è,,tã1/4±ãª IPsecã, 3af14af%oãCEã«ã¾ã,CEã|ã,,ã¾ã™ã€, æš—ã·ã, mafªaf14af^ã” IOSã, mafjaf14ã,ã, åª®Yè;CEã—ã|ã,,ãªã,,é;Šã®çã-ã”ãã®è,,tã1/4±æ£S--

ã«ã•ã,%ã•ã,CEã¾ã»ã,“ã€,

Cisco IOSãf•ã,£ãf¼ãfãfEã,»ãffãf^æCE‡ããæš—ãã,µãfãf¼ãf^ã®
IOSã,µãfãf¼ãã,ã«æ©ÿèf½ãf‡ã,ã,°ãfãf¼ãã,¿ãf•ã,£ãf¼ãf«ãf%ã® 'K8ã<'K9
ãCEãã,ã,ã“ã”ã,çã°ã—ã¾ã™ã€,

ãÿã”ããã°ã€ã,Šè¿ã®ã¾ã®ã,µãfãf¼ãã,ã—ã€C7200-JO3S-
Mã€ã¾“ã£ã|ã”ã®ã,µãfãf¼ãã,ãæš—ãã,ã,µãfãf¼ãf^ã—ããã„çã°ã—ã€ã
Security Advisory

ã«èªæ~ŽãCEãã,ã,ã•é;CEã«è,,†ã¼±ãšãã,ã,ã“ã”ã,ããã,CEãCE 'K9.ã<'K8
ãCEãã«ã¾ã,CEã|ã„ã¾ã»ã,“ã€,

æ¬ã®ã‡ãŠãæš—ãã,µãfãf¼ãf^ã”
IOSã,µãfãf¼ãã,ã,ã®ÿè;CEã—ã|ã„ã,ãf‡ãfãã,µã,¹ãã<ã,%ãã¥ããã—
ãã,CEã¾ã—ãÿ:

Cisco Internetwork Operating System Software
IOS (tm) c6sup2_rp Software (c6sup2_rp-PK9S-M), Version 12.2(18)SXD5, RELEASE SOFTWARE (fc3)
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2005 by cisco Systems, Inc.
Compiled Fri 13-May-05 21:12 by ssearch

æ©ÿèf½ã,»ãffãf^æCE‡ããšã”¼^PK9Si¼%ãCE 'K9
ãCEãã«ã¾ã,CEã|ã„ã,ã®ãšã€ãã™ãããããã“ãã®æ©ÿèf½ã,»ãffãf^ãCEæš—ãã,
ã,µãfãf¼ãf^ãCEãã«ã¾ã,CEã|ã„ã,ã“ã”ã”ã,ã^ã¥ãšããã¾ã™ã€,

è,,†ã¼±æ€šã,'ã«ã,“ãšã„ããã„ãã”ã”ãCEçç°èªã•

ã»ã® IOS
ãf^ãf-ã,µãf³ã—ã½±éÿ¿ã,ã—ãã'ã,ããÿã,ãã«çÿ¥ã,%ãã,CEã|ã„ã¾ã¾ã»ã,“ã€,

Cisco IOS XRã—è²ã½“ã—ã¾ã»ã,“ã€,

æš—ãã,çã,ã,»ãf©ãf-ãf¼ãã,¿æã¾ãã®ããã„ Ciscoãf^ã,µãfµãf-ã,¹ LAN
ã,³ãf³ãf^ãfãf¼ãf©ã€,

Cisco Catalyst 6500ã,ãfããf¼ãã,°ãf-ã,µãfµãf-ã,¹ã,µf¼ãf“ã,¹ãfçã,ãf¥ããf¼ãã«ã€,

ç‡ã^ã,µãf¼ãf”ã,¹ãf«ãf¼ãã,¿ã®ããÿã,ãã® Ciscoãf^ã,µãfµãf-ã,¹ LAN
ã,³ãf³ãf^ãfãf¼ãã©ãfçãã,ãf¥ããf¼ãã«ã€,

ã»ã®ã,ã,ã,¹ã,³è£½ã”ãã«ãšã„ãã|ã”ãã®ã,çãf%ãããã,µã,¶ãfãã®ã½±éÿ¿ã,ã—ãã'ã,

<p>Revision 1.9</p>	<p>12- January- 2006</p>	<p>è,,†å¼±æ€§ãⓂæ~åce''ã™ã,èè½á"ã ã,»ã,¯ã,·ãfšãf³ã,ã,çãffãf—ãf†ãf¼ãf^ã—ã¾ã—ãÿã€, è,,†å¼±æ€§ãⓂæ~åce''ã—ãªã,,èè½á"ã ã,»ã,¯ã,·ãfšãf³ã,ã,çãffãf—ãf†ãf¼ãf^ã—ã¾ã—ãÿã€, Ciscoãf¯ã,ªãfªãf-ã,¹ LAN ã,³ãf³ãf^ãfãf¼ãf© ã,»ã,¯ã,·ãfšãf³ãⓂãÿã,ãⓂãè:½ãš è©³ç'°ã,è:½ãš ã—ã ä,ã·ã Cisco ãfã,° ID ã,»ã,¯ã,·ãfšãf³ã,ã,çãffãf—ãf†ãf¼ãf^ã—ã¾ã—ãÿã ã,½ãf·ãf^ã, ã,šã,ç ãfãf¼ã,ãfšãf³ ãšã,^ã³ äçæ£ã,»ã,¯ã,·ãfšãf³ IOS ä»¥å±-ãè èè½á" èj''ã,ã,çãffãf—ãf†ãf¼ãf^ã—ã¾ã—ãÿã€,</p>
<p>Revision 1.8</p>	<p>11- January- 2006</p>	<p>ã,½ãf·ãf^ã, ã,šã,ç ãfãf¼ã,ãfšãf³ ãšã,^ã³ äçæ£ãⓂã,ãⓂã Cisco IC èj''ã<ã,%ããⓂã-é™ªã<ã,æãÿ "12.3(7)T13" ãšã,^ã³ "12.3(8)T12</p>
<p>Revision 1.7</p>	<p>15- December- 2005</p>	<p>æ'æ-°æ,^ Cisco IOS èè½á" èj''ãšã,^ã³æœ%ãš¹ æ—¥ã» 12.3(11)T9 ã 27-Dec-05 ãⓂãª%ãæ'ã·ã,æã ã€,</p>
<p>Revision 1.6</p>	<p>06- December- 2005</p>	<p>Cisco IOS ã,»ã,¯ã,·ãfšãf³ãⓂãÿã,ãⓂãæ'æ-°æ,è:½ãš è©³ç'°ã€, æ'æ- Cisco IOS ã,»ã,¯ã,·ãfšãf³ã€,</p>
<p>Revision 1.5</p>	<p>29- November- 2005</p>	<p>æ'æ-°æ,^ Cisco IOS èè½á" èj''ã€,</p>
<p>ãf³ãf"ã,ãfšãf³ 1.4</p>	<p>17- November- 2005</p>	<p>æ'æ-°æ,^ Cisco IOS èè½á" èj''ã€,</p>
<p>ãf³ãf"ã,ãfšãf³ 1.3</p>	<p>15- November- 2005</p>	<p>æ'æ-°æ,^ IOS ä»¥å±-ãⓂèè½á" èj''ã€,</p>

ãfãf“ã,ãf§ãf³ 1.2	15- November- 2005	æ>æ-°æ,^ã,çãf%ãfã,ã,ã,¶ã,¶ãfã IDã€,
ãfãf“ã,ãf§ãf³ 1.1	14- November- 2005	æ>æ-°æ,^ IOS ä»¥ã-ã® è£½ã” èj”ã€, Cisco PIX ã,»ã,ã,ãf§ãf³ã®ã®ÿã,ã®è¿½ãŠ è©³ç’ã®æ>æ-°æ,^ã,³ãfžãf³ãf% ã†°ãŠ>ã€, Cisco IOS ã,»ã,ã,ãf§ãf³ã®ã®ÿã,ã®æ>æ-°æ,^è¿½ãŠ è©³ç’ã€,
ãfãf“ã,ãf§ãf³ 1.0	14- November- 2005	ã^ç%ãfãfãf¼ã,¹

ã^ç”è|ç’,,

æce-ã,çãf%ãfã,ã,ã,¶ã,¶ãfããç,,jã¿è”¼ã®ã,,ã®ã”ã—ã|ã”æããã¼ã—ã|ãŠã,Šã€
æce-ã,çãf%ãfã,ã,ã,¶ã,¶ãfãã®æf...ã±ãŠã,^ã³ãfãfã,ã®½¿ç””ã«é-çã™ã,«è²-ã»ã®ã,€
ã³¼ãÿã€ã,ã,¹ã,³ã-æce-ãf%ã,ãf¥ãfjãf³ãf^ã®ãt...ã®¹ã,’ã^ã’ãã—ã«ã%ãæ>ã—ã
æce-ã,çãf%ãfã,ã,ã,¶ã,¶ãfãã®è”~è¿ãt...ã®¹ã«é-çã—ã|æf...ã±é...ã¿jã® URL
ã,çceç•¥ã—ã€ãã~ç<-ã®è»çè¼%ã,,,æ,,è”³ã,’æ-½ã—ãÿã’ã^ã€ã½”ç³¼ãCEç®jç
ã”ã®ãf%ã,ãf¥ãfjãf³ãf^ã®æf...ã±ã-ã€ã,ã,¹ã,³è£½ã”ã®,”ãf³ãf%ãf|ãf¼ã,¶ã,ã³¼è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。