

Cisco Unified Communications Manager

Denial of Service (DoS) Vulnerability in Cisco Unified Communications Manager



Cisco Unified Communications Manager (CUCM) : cisco-sa-

20071017-cucm

Published: 2007-10-17 16:00

Version: 1.0 : Final

CVSS Score: 10.0

Workarounds: No Workarounds available

Cisco ID :

[CVE-2007-](#)

[5537](#)

[CVE-2007-](#)

[5538](#)

Denial of Service (DoS) vulnerability in Cisco Unified Communications Manager (CUCM) allows an attacker to cause a denial of service by sending a specially crafted SIP INVITE message to the CUCM. The vulnerability is caused by a buffer overflow in the CUCM's SIP processing logic. The vulnerability is present in CUCM versions 3.0 through 6.0.

Denial of Service (DoS)

Cisco Unified Communications Manager (CUCM) Denial of Service (DoS)

CallManager Denial of Service (DoS)

Version: 1.0

Published: 2007-10-17 16:00

Version: 1.0 : Final

CVSS Score: 10.0

Workarounds: No Workarounds available

Cisco ID :

Denial of Service (DoS) vulnerability in Cisco Unified Communications Manager (CUCM) allows an attacker to cause a denial of service by sending a specially crafted SIP INVITE message to the CUCM. The vulnerability is caused by a buffer overflow in the CUCM's SIP processing logic. The vulnerability is present in CUCM versions 3.0 through 6.0.

CallManager Denial of Service (DoS)

Version: 1.0

Published: 2007-10-17 16:00

Version: 1.0 : Final

CVSS Score: 10.0

Workarounds: No Workarounds available

Cisco ID :

Denial of Service (DoS)

Cisco Unified

CallManager Denial of Service (DoS)

Version: 1.0

Published: 2007-10-17 16:00

Version: 1.0 : Final

CVSS Score: 10.0

Workarounds: No Workarounds available

Cisco ID :

ã@åçš°ã®ã¼ã¼ãšã™ã€,

è,,†å¼±æ€šã®ã,ã,«è½å”

ã™ã¹ã|ã® Cisco Unified CallManager 5.0 äfä¼ã,äfsä³ããšã,^ã³ 5.1(2)
ã,^ã,šã,,å%ã® Communications Manager 5.1 äfä¼ã,äfsä³ã-ã€SIP INVITE
UDP ä®ã,µä¼äf”ã,¹æ’ã|ãšã,^ã³ TFTP ä,µä¼äf”ã,¹
ã,ªä¼äfä¼äf.äfä¼ã®è,,†å¼±æ€šã«è²å½”ã—ã¼ã™ã€,Cisco Unified
Communications Manager version 5.1(2) ä-ã€SIP INVITE UDP
ã®ã,µä¼äf”ã,¹æ’ã|ã«ã-è²å½”ã—ã¼ã™ã€æã€TFTP ä,µä¼äf”ã,¹
ã,ªä¼äfä¼äf.äfä¼ã®è,,†å¼±æ€šã«ã-è²å½”ã—ã¼ã™ã€,ã,ã€,

æ³’¼šã”ã,æã,%ã®è,,†å¼±æ€šã«ã¼ã™ã€,ã¿®æã,åã€ã,€Cisco Unified
Communications Manageräfä¼ã,äfsä³6.0(1)ã€æå†è.ã.ã,æã|ã,ã¼ã™ã€,

CUCM äfä¼ã,äfsä³ 5.x äšã,^ã³ 6.x
ã€æå®ÿè;æã.ã,æã|ã,,ã,ã,¹ä†äf ä®ç®;ç†è€...ã-ã€CUCM
ç®;ç†ã,ªä³ã,¿ä¼äf.ã,šã,ªã,¹ã®äfã,ªäf³
äfsä¼ã,ã,è;”çªã™ã,ã”ã”ãšãã,½äf.äf^ã,|ã,šã,ç
äfä¼ã,äfsä³ã,å^ªå^ãšã¼ã™ã€,ã,½äf.äf^ã,|ã,šã,çã®äfä¼ã,äfsä³ã-ã€C
Line Interface¼^CLI; ä,³äfžä³äf% äfã,ªäf³ ä,ªäf³ã,¿ä¼äf.ã,šã,ªã,¹¼%ãš show version
active ä,³äfžä³äf%ã,å®ÿè;æã—ã|ççèªã™ã,ã”ã”ã,ãšã¼ã™ã€,

è,,†å¼±æ€šã,å”ã«ã,“ãšã,,ãªã,,ã”ã”ã€ççèªã.ã,æãÿè½å”

Cisco Unified CallManager äfä¼ã,äfsä³ 3.xã€4.0ã€4.1ã€Communications Manager
4.2 ä” 4.3ã€ãšã,^ã³ Cisco CallManager Express
ã-ã€ã”ã,æã,%ã®è,,†å¼±æ€šã«ã-è²å½”ã—ã¼ã™ã>ã,“ã€,ã»-ã®ã,ã,¹ã,³è½å”

è³ç’

Cisco Unified Communications Manager¼^CUCMi¼%oi¼^ã»ã%ã®
CallManager¼%ã-ã€IP Phoneã€äfä¼ã,£ã,çå†|ç†ä†äfã,ªã,¹ã€Voice over
IP¼^VoIP¼%ã,²ä¼äf^ã,|ã,šã,ªã€ãšã,^ã³äfžäf«äfä¼ã,£ã,ç
ã,çã—ãfª,±ä¼ã,äfsä³ãªã€çã€äfã,±äffäf^ äftäf-äf.ã,çä¼¼ äfäffäf^äfä¼ã,⁻
ä†äfã,ªã,¹ã«ã,“ä³ã,¿ä¼äf—äfã,ªã,^o
äftäf-äf.ã,çä¼¼æçÿè½ã,æç¼¼ã™ã,ã€Cisco IP äftäf-äf.ã,çä¼¼
ã,½äfªäf¼ã,äfsä³ã®ã,³ä¼äf«å†|ç†ã,³äfä¼ãä¼äfä¼ãšã™ã€,

- SIP INVITE UDP ä®ã,µä¼äf”ã,¹æ’ã|¼š

CUCM Session Initiation Protocol SIP;

ã,»ãffã,·ãfšãf3é-ãšãf-ãfãf^ã,³ãf<i¼%ã,¹ã,¿ãffã,ã«ã-ã€DoS
ã@è,,tã¼±æ€Sãã«ã¾ã,ãã|ã,,ã¾ã™ã€,UDPãfãf¼ãf^5060
ã,ã@æ£ã,ãª SIP INVITEãfãffã,»ãf¼ã,,ã'ã½¿ç""ã—ãÿCUCM
ã,ã,¹ãftãfã@ãfãfãfã,£ãf³ã,°ã«ã,ã£ã|ã€ã,«ãf¼ãfãf«
ãfãfãfã,ã@ãŽÿããããã,ã€ãfã,½ãf¼ã,¹æŽæ,¿çš¶æ...ã,ã¼ãèµã"ã™ã"ã
ãfãf¼ã,,ãfšãf³5.1(2b)ã€5.1(3)ã€ããšã,^ã³6.0(1)
ãšã¿@æ£ãã,ã,ãã|ã,,ã¾ã™ã€,ã"ã@ãé;ãã Cisco Bug ID
CSCsi75822ã«è~è¼%ãã,ãã|ã,,ã¾ã™ã€,

- Centralized TFTP File Locator Serviceã@ã,ããf¼ãfãf¼ãfãfãf¼i¼š

CUCM TFTP

ã,ãf¼ãf"ã,¹ã«ã-ãfã,ã,ããf«ãã@ã¿;çtã«ãšã'ã,ãããfãfãã,ã,
ã,ããf¼ãfãf¼ãfãfãf¼ã@è,,tã¼±æ€Sãã«ã¾ã,ãã|ãšã,šã€èè¼ãã,ãã|ãf¼ã,¶ã«ã,^ã,«DoS
çš¶æ...ã@ç™ç"ÿã,,ã»æ,,ã@ã,³ãf¼ãf%ã@ã@ÿè;ãããã-èf½ã«ãã£ãÿã,šã
ã,ããf¼ãfã,¹ã-ã€ã¾æ¥ã@TFTPi¼^UDPãfãf¼ãf^69i¼%ã"TCPãfãf¼ãf^
6970ãšã—ã¿ã™ã,«HTTPã,ããf¼ãfãã@2
ããã@æ-¹ã¼ã,ã»ã—ã|ãfã,ã,ããf«ã,ã¿;çtã—ã¾ã™ã€,HTTP
ã,ããf¼ãfã,ã,³ãf³ãfãf¼ãfãf³ãfã-ã€Centralized TFTP File Locator Service
ãã—ã|çÿã,ã,ãã|ã,,ã¾ã™ã€,

Centralized TFTP File Locator Serviceã,ã'ã½¿ç""ã™ã,ããã€CUCM

ç@ççtè€...ã-ãfãfãfã,ãã,¹è"ãšããã,½ãfãf^ã,ã,šã,ç
ãfã,ã,ããf«ã,ã,ããã@ãæ%ã€ã«æ¼ç'ããšãã¾ã™ã€,Centralized TFTP
File Locator Serviceã-ã€CUCM TFTP
ã,ããf¼ãfã,¹ããæø%ãš¹ã«ããã£ã|ã,,ã|ã€ã»£æ¿ã@TFTP
ãfã,¹ã€è"ãšããã,ããã|ã,,ã,ããã€ãã,ãã,ãftã,£ãfãã«ããã,šã¾ã™ã€,Centralize
TFTP File Locator Serviceãšã,^ã³ã»£æ¿ã@TFTP
ãfã,¹ã@è"ãšãã«ããã,ãã|ã@è³ç'ã-ã€æããã@ãf%ã,ãfãfãfãfãf^ã,ã,ç...šã

http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/admin/5_0_1/ccmsys/a02tftp.html#wp1044917

ã,ããf¼ãfãf¼ãfãfãf¼ã@è,,tã¼±æ€Sãã-ã€CUCM TFTPã,ããf¼ãfã,¹ã@
Centralized TFTP File Locator Service

ã,³ãf³ãfãf¼ãfãf³ãfãããã«è©²ã½"ã—ã¾ã™ã€,Centralized TFTP File
Locator Serviceã-ã€CUCM

ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å ±ã¯ã€ã,ã,ã,¹ã,³è£½ã"ã®ã,ã³ãf%ãf!ãf¼ã,¶ã,ã³¼è±j

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。