

- Cisco ACE XML Gateway
- Cisco MDS 9000
- Cisco Wireless LAN Controller
- Cisco Application and Content Networking System
- Cisco Wide Area Application Services
- Cisco MGX
 - 8830
 - 8850
 - 8880
- Cisco Internet Streamer CDS
- Cisco 8472 DVB
- Cisco 8485 DVB

SNMP

Cisco IOS

CatOS

snmp

group

<#root>

Cisco IOS

router#

show snmp group

groupname: test

security model:v3 auth

readview : v1default

writeview: <no writeview specified>

notifyview: <no notifyview specified>

row status: active

Cisco CatOS

5500-1 (enable) show snmp group

Security Model: v3

Security Name: userv3

Group Name: groupv3

Storage Type: nonvolatile

Row Status: active

Cisco IOS-XR

RP/0/RP0/CPU0:ios#show snmp group

groupname: test

security model:usm

readview : v1default

writeview: -


```
policy-map drop-snmv3-traffic
class drop-snmv3-class
police 32000 1500 1500 conform-action drop exceed-action drop
```

CoPPæ©ÿèf½ã®è"å®šã"ã½ç"æ-¹æ³·ã®è©³ç'°ã«ã®ã®,ã|ã-ã€<http://www.cisco.com>

ãf^ãf©ãf³ã,ãffãf^ã,çã,ã,»ã,¹ã,³ãf³ãf^ãfãf¼ãf«ãf³ã,¹ãf^

UDPãfãf¼ãf^161ã,½ç"ã™ã,SNMPãfã,±ãffãf^ã,æ'ã|ã™ã,ãf·ã,£ãf«ã,çã,ã€ã...¥ãŠã,çã, Access Control

Listi¼^tACLi¼ãfãf©ãf³ã,ãffãf^ã,çã,ã,»ã,¹ã,³ãf³ãf^ãfãf¼ãf«ãf³ã,¹ãf^i¼%ãfãf³ã,ãf¼ã®ä,ééf"ã

tACLã«ã®ã®,ã|ã®è©³ç'°ã-ã€ãŽãf^ãf©ãf³ã,ãffãf^ã,çã,ã,»ã,¹ã,³ãf³ãf^ãfãf¼ãf«ãf³ã,¹ãf^

å¼·åCE-ã,ã,ãf%ã®èª-æ~Ž

IOSãfãfãfã,ã,¹ã,SNMPv3èªè¼ãŠã,^ã³ãf-ãf©ã,ããfã,ãf¼ç"ã«è"å®šã™ã,æ-¹æ³·ã«

Guide to Harden Cisco IOS Devicesã€ã®ã€CEFortifying the Simple Network Management

Protocolã€ã®é...ã,ã,ç...šã-ã|ããããã·ã®,ã€,<http://www.cisco.com/en/US/tech/tk648/tk3>

Cisco IOSãŠã,^ã³SAN-OSã®authPrivã®è"å®š

SNMPv3ãf-ãf©ã,ããfã,ãf¼ã,µãf-ã,ã,¹ãftãf i¼^ã³ããã½ç"ã·ã,CEã|ã®,ãªã®,ã'ã^i¼%

Cisco IOSãŠã-ã€ç®ççtè...ã-ãauthPriv

SNMPv3æ©ÿèf½ã,½ç"ã-ã|ã"ã®ãŽéçç-ã,æœ%ãŠ¹ã«ãŠããã³ãã™ã€,authPriv

IOSæš-ã·åCE-ã,ããfãf¼ã,ããããšã™ã€,

Cisco SAN-OSãŠã-ã€ç®ççtè...ã-ãsnmp-server

globalEnforcePrivè"å®šã,³ãfžãf³ãf%ã®è©³ç'°ã«ã®ã®,ã|ã-ã€ãŽãf^ãf©ãf³ã,ãffãf^ã,çã,ã,»ã,¹ã,³ãf³ãf^ãfãf¼ãf«ãf³ã,¹ãf^

Cisco SAN-

OSã®globalEnforcePrivã,³ãfžãf³ãf%ã®è©³ç'°ã«ã®ã®,ã|ã-ã€ãŽCisco MDS

9000 Family CLI Configuration

Guide:ã€http://www.cisco.com/en/US/docs/storage/san_switches/mds9000/sw/rel_3_x/configuration/guides/cli

æ³i¼šã"ã®æ©ÿèf½ã,ã®ÿèf...ã™ã,ã%ãã«ã€ç®ççtã,çãf-ãf³ã,±ãf¼ã,ãfšãf³ã€SNM

authPrivã,ã,ããfãf¼ãf^ã-ã|ã®,ããã"ã"ã,çç'èªã-ã|ããããã·ã®,ã€,

é©ç"ã³ã¼ãçœç-é€ÿã±

ãfãffãf^ãfãf¼ã,ãt...ã®Ciscoãfãfãfã,ã,¹ã«ãŽã...¥ãšãããã,è:½ãŠã®è»½æ,æ-¹æ³·ã

Applied

12.0DC	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.3T)
12.0S	12.0(28)S1 12.0(32)S5 12.0(33)S
12.0SC	12.0(7)SC
12.0SL	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.0S)
12.0SP	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.0S)
12.0ST	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.0S)
12.0SX	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.0S)
12.0SY	12.0(32)SY1
12.0SZ	12.0(30)SZ4
12.0T	12.0(1)T
12.0W	è,,†â¼±æ€§ãªã—
12.0WC	12.0(5)WC16
12.0WT	è,,†â¼±æ€§ãªã—
12.0XA	è,,†â¼±æ€§ãªã—

12.0XB	è,,†â¼±æ€§ãªã—
12.0XC	è,,†â¼±æ€§ãªã—
12.0XD	è,,†â¼±æ€§ãªã—
12.0XE	12.0(1)XE
12.0XF	12.0(2)XF1
12.0XG	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãª 12.2)
12.0XH	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)
12.0XI	12.0(4)XI2ã,^ã,Šã%ªãª®ãfªãfªãf¼ã,1ãª«ãª-è,,†â¼±æ€§ãªªEãª,ã,Šã€ª12.0(4)XI2ã
12.0XJ	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)
12.0XK	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)
12.0XL	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)
12.0XM	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.0T)
12.0XN	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)
12.0XQ	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.0T)
12.0XR	è,,†â¼±æ€§ãª,ã,Š(æœ€â^ªãª®ä¿®æfãªª 12.2)

12.0XS	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã 12.1E
12.0XV	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã®ä¿®æfã 12.0T)
12.0XW	è,,†å¼±æ€§ãªã—
Affected 12.1-Based Releases	First Fixed Release
12.1	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã®ä¿®æfã 12.2)
12.1AA	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã®ä¿®æfã 12.2)
12.1AX	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã 12.2EY
12.1AY	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã 12.1EA
12.1AZ	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã 12.1EA
12.1CX	12.1(7)CXã,ã,Šã%ã®ãfªãfªãf¼ã,ªã«ãè,,†å¼±æ€§ã€ã,ã,Šã€12.1(7)CXã»
12.1DA	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã®ä¿®æfã 12.2DA
12.1DB	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã®ä¿®æfã 12.3T)
12.1DC	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã®ä¿®æfã 12.3T)
12.1E	12.1(1)E2

12.1EA	12.1(22)EA10
12.1EB	è,,†â¼±æ€§ã,ã,Šã€TACã«ãŠã•ã„ã^ã,ã>ãããããã„
12.1EC	è,,†â¼±æ€§ã,ã,Šã€æœ€ã^ã®ä¿®æfã 12.3BC
12.1EO	12.1(19)EO6
12.1EU	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã®ä¿®æfã 12.2SG)
12.1EV	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã®ä¿®æfã 12.2SV)
12.1EW	è,,†â¼±æ€§ã,ã,Šã€æœ€ã^ã®ä¿®æfã 12.2EW
12.1EX	è,,†â¼±æ€§ã,ã,Šã€æœ€ã^ã®ä¿®æfã 12.1E
12.1EY	è,,†â¼±æ€§ã,ã,Šã€æœ€ã^ã®ä¿®æfã 12.1E
12.1EZ	è,,†â¼±æ€§ã,ã,Šã€æœ€ã^ã®ä¿®æfã 12.1E
12.1GA	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã®ä¿®æfã 12.2)
12.1GB	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã®ä¿®æfã 12.2)
12.1T	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã®ä¿®æfã 12.2)

12.1XA	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XB	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XC	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XD	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XE	è,,†å¼±æ€ššã,ã,Šã€æœƒå^ã®ä¿®æfã ⁻ 12.1E
12.1XF	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.1XG	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.1XH	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XI	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.2)
12.1XJ	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.1XK	è,,†å¼±æ€ššã ^a ã—
12.1XL	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.1XM	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.1XN	è,,†å¼±æ€ššã ^a ã—
12.1XO	è,,†å¼±æ€ššã ^a ã—

12.2CY	è,,†å¼±æ€ššã,ã,Šã€æœ€å^ã®ä¿®æ£ã 12.3BC
12.2CZ	è,,†å¼±æ€ššãã—
12.2DA	12.2(10)DA4 12.2(12)DA11
12.2DD	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æ£ã 12.3T)
12.2DX	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æ£ã 12.3T)
12.2EU	è,,†å¼±æ€ššã,ã,Š(æœ€å^ã®ä¿®æ£ã 12.2SG)
12.2EW	12.2(18)EW712.2(20)EW4
12.2EWA	12.2(20)EWA312.2(25)EWA112.2(25)EWA712.2(25)EWA8
12.2EX	12.2(35)EX
12.2EY	12.2(37)EY
12.2EZ	è,,†å¼±æ€ššã,ã,Šã€æœ€å^ã®ä¿®æ£ã 12.2SEE
12.2FX	è,,†å¼±æ€ššã,ã,Šã€æœ€å^ã®ä¿®æ£ã 12.2SEE

12.2FY	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã@ä¿@æfã 12.2SEG
12.2FZ	è,,†å¼±æ€§ã,ã,Šã€æœ€å^ã@ä¿@æfã 12.2SE
12.2IXA	è,,†å¼±æ€§ã,ã,Šã€,12.2IXDã@ä»»æ,,ã@ãªãªãª¼ã,¹ã«çš»è;Œ
12.2IXB	è,,†å¼±æ€§ãªã—
12.2IXC	è,,†å¼±æ€§ãªã—
12.2IXD	è,,†å¼±æ€§ãªã—
12.2IXE	è,,†å¼±æ€§ãªã—
12.2IXF	è,,†å¼±æ€§ãªã—
12.2JA	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã@ä¿@æfã 12.3JA)
12.2JK	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã@ä¿@æfã 12.4T)
12.2MB	è,,†å¼±æ€§ã,ã,Š(æœ€å^ã@ä¿@æfã 12.2SW)
12.2MC	12.2(15)MC2h
12.2S	12.2(14)S1812.2(18)S1312.2(20)S1312.2(25)S11
12.2SB	12.2(28)SB412.2(31)SB212.2(31)SB3x

12.2SBC	è,,†à¼±æ€§ã,ã,Šã€æœ€å^ã®äç®æ£ã 12.2SB
12.2SCA	è,,†à¼±æ€§ãªã—
12.2SE	12.2(35)SE
12.2SEA	è,,†à¼±æ€§ã,ã,Šã€æœ€å^ã®äç®æ£ã 12.2SEE
12.2SEB	è,,†à¼±æ€§ã,ã,Šã€æœ€å^ã®äç®æ£ã 12.2SEE
12.2SEC	è,,†à¼±æ€§ã,ã,Šã€æœ€å^ã®äç®æ£ã 12.2SEE
12.2SED	è,,†à¼±æ€§ã,ã,Šã€æœ€å^ã®äç®æ£ã 12.2SEE
12.2SEE	12.2(25)SEE3
12.2SEF	12.2(25)SEF2
12.2SEG	12.2(25)SEG2
12.2SG	12.2(25)SG1 12.2(31)SG1 12.2(31)SG2 12.2(37)SG
12.2SGA	è,,†à¼±æ€§ãªã—
12.2SL	è,,†à¼±æ€§ãªã—

12.2SM	12.2(29)SM2
12.2SO	12.2(18)SO7
12.2SRA	12.2(33)SRA1
12.2SRB	è,,†â¼±æ€§ãªãª—
12.2SRC	è,,†â¼±æ€§ãªãª—
12.2SU	è,,†â¼±æ€§ãªãª—
12.2SV	12.2(27)SV5 12.2(28)SV1 12.2(29)SV3 12.2(29a)SV1 12.2(29b)SV
12.2SVA	è,,†â¼±æ€§ãªãª—
12.2SVC	è,,†â¼±æ€§ãªãª—
12.2SVD	è,,†â¼±æ€§ãªãª—
12.2SW	12.2(25)SW8
12.2SX	è,,†â¼±æ€§ãª,Š(æœƒâ^ªãª®ä¿®æƒãª 12.2SXF)
12.2SXA	è,,†â¼±æ€§ãª,Š(æœƒâ^ªãª®ä¿®æƒãª 12.2SXF)

12.2SXB	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.2SXF)
12.2SXD	12.2(18)SXD7a
12.2SXE	12.2(18)SXE6a
12.2SXF	12.2(18)SXF10a 12.2(18)SXF12a 12.2(18)SXF6
12.2SXH	è,,†à¼±æ€§ãªã—
12.2SY	è,,†à¼±æ€§ãªã—
12.2SZ	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.2S)
12.2T	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.3)
12.2TPC	12.2(8)TPC10b
12.2UZ	è,,†à¼±æ€§ã,ã,Šã€æœ€â^ã®ä¿®æfã 12.2SB
12.2XA	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.3)
12.2XB	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.3)
12.2XC	è,,†à¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.3T)

12.2XD	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XE	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XF	è,,†å¼±æ€ššã,ã,Šã€æœƒå^ã®ä¿®æfã ⁻ 12.3BC
12.2XG	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XH	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XI	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XJ	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XK	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XL	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XM	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XN	12.2(33)XN1
12.2XNA	è,,†å¼±æ€ššã ^a ã—
12.2XO	è,,†å¼±æ€ššã ^a ã—
12.2XQ	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)
12.2XR	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æfã ⁻ 12.3)

12.2XS	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2XT	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2XU	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2XV	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2XW	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YA	12.2(4)YA12
12.2YB	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YC	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YD	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3T)
12.2YE	è,,†â¼±æ€§ã ^a ã—
12.2YF	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YG	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YH	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YJ	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3)
12.2YK	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.3T)

12.2YL	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YM	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YN	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YO	è,,†å¼±æ€ššã,ã,Šã€,12.2SYã®ä»»æ,,ã®ãƒãƒã¼ã,1ã«çš»è;€
12.2YP	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3)
12.2YQ	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YR	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YS	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YT	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3)
12.2YU	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YV	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YW	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YX	è,,†å¼±æ€ššãã—
12.2YY	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3T)
12.2YZ	è,,†å¼±æ€ššã,ã,Š(æœƒå^ã®ä¿®æƒã 12.2S)

12.2ZY	è,,†â¼±æ€§ãªã—
Affected 12.3-Based Releases	First Fixed Release
12.3	12.3(17c) 12.3(18a) 12.3(19a) 12.3(20a) 12.3(21)
12.3B	è,,†â¼±æ€§ãª,ã,Š(æœƒâ^ªãª®â¿®æƒãª 12.3T)
12.3BC	12.3(17b)BC3 12.3(21)BC
12.3BW	è,,†â¼±æ€§ãª,ã,Š(æœƒâ^ªãª®â¿®æƒãªª 12.3T)
12.3EU	è,,†â¼±æ€§ãªªãª—
12.3JA	12.3(11)JA 12.3(7)JA5 12.3(8)JA3i¼^2008â¹9æœˆ¹8æ—¥ãªª«â...¥æ%oªªªª—èf½i¼%o
12.3JEA	è,,†â¼±æ€§ãªªãª—
12.3JEB	è,,†â¼±æ€§ãªªãª—

12.3JEC	è,,†â¼±æ€§ãªã—
12.3JK	12.3(2)JK2 12.3(8)JK1
12.3JL	12.3(2)JL1
12.3JX	è,,†â¼±æ€§ãª,ã,Šã€,TACãª«ãªŠã•ªãª,,ãª^ã,ªãª>ãªªãªãªãª•ãª,,
12.3T	12.3(11)T11
12.3TPC	12.3(4)TPC11b
12.3VA	è,,†â¼±æ€§ãª,ã,Šã€,TACãª«ãªŠã•ªãª,,ãª^ã,ªãª>ãªªãªãªãªãª•ãª,,
12.3XA	12.3(2)XA6
12.3XB	è,,†â¼±æ€§ãª,ã,Š(æœƒã^ªãª®ã¿®æƒãª 12.3T)
12.3XC	12.3(2)XC5
12.3XD	è,,†â¼±æ€§ãª,ã,Š(æœƒã^ªãª®ã¿®æƒãª 12.3T)
12.3XE	12.3(2)XE5
12.3XF	è,,†â¼±æ€§ãª,ã,Š(æœƒã^ªãª®ã¿®æƒãª 12.3T)

12.3XG	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3YG)
12.3XH	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3T)
12.3XI	12.3(7)XI8a
12.3XJ	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3YX)
12.3XK	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3T)
12.3XQ	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.4)
12.3XR	12.3(7)XR7
12.3XS	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.4)
12.3XU	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.4T)
12.3XW	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3YX)
12.3XY	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.3T)
12.3YA	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æfã 12.4)

12.3YD	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YF	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.3YX)
12.3YG	12.3(8)YG6
12.3YH	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YI	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YJ	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YK	12.3(11)YK3
12.3YM	12.3(14)YM8
12.3YQ	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YS	12.3(11)YS2
12.3YT	è,,†å¼±æ€§šã,ã,Š(æœƒå^ã®ä¿®æƒã 12.4T)
12.3YU	è,,†å¼±æ€§šã,ã,Šã€æœƒå^ã®ä¿®æƒã 12.4XB
12.3YX	12.3(14)YX4
12.3YZ	12.3(11)YZ2
Affected	

12.4-Based Releases	Releasei¼
12.4	12.4(10) 12.4(3f) 12.4(5c) 12.4(7c) 12.4(8b)
12.4JA	è,,†â¼±æ€§ãªã—
12.4JK	è,,†â¼±æ€§ãªã—
12.4JMA	è,,†â¼±æ€§ãªã—
12.4JMB	è,,†â¼±æ€§ãªã—
12.4JMC	è,,†â¼±æ€§ãªã—
12.4JX	è,,†â¼±æ€§ãªã—
12.4MD	è,,†â¼±æ€§ãªã—
12.4MR	12.4(9)MR
12.4SW	è,,†â¼±æ€§ãªã—
12.4T	12.4(11)T 12.4(2)T6

	12.4(4)T5 12.4(6)T4 12.4(9)T1
12.4XA	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æ£ã 12.4T)
12.4XB	12.4(2)XB3
12.4XC	12.4(4)XC5
12.4XD	12.4(4)XD4
12.4XE	12.4(6)XE2
12.4XF	è,,†â¼±æ€§ãªã—
12.4XG	è,,†â¼±æ€§ãªã—
12.4XJ	è,,†â¼±æ€§ãªã—
12.4XK	è,,†â¼±æ€§ãªã—
12.4XL	è,,†â¼±æ€§ãªã—
12.4XM	è,,†â¼±æ€§ãªã—
12.4XN	è,,†â¼±æ€§ãªã—
12.4XQ	è,,†â¼±æ€§ãªã—

12.4XT	è,,†å¼±æ€§ãªã—
12.4XV	è,,†å¼±æ€§ãªã—
12.4XW	è,,†å¼±æ€§ãªã—
12.4XY	è,,†å¼±æ€§ãªã—
12.4XZ	è,,†å¼±æ€§ãªã—

Cisco CatOS

æ¬ãª®èjãª«ãªªª®æ£æ,^ãªª®Cisco

Catalystãª,ªãšãšf-ãf¼ãf†ã,£ãf³ã,ªã,ã,ª,¹ãf†ãf (CatOS)ã,½ãfããf^ã,|ã,šã,çã,'çªªã—ãª³ãªª™ãª,

è©²ã¼²“è£¼ãª“ª	First Fixed Release	First Fixed Release¼^ãª®æ£ãªªã,£ãªªªæªªª^ªªª
Cisco Catalystãª,ªãšãšf-ãf¼ããf†ã,£ãf³ã,ªã,ã,ª,¹ãf†ãf (CatOS)	6.x	6.4(23)
	7.x	7.6(19)
	8.5.x	8.5(7)
	8.6.x	8.6(1)

Cisco IOS XR

ãª®æ£æ,^ãªª Cisco IOS XR

ã,½ããfããf^ã,|ã,šã,çãª®ã,ªè|šã,'æ¬ãªª®èjãª«çªªªã—ãª³ãªª™ãª,

Cisco IOS XR Cisco IOS XR	SMU ID	SMU
3.2.2	AA01681	hfr-base- 3.2.2.CSCsf30109
3.2.3	AA01682	hfr-base- 3.2.3.CSCsf30109
3.2.4	AA01683	hfr-base- 3.2.4.CSCsf30109
3.2.6	AA01684	hfr-base- 3.2.6.CSCsf30109
3.3.0	AA01685	hfr-base- 3.3.0.CSCsf30109
3.3.0	AA01690	c12k-base- 3.3.0.CSCsf30109
3.3.1	AA01686	hfr-base- 3.3.1.CSCsf30109
3.3.1	AA01688	c12k-base- 3.3.1.CSCsf30109
3.3.2	è,,†â!¼±æ€§ãªã—	è,,†â!¼±æ€§ãªã—
3.4.x	è,,†â!¼±æ€§ãªã—	è,,†â!¼±æ€§ãªã—

æ¬;ã®èj"ã«ã€ä;®æ£æ,^ã;ã®Cisco NX-OSã,½ãf•ãf^ã,|ã,šã,çã,'çªã—ã¾ã™ã€,

è©²å½“è£½å“	First Fixed Release	First Fixed Releasei¼^ä;®æ£ã•ã,£ãÿæœ€å^ã®ãªãªãª¼ã,1¼%o
Cisco NX-OS	4.0.(1)a	4.0.(2) 2008å¹´6æœ^ã,^ã,šæä¾æé-ãš<

Cisco ACEè£½å“

æ¬;ã®èj"ã«ã€ä;®æ£æ,^ã;ã®Cisco Application Control Engine(ACE)ã,½ãf•ãf^ã,|ã,šã,çã,'çªã—ã¾ã™ã€,

è©²å½“è£½å“	First Fixed Release	First Fixed Releasei¼^ä;®æ£ã•ã,£ãÿæœ€å^ã®ãªãªãª¼ã
Cisco Application Control Engine(ACE)ãfçã,ãfÿã¼ãf«	3.0(0) A1(6.x) A2(1.0) A2(1.0a)	A2(1.1)
Cisco Application Control Engine(ACE)ã,çãf—ãf©ã,ªã,çãf³ã,¹	A1(7.0) A1(7.0a) A1(7.0b) A1(7.0c) A1(8.0)	A1(8.0a)
Cisco Application Control Engine(ACE)XMLã,²ãf¼ãf^ã, ã,šã,ª	4.(x) 5.x	6.0.1 2008å¹´6æœ^ã«æä¾æé-ãš<

Cisco MDS 9000 SAN-OS

æ¬;ã®èj¨ã«ã€ä;®æ£æ,^ã¿ã®Cisco MDS 9000 SAN-OSã,½ãf•ãf^ã,|ã,šã,çã,‘çª°ã—ã¾ã™ã€,

è©²ã½“è£½ã“	First Fixed Release	First Fixed Release i¼^ä;®æ£ã•ã,£ãÿæœ€ã^ã®ãªãªãª¼ã,¹¼%º
Cisco MDS 9000 SAN-OSã,½ãf•ãf^ã, ã,šã,ç	2.1 3.0 3.2 3.3(1a)	3.3(1c) 3.4.1 2008ã¹´6æœ^ã«æ»ã¾»é-ãš<

Cisco WLCã,½ãf•ãf^ã,|ã,šã,ç

æ¬;ã®èj¨ã«ã€ä;®æ£æ,^ã¿ã®Cisco WLCã,½ãf•ãf^ã,|ã,šã,çã,‘çª°ã—ã¾ã™ã€,

è©²ã½“è£½ã“	First Fixed Release	First Fixed Release i¼^ä;®æ£ã•ã,£ãÿæœ€ã^ã®ãªãªãª¼ã,¹¼%º
Cisco WLC	3.x 4.(x) 5.0.x 5.1.x	5.2.x.xi¼^2008ã¹´8æœ^ã«ã...¥æ%ºãèf½i¼%º


ACNSã«é-çã™ã,«æ-†æ»,

æ¬;ã®èj¨ã«ã€ä;®æ£æ,^ã¿ã®Cisco ACNSã,½ãf•ãf^ã,|ã,šã,çã,‘çª°ã—ã¾ã™ã€,

	First Fixed Release	First Fixed Release Releasei ^{1/4} ä;®æfã•ã,Œãÿæœ€ã^ã®ãfãfã
ACNS ä«é-çã™ã,æ-#æ,	4.(x) 5.5.13ã,^ã,šã%ã®5.x	5.5.13 2009ã ¹ 3æœ^ã«æ»ã¾é-ãš<

Cisco WAASã,½ãf•ãf^ã,ã,šã,ç

æ¬ã®èjã«ã€ãž®æfæ,^ãž®Cisco WAASã,½ãf•ãf^ã,ã,šã,çã,çã—ã¾ã™ã€,

	First Fixed Release	First Fixed Release Releasei ^{1/4} ä;®æfã•ã,Œãÿæœ€ã^ã®ãfãfãfã,1i¼%
Cisco WAASã,½ãf•ãf^ã,ã,šã,ç	4.(x)	4.1.3 2009ã ¹ 2æœ^ã«æ»ã¾é-ãš<

Cisco MGXã,½ãf•ãf^ã,ã,šã,ç

æ¬ã®èjã«ã€ãž®æfæ,^ãž®Cisco MGXã,½ãf•ãf^ã,ã,šã,çã,çã—ã¾ã™ã€,

	First Fixed Release	First Fixed Release Releasei ^{1/4} ä;®æfã•ã,Œãÿæœ€ã^ã®ãfãfãfã,1i¼%
Cisco MGXã,½ãf•ãf^ã,ã,šã,ç	5.4.x 5.5.x	5.5.10 2010ã ¹ 4æœ^ã«æ»ã¾é-ãš<

Cisco Internet Streamer CDSã,½ãf•ãf^ã,ã,šã,ç

æ¬ã®èjã«ã€ãž®æfæ,^ãž®Cisco Internet Streamer

CDSã,½ãf•ãf^ã,ã,šã,çã,çã—ã¾ã™ã€,

	First Fixed Release
---	----------------------------

1.1		MDSă,½ăf•ăf^ă, ă,šă,čă,'æ'æ-°ă—ă—ă¾ă—ă—ăŸă€,
ăf^ăf“ă,ăfšăf^3 1.0	2008ă^1'6æœ^10æ—Ÿ	ă^ă>žă...-é-<ăf^ăf^ăf^1/4ă,^1

ă^©ç””è!ç’,,

æœ-ă,çăf%ăfăă,ă,ă,ă,ăf^ăă—ç,,jăžè”¼ă@ă,,ă@ăă”ă—ă|ă”æăă¾ăă—ă|ăšă,šă€
æœ-ă,čăf%ăăfăă,ă,ă,ă,ăf^ăă@æf...ă±ăšă,^ă^3ăf^ăf^ă,ă@ă½žç””ă«é-čă™ă,<è²-ă»ă@ă,€
ă¾ăŸă€ă,ă,ă,ă^3ăæœ-ăf%ăă,ăf^ăf;ăf^ăf^ă@ăt...ă@ă^1ă,'ă^ăšă^ăă—ă«ă%ăæ'ă—ă
æœ-ă,çăf%ăăfăă,ă,ă,ă,ăf^ăă@è”~è:°ăt...ă@ă^1ă«é-čă—ă|æf...ă±é...ăžjă@ URL
ă,'çœç•Ÿă—ă€ăăç<-ă@è»çè¼%ăă,,æ,,è”³ă,'æ-½ă—ăŸă'ă^ă€ă½”ç¾ă@çç@jç
ă”ă@ăf%ăă,ăf^ăf;ăf^ăf^ă@æf...ă±ă-ă€ă,ă,ă,ă,ă^3è£½ă”ă@ă,ăf^ăf%ăăf^ăf^1/4ă,ă,ă^¾è±j

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。