

# CDS Internet

**Streamer:Webā,ūf<sup>1/4</sup>āf♦āf‡ā,£āf¬ā,-āf^āf<sup>a</sup>āf^āf©**



ã,çãf‰œãf♦ã,¤ã,¶ãfãf%4ID : cisco-sa-  
20100721-spcdn

CVE-2010-1577

å^♦å...¬é-<æ—¥ : 2010-07-21 16:00

ãf♦ãf¼ã,ãf§ãf³ 1.1 : Final

CVSS<sub>3.1</sub> : 7.8

## åžé❖¿ç- : No Workarounds available

Cisco 9f?9,° ID :

æ—¥æœ¬è^äžä«ä, ^ä, <æf...å±ä—ä€¢è<sup>±</sup>è^äžä«ä, ^ä, <åŽ¥æ-‡ä¢®é¢žå...-å¼¢ä¢

æ!, è! ?

Cisco Content Delivery System™ © 2007 Cisco Systems, Inc. All rights reserved.

Streamerā, Čāf—āf<sup>a</sup>ā, ±āf<sup>1/4</sup>ā, āfſāf<sup>3</sup>ā ◇«ā ◇—ā€ ◇ā»»æ,, ◇ā ◇@āf•ā, įā, xāf«ā, Čā, —ā, »ā, 'ā, 'ā ◇—ēf<sup>1/2</sup>ā ◇«ā

è¤è„½ã¤•ã,Œã¤|ã¤„ã¤¤ã¤„æ”»æ'fè€...ã¤—ã¤ã¤“ã¤®å•¤é|Œã,’ã¤æ£å^¤ç”…ã¤—ã¤|ã¤ã¤,

„ä?“ä?®è,,†å½±æ€§ä,’è»½æ›ä?™ä,«å›žé?¿ç-ä?Œä?,ä,Šä?¾ä?™ä€,

ã»“ã»®ã,çãƒ‰ãƒ»ã,¤ã,¶ãƒªã»“ã€»<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100721-spcdn> ã»§å...¬é-<ã»•ã,Œã»|ã»„ã»¾ã»™ã€,

è©²å¹½“è£¹½å“◆?

Cisco Internet

Streamerã—f—f<sup>1</sup>/<sub>4</sub>—, ·f§f<sup>3</sup>—®, ·, 1—ft—f—, ½f—f—, |—, §—, ç—®, ™—, 1—, |—®, af—f<sup>1</sup>/<sub>4</sub>—, ã—

è, †å¼±æ€§ã®ã, ã, **«**€½å“**»**

## Cisco Content Delivery

Engineæ ſå® Ÿè;Œæ •æ,Œæ | æ „æ,æ,½æf•æf^æ,| æ,ſæ,çæfæf¼æ,æfſæf³æ,'çÇ°èæ™æ,æ«æ-

CDS Internet Streamer™ Content Delivery System Software

Release date: 1994-08-25  
Label: Virgin

## Content Delivery

System,½ƒ•ƒ^ã, | ã,§ã, Çãƒªƒ^ãƒ½ã, '2.5.3ã, 'å®Ýe;Œã—ã—ã „ã,«Cisco Content Delivery Engine, 'ç¤ºã—ã—ã „ã „ã ¾ã™ã€,

<#root>

```
cdn-cde#show version
Content Delivery System Software (CDS)
Copyright © 1999-2010 by Cisco Systems, Inc.

Content Delivery System Software Release 2.5.3

(build b8 Jan 21 2010)
Version: cde200-2.5.3.8
```

Compile Time Options: RQ SS  
Submitted by: [REDACTED] - Thursday, 3/24/2016 3:35:25 PM

The system has been up for 2 hours, 11 minutes, 27 seconds.

cdn-cde#

Content Delivery System

## Manager → Content Delivery

Systemi¼CDMi¼, ³aj³äftäf³äf, é... äjä;ä, ·ä, ¹äftäf i¼‰äf äffäf^äf^-äf¼ä, -åt... ä®ä?™ä?¹ä?ä?

> [äf‡äf♦ä,¤ä,¹ä♦§å®¥è;Œä♦•ä,Œä♦|ä♦„ä,<ä,½äf•äf♦ä,|ä,§ä,çäf♦äf¼ä,äf§äf³ä,’è|”ç  
Table)]äf§äf¼ä,ä♦«ä♦—ä€♦äf¤ä,¹äf^ä♦•ä,Œä♦|ä♦„ä,<ä,„äf‡äf♦ä,¤ä,¹ä♦®ä,½äf•äf♦ä,|ä,§ä,ç  
[http://www.cisco.com/en/US/docs/video/cds/cda/is/2\\_5/configuration\\_guide/maint.html#wp1198510](http://www.cisco.com/en/US/docs/video/cds/cda/is/2_5/configuration_guide/maint.html#wp1198510)

CDSE&F 2 3 1 2 5 3 2 1 3 2 2 3 2 3 2 1 3 2 3 2 3 2

è, †<sup>1</sup>/<sub>4</sub>+æ€§ã, ’å«ã “ã‡§ã‡, ã‡ã‡, ã‡”ã‡ “ã‡ ”ã‡Œccçºèªã‡ã‡·ãŒã‡Ýèf½å”ã‡

ä»—ä♦®ä..ä.¹ä.³èf½å“♦ä♦«ä♦Šä♦..ä♦!ä€♦ä♦“ä♦®ä..Cäf%oäf♦ä..ä..¶äf¤ä♦®å½+éÿ;ä.'ä♦—ä..

è©<sup>3</sup>c'°

Cisco Internet

Streamerā.  $\text{c} \tilde{a} f - \tilde{a} f^a \tilde{a} + \tilde{a} f^{1/4} \tilde{a} : \tilde{a} f \tilde{g} \tilde{a} f^3 \tilde{a} \diamond \tilde{a} \epsilon \diamond \tilde{a} . \tilde{a} ff \tilde{a} . \tilde{a} . \tilde{a} ff \tilde{a} ff \tilde{a} : \tilde{a} f^3 \tilde{a} . \circ \tilde{a} \epsilon \diamond \tilde{a} . ^3 \tilde{a} f^3 \tilde{a} ft \tilde{a} f^3 \tilde{a} f . \tilde{a} . ^1 \tilde{a} f \tilde{a} f \tilde{a} f / \tilde{a} f Y \tilde{a}$

Cisco Content Delivery Systemã¢®ä,éf' ã¢šã¢,ã,«Cisco Internet Streamerã¢,çäf—ãfªã,±ãf¼ã, ãfšãf³ã¢«ã¢—ã€¢ä»»æ,,¢ã¢®ãf•ã,¡ã,¤ãf«ã,çä,—ã,»ã,¹ã,'å¢—èf½ã¢«ã Content Delivery Engineä,šã¢®ä»»æ,,¢ã¢®ãf•ã,¡ã,¤ãf«ã,'ã€¢ç‰¹å^¥ã¢«å·šå|™ã¢«ç°å·¥ã¢•ã,Œã¢ÝURLã,‘ä½¿ç" è¢è“¼ã¢•ã,Œã¢|ã¢„ã¢ªã¢„æ”»æ'fè€...ã¢—ã€¢ã¢“ã¢®å·¢é|Œã,’ä,¢æ£å^©ç”“ã¢—ã¢|æ© Service Engineä,šã,^ã¢³Cisco Content Delivery System Managerã¢šã¢—ã¢€¢TCPã¢f¢ã¢f1/ã¢f80/1/ã¢ftã¢f,ã¢@ã¢f,ã¢f¢HTTPã¢f¢ã¢f1/ã¢f8/1/ã¢f14%·ã¢€¢443/1/ã¢ftã¢f,ã¢f,ã¢f

Cisco Content Delivery System(CDS)ã½ãƒ•ãƒ^ã,|ã,§ã,¢2.5.3ä»¥å‰oãšãšæ“ã€[Enable Incoming Proxy]ã,’è”å®šãšãšæ“ãš¾ã™ã€,ã“ãš®ã,“ãƒ—ã,·ãƒšãƒ³ã,’æœ‰oåŠ¹ã“ãš™ã,ã“ã€TCPã>[ãƒ‡ãƒ‡ã,¤ã,¹(Devices)]>[ã,çãƒ—ãƒªã,±ãƒ¼ã,·ãƒšãƒ³å^¶å¾¡(Application Control)]>[Web]>[HTTP]>[HTTPæŽ¥ç¶š(HTTP Connections)]ã®[ç€ä¿íHTTPãƒ‡ãƒ¼ãƒ^ã®ãƒªã,¹ãƒ“(List of Incoming HTTP Ports)]ãƒ•ã,£ãƒ¼ãƒ«ãƒ‰oãšãšç¾©ãš•ã,Œãš¾ã™ã€,HTTPè”å®šãšæ“ã€ç’ºã“ãš¤ã„ãš|ã  
[http://www.cisco.com/en/US/docs/video/cds/cda/is/2\\_5/configuration\\_guide/configdevice.html](http://www.cisco.com/en/US/docs/video/cds/cda/is/2_5/configuration_guide/configdevice.html)

“Cisco Bug ID [CSCtd68063](#)

([c<sup>TM</sup>](#)>>[é](#)[Œ](#)[²](#)[ã](#)[ƒ](#)|[ã](#)[f](#)[½](#)[ã](#),[¶](#)[å](#)[°](#),[ç](#)[”](#))[”](#)[ã](#)[—](#)[ã](#)[|](#)[æ](#)[—](#)[æ](#)[,](#)[å](#)[Œ](#)[—](#)[ã](#)[•](#)[ã](#),[Œ](#)[ã](#)[€](#)[Common Vulnerabilities and Exposures\(CVE\)ID](#)[”](#)[ã](#)[—](#)[ã](#)[|](#)[CVE-2010-](#)[1577](#)[ã](#)[Œ](#)[%](#)[²](#)[ã](#),[š](#)[½](#)[”](#)[ã](#)[|](#)[ã](#)[,%o](#)[ã](#),[Œ](#)[ã](#)[|](#)[ã](#)[„](#)[ã](#)[¾](#)[ã](#)[™](#)[ã](#)[€](#),

å>žé◆?¿ç-

Cisco<sup>TM</sup>, Cisco Logo, and the Cisco logo are trademarks or registered trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and/or other countries.

```
rule enable
rule action block pattern-list 1
rule pattern-list 1 url-regex ^http://.*//.*.*
rule pattern-list 1 url-regex ^https://.*//.*.*
```

## Cisco Internet Streamer CDS 2.5 Software Configuration

Guide to the Cisco Internet Streamer CDS 2.5 Software Configuration Guide.

### Cisco CDS IP Configuration

The Cisco CDS IP Configuration section covers the configuration of the Cisco Content Delivery System (CDS) Manager. It includes information on how to configure the CDS Manager to work with the Cisco Content Delivery Service (CDS).

The CDS Manager (CDM) is a component of the Cisco Content Delivery System (CDS) that provides a central management interface for the CDS.

The CDS Manager (CDM) is a component of the Cisco Content Delivery System (CDS) that provides a central management interface for the CDS.

The CDS Manager (CDM) is a component of the Cisco Content Delivery System (CDS) that provides a central management interface for the CDS.

The CDS Manager (CDM) is a component of the Cisco Content Delivery System (CDS) that provides a central management interface for the CDS.

### ACL Configuration

The ACL configuration section covers the configuration of the Cisco Content Delivery Service (CDS) ACLs.

The CDS ACLs are used to control access to the CDS Manager and the CDS.

```
ip access-list extended cisco-sa-20100721-spcdn
```

```
permit tcp 192.168.10.0 0.0.0.255 host 10.1.1.1 eq www
```

```
permit tcp 192.168.10.0 0.0.0.255 host 10.1.1.1 eq https
```

```
!--
```

```
-- TCP port 8090 is not normally used so normally will not have to
-- be explicitly permitted.
```

```
!--
```

```
-- Permit any additional TCP ports that may have been configured
-- via the HTTP Proxy before continuing to add the deny statements.
```

```
!--
```

```
deny tcp any host 10.1.1.1 eq 8090
```

```
deny tcp any host 10.1.1.1 eq www
```

```
deny tcp any host 10.1.1.1 eq https
```

```
permit ip any any
```

```
exit
```

### IP

The IP configuration section covers the configuration of the Cisco Content Delivery Service (CDS) IP address.

```
interface GigabitEthernet 2/0
```

```
ip address 10.1.1.1 255.255.255.0
```

```
ip access-group cisco-sa-20100721-spcdn in
```

IP Configuration

Managerã'ä½¿ç”“ã—ã—ã|IPã,çã,—ã,»ã,¹ãfºã,¹ãf^ã,‘è”å®šã♦™ã,<æ—¹æ³•ã♦®æ‰é†ã♦«ã♦¤ã♦,,ãInternet Streamer CDS 2.5 Software Configuration  
Guideã♦,‘å♦,ç...§ã—ã|ã♦ã♦ã♦ã♦•ã♦,,ã€,[http://www.cisco.com/en/US/docs/video/cds/cda/is/2\\_5/configuration\\_guide/configdevice.html#wp1086184](http://www.cisco.com/en/US/docs/video/cds/cda/is/2_5/configuration_guide/configdevice.html#wp1086184)

ä;®æ£æ, ^ã♦¿ã, ½ãƒ•ãƒ^ã, | ã, §ã, ¢

ã,çäffäf—ã,°äf—äf<sup>1/4</sup>äf‰,ä,æ¤œè·Žä®™ä,«å `å♦^ä♦—ä€♦<http://www.cisco.com/go/psirt>  
ä♦ `å¾Œç¶šä♦®ä,çäf‰äf♦ä,¤ä,¶äfä,,å♦,ç...§ä—ä♦ |ä€♦å•♦éjŒä♦®è§æ±°çŠ¶æ³♦ä♦ “ å®  
ä,½äfääf¥äf¹ä,·äf§äf³ä,’çç°è¤ä♦—ä? |ä?¤ä?¤ä?¤ä?¤ä?,“ä€,

Technical Assistance

Centeri¼^TACi¼%oã?³ãã?Ýã?¬å¥'ç „ã,'çµã?ã,"ã?Sã?„ã,<ãf;ãf³ãftãfSãf³ã,¹  
ãf—ãfãf?ã,¤ãf€ãf¹/4ã?«ã?Šå·?ã?,„å?^ã?>ã? ?ã? ã?•ã? „ã?,  
ã?•ã? „ã?,

[http://www.cisco.com/en/US/docs/video/cds/cda/is/2\\_5/release\\_notes/CDS\\_RelNotes2\\_5\\_9.html#wp100128](http://www.cisco.com/en/US/docs/video/cds/cda/is/2_5/release_notes/CDS_RelNotes2_5_9.html#wp100128)

Cisco Content Delivery System	First Fixed Release
2.2.x	2.5.7
2.3.x	2.5.7
2.4.x	2.5.7
2.5.x	2.5.7

ä, ♀ æ£å^©ç"“ ä°ä¾ä? “ å...-å¼♀ç™øèì “

Cisco PSIRT

“他叫Christopher Richardson，是他的父亲Simon John。”

# URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100721-spcdn>

æ”’è”,å±¥æ’

ãfãf“ã, „ãf§ãf³ 1.1	2010å¹’7æœ^29æ—¥	è©³ç`°ã◆”å›žé◆¿ç-ã◆®ã,»ã,¬ã,·ãf§ãf³ã,’æ›’æ-°
ãfãf“ã, „ãf§ãf³ 1.0	2010å¹’7æœ^21æ—¥	å^◆ç‰^ãfãf¹¼ã,¹

å^©ç”’è!◆ç’,

æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãfãã◆”ç,,¡ä¿◆è”¼ã◆®ã,,ã◆®ã◆”ã◆—ã◆|ã◆”æ◆◆æ³¾ã◆—ã◆|ã◆Šã,Šã€æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãfãã◆®æf...å±ã◆Šã,^ã◆³ãfãf³ã,—ã◆®ä½¿ç””ã◆«é-çã◆™ã,<è²¬ã»»ã◆®ä,€ã◆³¾ã◆Ýã€◆ã,·ã,¹ã,³ã◆”æœ¬ãf‰ã,ãf¥ãf|ãf³ãf^ã◆®å†...å®¹ã,’äº^ã’Šã◆”ã◆—ã◆«å¤‰ãæ›’ã◆—ã◆æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãfãã◆®è”~è¿°å†...å®¹ã◆«é-çã◆—ã◆|æf...å±é...◆ä¿jã◆® URL  
ã,’çœ◆ç•¥ã◆—ã€◆å◆~ç<-ã◆®è»çè¼‰ã,,æ,,◆è”³ã,’æ-½ã◆—ã◆Ýã’å◆”ã◆€◆å½”ç¤¾ã◆Œç®;ç◆ã◆”ã◆®ãf‰ã,ãf¥ãf|ãf³ãf^ã◆®æf...å±ã◆”ã€◆ã,·ã,¹ã,³è£½å”◆ã◆®ã,“ãf³ãf‰ãf|ãf¹¼ã,¶ã,’å”¾è±¡ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。