

Cisco

IOS, ½ƒ•ƒ^, ¡, §, ¢ ? ®, »ƒ³, ¿ƒ¼ƒ?ƒƒƒ



ã,çäf‰¤äf♦ä,¤ä,¶äf¤äf%4ID : cisco-sa-
20130925-ike

CVE-2013-
5473

å^?å...-é-æ—¥ : 2013-09-25 16:00

āf♦āf¼ā,āf§āf³ 1.0 : Final

CVSS_{3.1} : 7.8

åžé◊¿ç- : No Workarounds available

Cisco 交换机 ID : CSCTx66011

æ—¥æœ¬è^ä«ã, ^ã, <æƒ...å ±ã ◊ ã€◊è<±è^ä«ã, ^ã, <åŽÝæ-‡ã ◊®é◊žå...¬å¼◊ã<

æ!, è! ♦?

Cisco IOS 12.4(15)S3 Cisco IOS

„ $\frac{1}{4}$ ± $\sqrt{\frac{1}{16}-\frac{1}{4}}$ = $\frac{1}{4}\pm\frac{1}{4}$ = $\frac{1}{2}$, $\frac{1}{2}\pm\sqrt{\frac{1}{4}-\frac{1}{4}}=0$, $\frac{1}{2}\pm0=\frac{1}{2}$

Cisco IOS 12.4(15)S3 Cisco IOS

XEä½äf•äf^ä, |ä, §ä, çä♦§ä♦-ä€♦IKEv1ä♦¾ä♦¥ä♦-IKEäf♦äf%ä, äf§äf²(IKEv2)ä♦CEè”å®šä♦•ä, D

ç‰%1å®šã®çŠ¶æ³ÿãÿ§ãÿ¬ã€ÿæ£å„ãÿ^IKEv1ãƒã,±ãffãfÿãÿ«ã,^ãÿ£ãÿ!ã€ÿè©²å½“ãÿ™ã,IOSã,½ãf·ãfÿã,!ã,§ã,Cãfÿãfÿãf¼ã,¹ãÿ§ãfÿçãfÿãfÿãf¼ã,¬ãÿŒç™oç”Ýãÿ™ã,<åÿ¬èf½æ€§ã,,ãÿ,ã,§ãÿ

„IKEV1”

“ã”“ã”®ã, “æ£å^©ç”“ã”“ã”“ã”“Sã€”Cisco

IOS, ½-soft-soft-soft, | a, s, c, & C % 2 a, Š ½ a | a, % o a, & Ÿ a f j a f c a a, ' e Š E æ " ¾ a | Š a a a a a a a a Š

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130925-ike>

æ³·í¼š2013å¹·9æœ^25æ—¥ã?®Cisco

IOSÃ,½Ãƒ•Ãƒ^Ã, ¡Ã,ÃÃ,ÃÃ,»Ã,Ãƒ¥Ãƒ^Ãƒ†Ã,ÃÃ,ÃÃf%oÃf♦Ã,ÃÃ,¶Ãƒ^Ãf♦Ãf³Ãf%oÃf«å...¬é-
Ã♦«Ã♦-Ã€♦8Ã»¶Ã
Security

IOS 9.1.1f • Cisco

Digitized by srujanika@gmail.com

Copyright © 2013, ISTE. All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

For full details, see [Cisco IOS Software Security Advisory Bulletin](#).

Publication history

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_sep13.html

è©²å¹½“è£¹½å“◆?

è,,†å¼±æ€§ã®ã,ã,<è£½å“♦

IOSã,½äf·äf^ä, ! ä,§ä,çä ¾ä? Ýä? IKEv1äfä,±äffäf^ä?—ä?<ä½¿ç”“ä?§ä?ä?ä IOSä,½äf·äf^ä, ! ä,§ä,çä ¾ä? Ýä? Cisco IOS

XEā,½āſt•āſt•ā, | ā, ſā, cā, ‘ā®Yē| ēā—ā | ā, ‘ā, <āſtāſt•ā, ꝑā, ‘ā| ēIKEv1ā—¾ā| Yā—IKEv2ā, ‘ā½; ꝑā

Cisco IOS® 12.2(17)S1 Cisco IOS

XЕã,½ãf•ãf^ã,|ã,§ã,çã♦IKEv2ã,'è ..å®šã♦™ã,<ã? ..ã€♦IKEv1ã♦Œè‡å•çš,,ã♦«æœ‰åŠ1ã♦«ã? ..

- Dynamic Multipoint VPNi^{1/4} DMVPNi^{1/4}%
 - Group Domain of Interpretation(GDOI)

IKE

show ip sockets show udp EXEC
show ip sockets show udp EXEC

æ¬;æ?®æ¾æ?§æ?¬æ€æ?æf#æfæ,æ,æ,¹æ?¬IPæfæf¼æ,æf§æf³4(IPv4)æ?¾æ?¥æ?¬IPæfæf¼æ,æf§

```
router# show udp
Proto      Remote      Port      Local      Port  In  Out  Stat TTY OutputIF
17        --listen--    192.168.130.21   500   0   0 1001011   0
17(v6)    --listen--    UNKNOWN          500   0   0 1020011   0
17        --listen--    192.168.130.21   4500  0   0 1001011   0
17(v6)    --listen--    UNKNOWN          4500  0   0 1020011   0
!--- Output truncated
router#
```

ã,·ã,¹ã,³è£½å“♦ã♦§ç”½åf♦ã♦—ã♦|ã♦,,ã,< Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,ç
ãf^ãf^ãf½ã,¹ã,’ç°è^ã♦ã♦™ã,<ã♦«ã♦—ã♦€♦ãf#ãf♦ã,¤ã,¹ã♦«ãfã,ºã,¤ãf³ã♦—ã♦| show
version ã,³ãfzãf³ãf%oã,’ä½;ã♦£ã♦|ã♦€♦ã,·ã,¹ãf†ãf
ãf♦ãf§ãf½ã,’è;”ç¤°ã♦—ã♦¾ã♦™ã€,"Internetwork Operating System Software"ã€♦"Cisco
IOS Software" ã♦,ã,<ã♦,,ã♦—ã♦”ã,Œã,%oã♦«éjžä½åf♦™ã,<ã,·ã,¹ãf†ãf
ãf♦ãf§ãf½ã«ã,^ã♦£ã♦|ãf#ãf♦ã,¤ã,¹ã♦§ Cisco IOS
ã,½ãf•ãf^ã,|ã,§ã,çã♦Œç”½åf♦ã♦—ã♦|ã♦,,ã,<ã♦”ã,‘ç°è^ã♦ã♦§ã♦ã♦¾ã♦™ã€,
ã♦ã♦ã♦®å¾Œã,♦ã♦«ã,¤ãfjãf½ã,¸å♦ã♦ã♦Œæ<¬å½§ã♦®é—“ã♦«è;”ç¤°ã♦•ã,Œã€♦ç¶šã♦,,ã♦|
"Version" ã♦" Cisco IOS ã,½ãf•ãf^ã,|ã,“ã,ç
ãf^ãf^ãf½ã,¹å♦ã♦ã♦Œè;”ç¤°ã♦•ã,Œã♦¾ã♦™ã€,ä»—ã♦®ã,·ã,¹ã,³
ãf#ãf♦ã,¤ã,¹ã♦§ã♦—ã♦€♦show version
ã,³ãfzãf³ãf%oã♦Œå~åœ”ã♦—ã♦ªã♦«ã♦£ã♦¥ã,Šã€♦å^¥ã♦®å‡ºåŠã♦Œè;”ç¤°ã♦•ã,Œã♦¥ã,

æ¬;ã®ä¾ãš—ã€Cisco
IOSã½äf•äf^ã, |ã,§ã,çäfäfäf½ã,¹15.0(1)M1ã,’å®Ýè;Œä—ã€ã,¤äf³ã,¹äf^äf½äf«ã•ã,Œä|ã?
UNIVERSALK9-Mãšä,ã,ã,·ã,¹ã,³è½å“ä,‘ç¤ºä—ãä|ã,„ã¾ä™ã€,

<#root>

Router>

show version

Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2009 by Cisco Systems, Inc.
Compiled Wed 02-Dec-09 17:17 by prod_rel_team

!--- output truncated

Cisco

IOSã½äf•äf^ã,|ã,§ã,çäfäfäf½ã,¹ã®ä½å“ä|ä%o‡ã®è;½åŠ æf...å±ã—ã€æ¬;ã®URLã¶
Paper: Cisco IOS and NX-OS Software Reference
Guideã€ä,‘å,ç...§ã—ãä|ã,„ã€,„ã€,
<http://www.cisco.com/web/about/security/intelligence/ios-ref.html>.

è,,†å½±æ€§ã,‘å“ä,“äšä,„ã“ä,“ä“ä“äŒç¢°è“ä•ã,Œä“Ýè½å“ä

Cisco IOS

XRã½äf•äf^ã,|ã,§ã,çä—ã€ä“ä®è,,†å½±æ€§ã®ä½±éÝ;ã,‘å—ãä'ã¾ä»ã,“ã€,

Cisco ASA

5500ã,·ãfäf½ã,ºé©åœåž<ã,»ã,ãf¥äfäftã,£ã,çäf—äf©ã,¤ã,çäf³ã,¹ã—ã€ä“ä“ä®è,,†å½±æ€§ã

ã»—ã®ã,·ã,¹ã,³è½å“ä,“äšä,„ã“ä“ä“ä®ã,çäf%oäfä,¤ã,¶äfäã®ä½±éÝ;ã,‘å—ã

è©³ç`°

IKEäf—äfäf^ã,³äf«ã—ã€IP

Security(IPsec)äf—äfäf^ã,³äf«ã,¹ã,¤äf½äf^ãšä½ç“ä•ã,Œä€é€šä¿;ã,»äffã,·äf§äf³ã®æš—å“ä“ä®çμæžœå¾—ã,%oã,Œä,·å...±æœ%oã,»äffã,·äf§äf³ç§~å“ä“ä“äæš—å“ä,ãf½ã,‘å“žå“ä™ã

Cisco IOS® 12.2(17)S1 Cisco IOS

XEä½äƒ•äƒ^ä, | ä, §ä, Cä ♦ -ä€♦ IPv4ä♦Šä, ^ä♦³IPv6éšä|ç"” ä♦®IKEä,’ä, µäf♦äf%äf^ä♦—ä♦ | ä♦„ä♦

Cisco IOS 12.4(15)S3 Cisco IOS

ã?“ã?®è,,†å¼±æ€§ã?“ã€?è©²å½“ã,½ãƒ•ãƒ~ã,|ã,§ã,çã?«ã,^ã,<ã,?æ£ã?“IKEãƒã,±ãƒfã^ã?®ã,?é

Cisco IOS 12.4(15)S3 Cisco IOS

XЕѧ,½ѧf•ѧf^ѧ, |ѧ,§ѧ,Ҫѧ◆§ѧ◆—ѧ€◆IKEv1◆¾ѧ◆ӻѧ◆—IKEֆ◆ѧf¼ѧ, ѧf§ѧ³2(IKEv2)◆ԸԵ “աՐšѧ◆•ѧ,Ը

ç‰%1å®šã®®çŠ¶æ³ã§ã—ã€æ£å„ãIKEv1ãƒã,±ãffãf^ã«ã,^ã§ãfã!ã€è@²å½“ã™ã,ã½ãf·ãf^ã,!ã§ã,çãfãæfããf¼ã,¹ã§ãfjãfçãfããfããf¼ã,—ãŒç™oç”Ýã™ã,å—èf½æ€§ã,,ã,ã,§ã®

— IKEv1 — IKEv2

á?“ã?®ä,?æ£å^©ç”” á?«ã,^ã,Šã€?Cisco

IOSã,½äf·äf^ä, | ä,§ä,çä♦Œä‰²ä,Šä½“ä♦| ä,%oä,Œä♦Ýäf;äfçäf^ä,’ë§fæ”¾ä♦§ä♦ä♦ä♦ä♦ä♦ä♦ä♦ä,§

æœ-è,,†å¼±æ€§ã,’ã,`ã,-ã,¹ãf—ãfã,¤ãf~ã—ã€¤ãfã,¹ãf~ã«æŽ²è¼‰ã•ã,Œã¤Ý UDP
ãf¤ãf¼ãf~ã¤®ã¤„ã¤šã,Œã¤ã¤«ã¤šã¤„ã¤|ã€¤IPV4 ã¤“ IPv6
ã¤®ã¤©ã¤jã,%oã¤ã¤ã,’ä½¿ç”“ã¤—ã¤|èµ·ã¤ã¤ã,ã¤—èf½æ€§ã¤Œã¤,ã¤šã¤¾ã¤™ã¤,

è,†å¼±æ€§ãŒä,♦æfå^©ç”“ã•ã,Œä♦Ýã[®]«ã♦©ã♦†ã♦«ã,'å^¤æ-ã♦™ã,<æ-¹æ³

show memory debug leaks summary

æ¬jã?®ä¾ªã?¬ã€?IKE

FSM, 3/4 of memory is used by Cisco IOS XE, and the remaining 1/4 is used by Cisco IOS. Cisco IOS is a component of Cisco XE, and it is used for managing the router's configuration and performance.

```
Router#show memory debug leaks summary
Adding blocks for GD...
```

I/O memory					
Alloc	PC	Size	Blocks	Bytes	What
Processor memory					
Alloc	PC	Size	Blocks	Bytes	What
0x651A3D38	00000000092	00000000005	0000000460		IKE FSM CONTEXT
0x651A3D38	0000000104	00000000002	0000000208		IKE FSM CONTEXT
0x651A3D38	0000000112	00000000002	0000000224		IKE FSM CONTEXT
0x651A3D38	0000000156	00000000002	0000000312		IKE FSM CONTEXT

show memory debug leaks summary

CPU usage statistics

"Cisco Bug ID [CSCtx66011](#)(

[CVE-2013-5473](#) Common Vulnerabilities and Exposures(CVE)ID - CVE-2013-

5473 is a critical vulnerability in Cisco IOS, which can lead to remote code execution.

What is EEM?

EEM is a tool command language (TCL) used to manage Cisco IOS Embedded Event Manager (EEM).

EEM is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events.

Embedded Event Manager(EEM)

EEM is a tool command language (TCL) used to manage Cisco IOS Embedded Event Manager (EEM).

EEM is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events.

EEM is a tool command language (TCL) used to manage Cisco IOS Embedded Event Manager (EEM). It is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events. EEM is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events.

EEM is a tool command language (TCL) used to manage Cisco IOS Embedded Event Manager (EEM). It is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events.

TCL is a scripting language used to manage Cisco IOS Embedded Event Manager (EEM). It is used to define events and actions in Cisco IOS, and it can be used to trigger actions based on specific events.

[Community](#) | [Feedback](#) | [Help](#) | [About](#) | [Contact](#)

äf†äf♦ä,¤ä,¹ä♦®è”å®šä¾¤ä,’æ¬;ä♦«ç¤°ä♦—ä♦¾ä♦™ä€,

```
event manager environment EEM_MEM_LEAK_INTERVAL 20
event manager environment EEM_MEM_LEAK_MAX_RUNTIME 5
event manager environment EEM_IKE_BUFF_INCR_THRES 3
event manager environment EEM_FREE_MEMORY_THRES 70
event manager directory user policy "flash:/"
event manager policy eem_ike_mem_leak.tcl
```

ä;®æ£æ, ^ä♦¿ä, ½äƒ•äƒ^ä, |ä, sä, c

ã,½ãf•ãf^ã,|ã,§ã,cã®ã,Cãffãf—ã,°ãf¬ãf¼ãf‰ã,'æœèŽã®™ã,<å’å^ã®—ã€®<http://www.cisco.com/g>

„**Следи за мной**“ — сказал он, — **я буду с тобой**, **если ты будешь со мной**. **Я буду с тобой**, **если ты будешь со мной**.”

Technical Assistance

Center: $\frac{1}{4}TAC$ $\frac{1}{4}\% \text{ off}$. \rightarrow $\frac{3}{4}TAC - \frac{1}{4}TAC = \frac{1}{2}TAC$

Cisco IOS 1.2af•af^æ,§æ,¢

æ-ï-ã-®Cisco IOSå½åš•å£-ã, | ã, sã, ç-ãst-åf-åv-ãf-ãf«ã-®å-„è;ïŒã-“ã€Cisco

IOS ۱۲.۳ فارسی آندر ایدیا

Fixed

Release版—[aea](#)™ 2013年1月版—aea

IOS 16.0.1
iPhone 14 Pro Max

Affected 12.0-Based Releases	First Fixed Releaseï¼ä½®æ£ä½•ã,Œä½Ýæœ€å^ä½®ã½ä½
Affected 12.2-Based Releases	First Fixed Releaseï¼ä½®æ£ä½•ã,Œä½Ýæœ€å^ä½®ã½ä½

12.2EX	è,,†å¼±æ€§ã¤ã?
12.2EY	è,,†å¼±æ€§ã¤ã?
12.2EZ	è,,†å¼±æ€§ã¤ã?
12.2IRB	è,,†å¼±æ€§ã¤ã?
12.2IRC	è,,†å¼±æ€§ã¤ã?
12.2IRD	è,,†å¼±æ€§ã¤ã?
12.2IRE	è,,†å¼±æ€§ã¤ã?
12.2IRF	è,,†å¼±æ€§ã¤ã?
12.2IRG	è,,†å¼±æ€§ã¤ã?
12.2IRH	è,,†å¼±æ€§ã¤ã?
12.2IRI	è,,†å¼±æ€§ã¤ã?
12.2IXG	è,,†å¼±æ€§ã¤ã?
12.2IXH	è,,†å¼±æ€§ã¤ã?
12.2MC	è,,†å¼±æ€§ã¤ã?
12.2MRA	è,,†å¼±æ€§ã¤ã?
12.2 MRB	è,,†å¼±æ€§ã¤ã?
12.2SB	è,,†å¼±æ€§ã¤ã?
12.2SCA	è,,†å¼±æ€§ã¤ã?
12.2SCB	è,,†å¼±æ€§ã¤ã?
12.2SCC	è,,†å¼±æ€§ã¤ã?
12.2SCD	è,,†å¼±æ€§ã¤ã?
12.2SCE	è,,†å¼±æ€§ã¤ã?
12.2SCF	è,,†å¼±æ€§ã¤ã?
12.2SCG	è,,†å¼±æ€§ã¤ã?
12.2SCH	è,,†å¼±æ€§ã¤ã?
12.2SE	è,,†å¼±æ€§ã¤ã?
12.2SEG	è,,†å¼±æ€§ã¤ã?
12.2SG	è,,†å¼±æ€§ã¤ã?
12.2SGA	è,,†å¼±æ€§ã¤ã?
12.2SM	è,,†å¼±æ€§ã¤ã?
12.2SQ	è,,†å¼±æ€§ã¤ã?
12.2SRA	è,,†å¼±æ€§ã¤ã?
12.2SRB	è,,†å¼±æ€§ã¤ã?

12.2SRC	è,,†å¼±æ€§ã?^ã?—
12.2SRD	è,,†å¼±æ€§ã?^ã?—
12.2SRE	è,,†å¼±æ€§ã?^ã?—
12.2STE	è,,†å¼±æ€§ã?^ã?—
12.2SV	è,,†å¼±æ€§ã?^ã?—
12.2SVD	è,,†å¼±æ€§ã?^ã?—
12.2SVE	è,,†å¼±æ€§ã?^ã?—
12.2SW	è,,†å¼±æ€§ã?^ã?—
12.2SXF	è,,†å¼±æ€§ã?^ã?—
12.2SXH	è,,†å¼±æ€§ã?^ã?—
12.2SXI	è,,†å¼±æ€§ã?^ã?—
12.2SXJ	è,,†å¼±æ€§ã?^ã?—
12.2SY	è,,†å¼±æ€§ã?^ã?—
12.2WO	è,,†å¼±æ€§ã?^ã?—
12.2XNA	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XNB	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XNC	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XND	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XNE	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XNF	ã€Œ Cisco IOS XEã½ãf•ãf^ã,lã,§ã,cã?®ã,Cãf™ã,¤ãf©ãf"ãf^ãftã,Fã€ã,'å?ç...§ã?—
12.2XO	è,,†å¼±æ€§ã?^ã?—
12.2ZYA	è,,†å¼±æ€§ã?^ã?—
Affected 12.3-Based Releases	First Fixed Releaseï¼^ã;®æ£ã?•ã,CÆã?Ýæœ€å^?ã?®ãfã
Affected 12.4-Based Releases	First Fixed Releaseï¼^ã;®æ£ã?•ã,CÆã?Ýæœ€å^?ã?®ãfã
å½±éŸ;ã,’å?—ã?‘ã,< 15.0 ãf™ãf¼ã,¹ã?®ãf^ãf^ãf¼ã,¹	First Fixed Releaseï¼^ã;®æ£ã?•ã,CÆã?Ýæœ€å^?ã?®ãfã
å½±éŸ;ã,’å	First Fixed

Release 15.1	Release 15.1
15.1EY	15.1EY
15.1GC	15.1GC
15.1M	15.1M
15.1MR	15.1MR
15.1 MRA	15.1 MRA
15.1S	Cisco IOS XE Cisco IOS
15.1SG	Cisco IOS XE Cisco IOS
15.1SNG	15.1SNG
15.1SNH	15.1SNH
15.1SNI	15.1SNI
15.1SVD	15.1SVD
15.1SVE	15.1SVE
15.1SVF	15.1SVF
15.1SY	15.1SY
15.1T	15.1T
15.1XO	15.1XO
Release 15.2	First Fixed Release 15.2
15.2E	15.2E
15.2 GC	15.2(3)GC1 15.2(4)GC
15.2JA	15.2JA
15.2JAX	15.2JAX
15.2JB	15.2JB
15.2JN	15.2JN
15.20a,‡	15.20a,‡
15.2ç§’	15.2(4)S Cisco IOS

15.2SA	è,,†å¼±æ€§ã?^ã?—
15.2SNG	è,,†å¼±æ€§ã?^ã?—
15.2SNH	è,,†å¼±æ€§ã?^ã?—
15.2SNI	è,,†å¼±æ€§ã?^ã?—
15.2T	15.2(3)T3
å½±éŸ¿ã,’å?—ã?‘ã, ¹ 15.3 ãƒ™ãƒ¼ã,¹ã?®ãƒãƒãƒ¼ã,¹	First Fixed Releaseï¼^ã?®æ£ã?•ã,Œã?Ÿæœ€å^?ã?®ãƒã?

* Cisco Catalyst 4500 Supervisor Engine 6-Eã?¾ã?Ÿã?¬6L-Eã,’æ?è½‰oã?—ã?ŸCisco Catalyst 4500ã,·ãƒãƒ¼ã,ºã,¹ã,¤ãffãf?ã?¬ã€? [Cisco IOS](#),½ãƒ•ãf^ã,|ã,§ã,c ãf^ãf¼ã,¹ã?®ãfžäffãf”ã³ã,ºã?«ã?¤ã?„ã?|ã?¬ã€?ã€Œ [Cisco IOS XE 2 Release Notes](#)ã?ã€?ã€Œ [Cisco IOS XE 3S Release Notes](#)ã?ã€?ã?Šã,^ã?³ã€Œ [Cisco IOS XE 3SG Release Notes](#)ã?ã,’å?„§ã?—ã?|ã?¤ã?ã?ã?•ã?„ã?,

Cisco IOS XE å½ãƒ•ãf^ã,|ã,§ã,c

Cisco IOS å½ãƒ•ãf^ã,|ã,§ã,c ãf^ãf¼ã,¹ã?®,ã?® Cisco IOS XE å½ãƒ•ãf^ã,|ã,§ã,c
ãf^ãf¼ã,¹ã?®ãfžäffãf”ã³ã,ºã?«ã?¤ã?„ã?|ã?¬ã€?ã€Œ [Cisco IOS XE 2 Release Notes](#)ã?ã€?ã€Œ [Cisco IOS XE 3S Release Notes](#)ã?ã€?ã?Šã,^ã?³ã€Œ [Cisco IOS XE 3SG Release Notes](#)ã?ã,’å?„§ã?—ã?|ã?¤ã?ã?ã?•ã?„ã?,

Cisco IOS XE å½ãƒ•ãf^ã, ã,§ã,c ãf^ãf¼ã,¹	First Fixed Releaseï¼^ã?®æ£ã?•ã,Œã?Ÿæœ€å^?ã?®ãƒãƒãƒ¼ã,¹i½‰o	IOSå½ãƒ•ãf^ã, ã,§ã,c
2.1.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
2.2.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
2.3.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
2.4.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
2.5.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
2.6.x	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
3.1.xS	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
3.1.xSG	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
3.2.xS	è,,†å¼±æ€§ã?^ã?—	è,,†å¼±æ€§ã?^ã?—
3.2xSE	è,,†å¼±æ€§ã?^ã?—	3.2.3SE

3.2.xSG	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.2.xXO	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.2.xSQ	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.3.xS	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.3 X SG	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.3xXO	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²³ã²
3.3 Xå¹³æ—¹	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²³ã²
3.4.xS	è,,†å¼±æ€§ã²Œå~åœ”ã²™ã,ã²®ã²—ã€ã²ãfã²ãf¼ã,¹3.4.2S ï½ž 3.4.5Sã²ã²’ã²Sã²™ã€,	3.4.6ç§’
3.4.xSG	è,,†å¼±æ€§ã²³ã²—	3.4.1SG*
3.5.xE	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²³ã²
3.5.xS	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.6.xS	3.6.1S	è,,†å¼±æ€§ã²,ã,Š
3.7.xS	è,,†å¼±æ€§ã²³ã²—	3.7.4S
3.8.xS	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²,ã,Š
3.9.xS	è,,†å¼±æ€§ã²³ã²—	3.9.2S
3.10.xS	è,,†å¼±æ€§ã²³ã²—	è,,†å¼±æ€§ã²³ã²

* Cisco Catalyst 4500 Supervisor Engine 7-Eã²Šã,^ã²³7L-Eã,'æ¢è¼%oã²—ã²Cisco Catalyst 4500ã,·ãfã²ãf¼ã,ºã,¹ã,¤ãffãfã€ã²ã²Šã,^ã²³Cisco Catalyst 4500-Xã,·ãfã²ãf¼ã,ºã,¹ã,¤ãffãfã²ã²—ã€ã² [Cisco IOS XE](#),½ãf•ãf^ã,|ã,§ã,¤ãfã²ãf¹/4ã,¹3.4SGã²«ç§»è;Œã²§ã²ã²ã²¾ã²™ã€,
[Cisco IOS XR](#),½ãf•ãf^ã,|ã,§ã,¢

Cisco IOS XR ã,½ãf•ãf^ã,|ã,§ã,¢

Cisco IOS XRã,½ãf•ãf^ã,|ã,§ã,¢ã²—ã€ã²2013å¹'9æœ^ã²®Cisco IOSã,½ãf•ãf^ã,|ã,§ã,¢ã,»ã,ãf¥ãfã²tã,£ã,¢ãf‰oãfã²ã,¤ã,¶ãfã²ãfã²ãf³ãf‰oãf«å...¬é-[Cisco Product Security Incident Response](#)

ä,¢æ£å^©ç”“ä°[æ³/4](#)ç”“å...¬å¼ç™oè;|“

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130925-ike>

æ”1è..,å±¥æ'

ãf ^a ãf [“] ã, ,ãf§ãf ³ 1.0	2013å¹·9æœ^25æ—¥	å^◆ç‰^ãf ^a ãf ^a ãf½ã, 1
---	------------------	---

å^©ç”“è!◊?ç’„

æœ¬ã,¢äf‰oãf♦ã,¤ã,¶äfªã♦¬ç,,¡ä¿♦è~¹/4ã♦®ã,,ã♦®ã♦~ã♦—ã♦!ã♦"æ♦♦ä¾ã♦—ã♦!ã♦|ã♦Šã,Šã€æœ¬ã,¢äf‰oãf♦ã,¤ã,¶äfªã♦®æf...å±ã♦Šã,^ã♦³ãfªãf³ã,—ã♦®ä½¿ç~”ã♦«é-¢ã♦™ã,<è²¬ä»»ã♦®ä,€ã♦¾ã♦Ýã€♦ã,·ã,¹ã,³ã~”æœ¬ãf‰oã,ãf¥ãfjãf³ãf~ã♦®å†...å®¹ã,'ä°~å'Šã♦~ã♦—ã♦«å¤‰oæ>`ã♦—ã♦æœ¬ã,¢äf‰oãf♦ã,¤ã,¶äfªã♦®è~”è¿°å†...å®¹ã♦«é-¢ã♦—ã♦!|æf...å±é...♦ä¿jã♦® URL
ã,'çœ¿ç·¥ã♦—ã€♦å♦~ç<-ã♦®è»çè¹/4‰oã,,æ,,¿è~³ã,'æ-½ã♦—ã♦Ýã'å♦^ã€♦å½"ç¤¾ã♦Œç®¡ç♦ã♦“ã♦®ãf‰oã,ãf¥ãfjãf³ãf~ã♦®æf...å±ã♦~ã€♦ã,·ã,¹ã,³è£½å~”ã♦®ã,~ãf³ãf‰oãf`ãf½ã,¶ã,'å~¾è±íã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。