

# Cisco IOSã,½ãf•ãf^ã,|ã,§ã,c IPv6 ä»®æf³ ã♦ª ãf•ãf©ã,°ãf;ãf³ãftãf¼ã,·ãf§ãf³å†♦çµ,,ç«<ã♦|ã



ã,çãf%oãf♦ã,¤ã,¶ãfãf¼ID : cisco-sa-

[CVE-2013-](#)

20130925-ipv6vfr

[5474](#)

å♦å...-é-æ-¥ : 2013-09-25 16:00

ãf♦ãf¼ã,ãf§ãf³ 1.0 : Final

CVSSã,¹ã,³ã,c : [7.8](#)

å›é♦¿ç- : No Workarounds available

Cisco ãf♦ã,° ID : [CSCud64812](#)

æ—¥æœ¬è^zã♦«ã,^ã,æf...å ±ã♦^-ã€♦è<±è^zã♦«ã,^ã,[åŽÝæ-‡ã♦®é♦žå...-å¼♦ã](#)

æ!,è!♦

Cisco IOSã,½ãf•ãf^ã,|ã,§ã,cã♦® IP ãf♦ãf¼ã,ãf§ãf³ 6(IPv6) ã♦®ã♦Ýã,♦ã♦®ä»®æf³ ã♦ª  
ãf•ãf©ã,°ãf;ãf³ãftãf¼ã,·ãf§ãf³å†♦çµ,,ç«<ã♦|ï¼^VFRï¼%oæ©Ýèf½ã♦®å®ÝèE...ã♦®è,,tå¼±æ€§ã♦-  
ï¼^DoSï¼%oçŠ¶æ...<ã♦«çµ,ã♦£ã♦|ã€♦ãf♦ãf³ã,°ã♦™ã,<ã♦[ã€♦ãf³ã](#)¾ã♦Ýã♦^-ãf³ãf³f¼ãf%oã♦—ã

è,,tå¼±æ€§ã♦^-å†♦çµ,,ç«<ã♦|ã,ãf¥ãf¼ã♦«ã,çã,^ã,»ã,^ã♦—ã♦|ã♦„ã,æ-“IPv6  
ãf•ãf©ã,°ãf;ãf³ãf^ã♦®ã♦Ýã,♦ã♦®ç«¶å♦^çŠ¶æ...<ã♦ŒåŽÝå»ã♦§ã♦™ã€,  
æ”»æ'fè€...ã♦^-æœ%oåŠ¹ã♦^a IPv6 ãf•ãf©ã,°ãf;ãf³ãf^ã♦®å·§ã|^™ã♦«ç’å·¥ã♦•ã,Œã♦Ý  
ã,^ãf^ãf³ãf¼ãf ã♦®é€♦æjã♦«ã,^ã♦£ã♦|ã♦“ã♦®è,,tå¼±æ€§ã,’ã,♦æ£å^ç”“ã♦™ã,[å♦^-èf½æ€§](#)  
ç¹ºã,Šè¿“ã♦•ã,Œã♦Ýå^ç”“ã♦^-æ”“ã♦^ã,%oã,Œã♦Ý DoS  
çŠ¶æ...<ã♦“ã♦,ã♦tçµ♦æžœã♦«çµ,ã,<ã♦[ã♦](#),ã♦—ã,Œã♦¾ã♦>ã,“ã€,

ã,·ã,^ã,³ã♦^-ã♦“ã♦®è,,tå¼±æ€§ã♦«å^-¾å†|ã♦™ã,[ã,½ãf•ãf^ã,|ã,§ã,c](#)  
ã,çãffãf—ãftãf¼ãf^ã,’ãf³ãf³ãf¼ã,^ã♦—ã♦¾ã♦—ã♦Ýã€,  
ã♦“ã♦®è,,tå¼±æ€§ã♦«å^-¾ã♦™ã,[å›é♦¿ç-ã♦,ã,Šã♦¾ã♦>ã,“ã€,](#)

ã♦“ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf³ã♦^-ã€♦æ-¡ã♦®ãf³ã,^ã,^ã,Šçç°è^ã♦§ã♦¾ã♦™ã€,  
<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130925-ipv6vfr>

æ³-ï¼š 2013 å¹` 9æœ^ 25 æ—¥ã€♦Cisco IOSã,½ãf•ãf^ã,|ã,§ã,C Security Advisory

ã♦«ã,^ã♦£ã♦|çµ,,ã♦¿è¾¼ã♦¾ã,Œã,æ,ã♦^- 8 Cisco Security Advisory

ã♦Œå♦«ã♦¾ã,Œã♦|ã♦,ã♦¾ã♦™ã€, ã♦™ã♦^ã♦|ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf³ã♦^- Cisco

IOS, ½-åf-äf-ä, | ä, §ä, çä, ®è, „t å¼±æ€§ä, «å¾å†| ä—ä¾å†™ä€, å, „Cisco

IOS 9.2.1 Security Advisory — 2013-09

æœ^ã?®ã?™ã?¹ã?|ã?® Cisco

Cisco IOS 1.2.2f-12.2(15)S1 Cisco IOS 1.2.2f-12.2(15)S1

[http://www.cisco.com/web/about/security/intelligence/Cisco\\_ERP\\_sep13.html](http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_sep13.html)

è©<sup>2</sup>å<sup>1</sup>/<sub>2</sub>“è£<sup>1</sup>/<sub>2</sub>å“◆?

è,,†å¼±æ€§ã?®ã?„  
é,é½å“?

æ◊◊ç¤º IPv6 æf◊æf¼æf◊æffæf«å†◊çµ„ç«æ◊◊

ã,¤ãƒ³ã,¿ãƒ%4ãƒ•ã,§ã,¤ã,¹ã,'å♦«ã,“ã♦§ã,‹ã♦•ã♦,,|ãƒ%ooãƒäffäf—ã♦™ã,‹ privileged exec  
ã,³ãƒžãƒ³ãƒ%oã♦Œ IPv6 VRF æ©Ÿèf½ã♦Œ Cisco IOSäf‡äf♦ã,¤ã,¹ã♦§æœ%oåŠ¹ã♦«

æ ª æ ¦ F æ ª ÿ æ ª æ ¦ C æ ª t æ ª x ä ^ p ä ^ ¥ æ ª ™ æ , æ ª ® æ ª « ä ½ ç ” æ ª ™ æ , æ ª “ æ ª ” æ ª C æ ª S æ ª æ ª ³ æ » ¥ æ ª æ ª – æ ª c æ ª IPy6

ãf♦ãf¼ãf♦ãf£ãf«å†♦cu..c«<ã♦!ã♦<ã.%ã♦®å†ºåŠ>ã♦ñã♦™ |

ã.gãf<sup>3</sup>ã.:ãf<sup>1</sup>/4ãf•ã.sã.gã.<sup>1</sup>ã.'å♦«ã."ã♦ñã<ã♦•ã♦..|IPy6 VFR æ©ÿèf<sup>1</sup>/<sub>2</sub>ã♦Œã♦.ã.s Cisco

ଶ୍ରୀମତୀ ପାତ୍ନୀ କଣ୍ଠାରୀ ଏବଂ ଶ୍ରୀ ପାତ୍ନୀ କଣ୍ଠାରୀ

$\Delta \nabla u, 3\Delta \nabla^2 u, \nabla^4 u \rightarrow 0$ .

```
Router#show ipv6 virtual-reassembly | include Interface|drop  
%Interface FastEthernet0/0 [in]
```

IPv6 configured drop fragments: ON

```
%Interface FastEthernet0/1 [in]
    IPv6 configured drop fragments: ON
```

%Interface Serial0/0/0 [in]

IPv6 configured drop fragments: ON

IPv6 configured drop fragments: OFF

```
%Interface FastEthernet0/1 [out]
  TPyC configured drop fragments: OFF
```

%Interface Serial0/1/0 [out]

IPv6 configured drop fragments: ON  
Router#

IPv6 VFR  
æ©Ýèf½ã♦Œå...¥æ-¹ã♦"i¼^ã,¤ãf³ã,¿ãf¼ãf•ã,§ã,¤ã,¹ã♦ã♦®å¾Œã♦§ã♦"ã♦—ã♦|[ã♦§]è;”ç¤  
ã♦"ã♦£ã♦Ýã♦"ã♦"ã,'ç¤ºã♦—ã♦¾ã♦™i¼^ã,¤ãf³ã,¿ãf¼ãf•ã,§ã,¤ã,¹ã♦ã♦®å¾Œã♦§ã♦"ã♦

IPv6 VFR æ©Ýèf½ã♦ IPv6 af♦ãf¼ãf♦ãf£ãf«å†♦çµ,,ç«ã♦|ã,³ãfžãf³ãf%oã♦«ãf%oãf-  
ãffãf—ã♦™ã,  
ã,ºãf—ã,·ãf§ãf³ã♦®å½ç””ã,’å♦—èf½ã♦«ã♦—ã♦¾ã♦™ã€,

ã♦"ã♦®è”å®šã♦§ã♦—ã€ IPv6 VFR æ©Ýèf½ã♦—ã♦®æf³ã♦  
ãf•ãf©ã,ºãf;ãf³ãf†ãf¼ã,·ãf§ãf³å†♦çµ,,ç«ã♦|ã,’è;Œã♦,ã♦¾ã♦>ã,”ã♦Œã€♦ãf•ãf©ã,ºãf;ãf³ãf^ã,/'ã  
IPv6 VFR

ã♦®ã♦Ýã,♦ã♦«è”å®šã♦•ã,Œã,  
ã♦"ã♦®è,,tå¼±æ€§ã♦  
ã,ºãf—ã,·ãf§ãf³ã♦®å°ã♦"ã♦"ã♦—ã♦,1  
ã♦¤ã♦®ã,¤ãf³ã,¿ãf¼ãf•ã,§ã,¤ã,¹ã♦Œã♦,ã,<å...¥åŠ>ã♦¾ã♦Ýã♦—å‡ºãf^ãf©ãf•ã,£ãffã,—ã♦®  
IPv6 VFR  
ã♦®ã♦Ýã,♦ã♦«è”å®šã♦•ã,Œã,  
ã♦"ã♦®æf§ã♦®ãf‡ã,¤ã,¹ã♦«ã♦ã♦—ã♦,1  
IPv6 VFR æ©Ýèf½ã♦—ãf‡ãf•ã,Cãf«ãf^ã♦§æœ%oåŠ¹ã♦«ã♦ºã,§ã♦¾ã♦>ã,”ã€,

ã,·ã,¹ã,³èf½å“♦ã♦§ç”¼åf♦ã♦—ã♦|ã♦,,ã,  
Cisco IOS å,½ãf•ãf^ã,|ã,§ã,c  
ãf¤ãf¤ãf¼ã,¹ã,'ç¤ºè^ã♦™ã,  
ã♦"ã♦—ã♦®å¾Œã♦—ã♦|ã♦,,ã,  
show  
version  
ã,³ãfžãf³ãf%oã, ’å½ç”ã♦£ã♦|ã€♦ã,·ã,1ãf†ãf  
ãf♦ãf§ãf¼ã♦«ã,^ã♦£ã♦|ãf‡ãf♦ã,¤ã,¹ã♦§  
Cisco IOS  
ã,½ãf•ãf^ã,|ã,§ã,c  
ã♦"ã♦—ã♦®å¾Œã♦—ã♦|ã♦,,ã,  
ã,ç¤ºè^ã♦§ã♦¾ã♦™ã€,  
ã♦"ã♦®å¾Œã♦—ã♦|ã♦,,ã,  
ææ<—å¼§ã♦®é—“ã♦«è;”ç¤ºã♦•ã,Œã€♦ç¶šã♦,,ã♦|  
"Version" ã♦ Cisco IOS å,½ãf•ãf^ã,|ã,“ã,c  
ãf¤ãf¤ãf¼ã,¹ã♦"ã♦Œè;”ç¤ºã♦•ã,Œã♦¾ã♦™ã€,  
ã»—ã♦®ã,·ã,¹ã,³  
ãf‡ãf♦ã,¤ã,¹ã♦§ã♦—ã€♦show version  
ã,³ãfžãf³ãf%oã♦Œå~åœ”ã♦—ã♦ºã♦  
ã♦"ã♦£ã♦Ýã,§ã€♦å^¥ã♦®å‡ºåŠ>ã♦Œè;”ç¤ºã♦•ã,Œã♦Ýã,§ã♦

æ¬;ã®ä¾ã» C3900-UNIVERSALK9-M

ã®ã,¤ãf³ã,¹ãf·ãf¼ãf«æ,^ã¿ã,¤ãf;ãf¼ã,å®å%oã® „ Cisco IOS ã,½ãf·ãf^ã,|ã,§ã,ç  
ãf·ãf·ãf¼ã,¹ 15.0(1)M1 ã,'å®Ýè;Œã—ã¿ |ã¿,,ã,  
Ciscoè£½å“ã,’æŒ‡å®šã—ã¿Ýã,,ã¿®ã¿§ã¿™:

<#root>

Router>

show version

Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2009 by Cisco Systems, Inc.  
Compiled Wed 02-Dec-09 17:17 by prod\_rel\_team

!--- output truncated

Cisco IOS

ã,½ãf·ãf^ã,|ã,„ã,¢ã®ãf·ãf·ãf¼ã,¹å'½å“ã¿è |ã®å%oã®è;½åŠ æf...å±ã¿—ã»¥ã,<ã®ãf·ãf³ã,¬ã¿  
"White Paper: <http://www.cisco.com/web/about/security/intelligence/ios-ref.html> ã® Cisco IOS  
ã¿Šã,^ã¿³ NX-OS ã,½ãf·ãf^ã,|ã,§ã,ç ãf·ãf·ãf³ã,¹ã,¬ã,¤ãf%oã€,ã€,

è,,†å¼±æ€§ã, ’ã¿«ã, "ã¿§ã¿,,ã¿ªã¿,,ã¿"ã¿"ã¿"ã¿Œççºèªã¿•ã,Œã¿Ýè£½å“ã¿

ã»¥ã,<ã¿®è£½å“ã¿ã¿—ã¿"ã¿®è,,†å¼±æ€§ã¿«ã, ^ã¿£ã¿ | å½±éÝ¿ã,'å¿—ã¿'ã¿ªã¿<ã¿£ã¿Ýç

- Cisco IOS XR ã,½ãf·ãf^ã,|ã,§ã,ç
- Cisco IOS XE ã,½ãf·ãf^ã,|ã,§ã,ç

æ»—ã¿®ã,·ã,¹ã,³è£½å“ã¿ã¿«ã¿Šã¿,,ã¿ |ã€,ã¿"ã¿®ã,çãf%oãf·ã,¤ã,¶ãf·ã¿®å½±éÝ¿ã,'å¿—ã¿

è©³ç’°

ãf·ãf®ã,°ãf;ãf³ãf·ãf¼ã,·ãf§ãf³ã»—ãf·ãff·ãf·ãf·ãf¼ã,—ãf;ãf·ã,£ã,çã®ç·°ã¿ªã,<åž<ã¿«é€,ã¿æjã¿•ã,  
IPãf·ãf¼ã,¿ã,°ãf®ãf ã¿®ç·å£Šã¿®ãf—ãfã,»ã,¹ã¿§ã¿™ã€,  
ãf·ãf®ã,°ãf;ãf³ãf·ãŒ—ã¿•ã,Œã¿Ý IPv6 ãf·ã,±ãff·ãf·ã¿®å...^é  
ã»¥å¤—ã¿®ãf·ãf®ã,°ãf;ãf³ãf·ã»—å...^éãf·ãf®ã,°ãf;ãf³ãf·ã¿ã¿'ã¿§ãå^ç"“å¿—èf½ã¿§ã¿,ã,<ãf·ã  
ï¼^L4ï¼‰ãf·ãff·ãf·ã¿®æ—å!,ã¿Œç·tç"±ã¿§ãf·ã,§ãff·ã,—ã¿ªã—ã¿§ã»—ã¿® Cisco  
IOSæ©Ýèf½ã,'ã»¥å‰ã¿«é€§ã,§ã¿¾ã¿—ã¿Ýã€, IPv6 VFR  
æ©Ýèf½ã¿—ãf·ãf®ã,°ãf;ãf³ãf·ã,'é·tã,ã¿ã€,ã»—ã¿® Cisco IOSæ©Ýèf½ã¿« L4

æf...å ±ã,'æ◊◊ä¾›ã◊™ã,<æ©Ÿèf½ã,'æ◊◊ä¾›ã◊—ã◊¾ã◊™ã€,

Cisco IOS 12.2(15)S-12.2(15)S2 Cisco IOS Software, Version 12.2(15)S, RELEASE SOFTWARE (T1/RS-232C/Ethernet/USB) Copyright (c) 2002 by Cisco Systems, Inc. All rights reserved. Cisco Confidential

è, †å½±æ€§ã”-å†çµ,,ç«ã|ã,ãf¥ãf½ã»ã,çã,¬ã,»ã,¹ã—ã|ã„ã,<é-“ IPv6  
ãf•ãf©ã,°ãfjãf³ãf^ã®ã®ã®ç«¶å^çŠ¶æ...<ã®çŒåŽÝå>ã®ã®™ã€,  
æ»æ'fè€...ã”æœ‰åŠ¹ã®æ IPv6 ãf•ãf©ã,°ãfjãf³ãf^ã®å·ã®™ã®ç°å·¥ã®•ã,Œã®Ý  
ã,¹ãf^ãf³ãf½ãf ã®é€®ä¿jã®«ã,^ã®fã®|ã®”ã®®è,†å½±æ€§ã,’ã®æfå^ç””ã®™ã,ç°å”èf½æ€§ã  
ç¹°ã,Šè¿”ã®•ã,Œã®Ýå^ç””ã®”æ””ã®^ã®,‰ã,Œã®Ý DoS  
çŠ¶æ...ã®”ã®„ã®†çµ®æžœã®çµ,ã,ã®<ã®,ã®—ã,Œã®¾ã®>ã,“ã€,

æ³·í¹¼š

āf†āf♦ā,¤ā,¹ā♦,ā?®āf^āf©āf³ā,āffāf^āf^āf©āf•ā,fāffā,¬ā♦Šā,^ā♦³āf^āf©āf•ā,fāffā,¬ā,jæ-¹è‡āä½

ã”“ã®è,,†å¼±æ€§ Cisco ãfã,° ID [CSCud64812](#) i1/4^ ç™»éŒ2ãfãf¹/4ã,¶ã®ãži1/4%  
ã§æ-‡æ»,åŒ-ã•ã,Œã |ã„ã¾ã™ã€ã,ã,è,,†å¼±æ€§ãŠã,^ã³å...-é-i1/4^CVEi1/4  
ID CVE-2013-5474 ã? - å‰‰²ã,Šå½“ã |ã,‰oã,Œã¾ã—ãžÝ

å>žé◆?¿ç-

ä;®æ£æ, ^ã◊¿ã, ½ãƒ•ãƒ^ã, |ã, ã, ç

ã,½ãf•ãf^ã,|ã,§ã,çã®ã,Cãffãf—ã,ºãf¬ãf¼ãf‰ã,'æœèŽã™ã,<å'å^ã—ã€<http://www.cisco.com/g>ã®ã,·ã,¹ã,³ã,»ã,ãf¥ãf^ãftã,£ã,Cãf‰ãf♦ã,¤ã,¶ãf^ã€♦å¿œç"ã€♦ã♦Šã,^ã♦³é€šçÝ¥ã♦®ã,Cãf¼ã,«ã,¤ãf-ã,,ã€♦å¾Œç¶šã♦®ã,Cã,ã,½ãf^ãf¥ãf¼ã,·ãf§ãf³ã,'çç°è^ã—ã?|ã?ã?ã?ã?•ã?,ã€,

„Cisco Technical Assistance Center“  
— Cisco Systems, Inc.  
Cisco Systems, Inc. 170 West Tasman Drive, San Jose, CA 95134-1706  
Cisco and the Cisco logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries.  
All other trademarks and trade names are the property of their respective owners.

## Cisco IOS 1/2af•af^a,|a,§a,c

æ¬jæ® Cisco IOS,½æf•æf^æ, |æ,§æ,¢ è|”æ®å?„èŒæ?“æ,€é€£æ®Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,çã«å¬¾å¿œã—ã³¾ã®™ã€,  
 ç‰¹å®šã®ãf^ãf~ã,¤ãf³ã®Œè,,†å¼±ã®§ã,ã,  
 å,`å®œã«å®æfã®Œå®«ã³¾ã,Œã®|ã,„ã,  
[Cisco IOS 12.0](#) 2013 å' 9

æœ^ã®ã®ã®™ã®¹ã®|ã®ã,çãf‰ãf®ã,¤ã,¶ãf^ã®ã®Yã,ã®æœ€å^ã®ã®æfæ,^ã®ãf^ã  
 Cisco IOSã,½ãf•ãf^ã,|ã,§ã,ç Security Advisory  
 å®ã®™ã®¹ã®|ã®®é€®é®"ã®•ã,Œã®Yè,,†å¼±æ€§ã®Œãf^ãf-ãf^ã,±ãf¼ã,·ãf§ãf³ã,'çµ,,ã®çè¾/å  
 åf^ãf^ãf¼ã,¹çµ,,ã®çè¾/å®çæ¾ã—ã®Yã€,  
 å®èf½ã®å`å®æœ€å®ç"å®èf½ã®æœ€æ°ã®ãf^ãf^ãf¼ã,¹ã®«ã,çãff^ã—ã,°ãf~ãf¼ãf^ã

Cisco IOSã,½ãf•ãf^ã,|ã,§ã,çãf^ãf^ãf¼ã,¹ã,`å½"ã®Yã,  
 Cisco Security Advisory  
 å,'æœã®™ã®"ã®"ã®`å®èf½ã®«ã®—ã®¾ã®™ã€,  
<http://tools.cisco.com/security/center/selectIOSVersion.x> å®§  
 Cisco,»ã,ãf¥ãf^ãftã,£i¼^SIOi¼‰ãf®ãf¼ã,çãf«ã®§ã®å®ç"å®§ã®?ã®¾ã®™

ãf;ã,ãf£ãf¼ãf^ãf^ãf¼ã,¹	
<b>Affected 12.0-Based Releases</b>	<b>First Fixed Release</b>
<b>Affected 12.2-Based Releases</b>	<b>First Fixed Release</b>
12.2EX	è,,†å¼±æ€§ã®ã—
12.2EY	è,,†å¼±æ€§ã®ã—
12.2EZ	è,,†å¼±æ€§ã®ã—
12.2IRB	è,,†å¼±æ€§ã®ã—
12.2IRC	è,,†å¼±æ€§ã®ã—
12.2IRD	è,,†å¼±æ€§ã®ã—
12.2IRE	è,,†å¼±æ€§ã®ã—
12.2IRF	è,,†å¼±æ€§ã®ã—
12.2IRG	è,,†å¼±æ€§ã®ã—
12.2IRH	è,,†å¼±æ€§ã®ã—

12.2IRI	è,,†å¼±æ€§ã¤ã¤—
12.2IXG	è,,†å¼±æ€§ã¤ã¤—
12.2IXH	è,,†å¼±æ€§ã¤ã¤—
12.2MC	è,,†å¼±æ€§ã¤ã¤—
12.2MRA	è,,†å¼±æ€§ã¤ã¤—
12.2MRB	è,,†å¼±æ€§ã¤ã¤—
12.2SB	è,,†å¼±æ€§ã¤ã¤—
12.2SCA	è,,†å¼±æ€§ã¤ã¤—
12.2SCB	è,,†å¼±æ€§ã¤ã¤—
12.2SCC	è,,†å¼±æ€§ã¤ã¤—
12.2SCD	è,,†å¼±æ€§ã¤ã¤—
12.2SCE	è,,†å¼±æ€§ã¤ã¤—
12.2SCF	è,,†å¼±æ€§ã¤ã¤—
12.2SCG	è,,†å¼±æ€§ã¤ã¤—
12.2SCH	è,,†å¼±æ€§ã¤ã¤—
12.2SE	è,,†å¼±æ€§ã¤ã¤—
12.2SEG	è,,†å¼±æ€§ã¤ã¤—
12.2SG	è,,†å¼±æ€§ã¤ã¤—
12.2SGA	è,,†å¼±æ€§ã¤ã¤—
12.2SM	è,,†å¼±æ€§ã¤ã¤—
12.2SQ	è,,†å¼±æ€§ã¤ã¤—

12.2SRA	è,,†å¼±æ€§ã¤ã?
12.2SRB	è,,†å¼±æ€§ã¤ã?
12.2SRC	è,,†å¼±æ€§ã¤ã?
12.2SRD	è,,†å¼±æ€§ã¤ã?
12.2SRE	è,,†å¼±æ€§ã¤ã?
12.2STE	è,,†å¼±æ€§ã¤ã?
12.2SV	è,,†å¼±æ€§ã¤ã?
12.2SVD	è,,†å¼±æ€§ã¤ã?
12.2SVE	è,,†å¼±æ€§ã¤ã?
12.2SW	è,,†å¼±æ€§ã¤ã?
12.2SXF	è,,†å¼±æ€§ã¤ã?
12.2SXH	è,,†å¼±æ€§ã¤ã?
12.2SXI	è,,†å¼±æ€§ã¤ã?
12.2SXJ	è,,†å¼±æ€§ã¤ã?
12.2SY	è,,†å¼±æ€§ã¤ã?
12.2WO	è,,†å¼±æ€§ã¤ã?
12.2XNA	<a href="#">Cisco IOS XE</a>
12.2XNB	<a href="#">Cisco IOS XE</a>
12.2XNC	<a href="#">Cisco IOS XE</a>
12.2XND	<a href="#">Cisco IOS XE</a>
12.2XNE	<a href="#">Cisco IOS XE</a>
12.2XNF	<a href="#">Cisco IOS XE</a>
12.2XO	è,,†å¼±æ€§ã¤ã?

	◆—
12.2ZYA	è,,†å¼±æ€§ã◆—
<b>Affected 12.3-Based Releases</b>	<b>First Fixed Releaseï¼ž®æ£ã◆•ã,Œã◆</b>
12.3BC	è,,†å¼±æ€§ã◆—
12.3JEC	è,,†å¼±æ€§ã◆—
12.3JED	è,,†å¼±æ€§ã◆—
12.3JEE	è,,†å¼±æ€§ã◆—
12.3JX	è,,†å¼±æ€§ã◆—
12.3XI	è,,†å¼±æ€§ã◆—
12.3XJ	è,,†å¼±æ€§ã◆—
12.3XK	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3XL	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3XQ	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3XR	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3XU	è,,†å¼±æ€§ã◆—
12.3XW	è,,†å¼±æ€§ã◆—
12.3XX	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YD	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YF	è,,†å¼±æ€§ã◆—
12.3YG	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YI	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YJ	è,,†å¼±æ€§ã◆—
12.3YK	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YM	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YQ	è,,†å¼±æ€§ã◆—
12.3YS	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YT	Vulnerable; <a href="#">ãfãfãf½ã,¹ 15.1M</a> ã◆§å›ºå®šã◆•ã,Œã,<ç¬¬ 1
12.3YU	è,,†å¼±æ€§ã

	<b>Affected 12.4-Based Releases</b>	<b>First Fixed Release<sup>1/4</sup></b>
12.3YX	è,,†å!4±æ€§ã♦^ã♦—	
12.3YZ	Vulnerable; æ♦“ã♦®ã,çãf%oãf♦ã,¤ã,¶ãfºã♦®ä;®æfæ,^ã♦;ã,½ãf•ãf^ã, ã,sã,çå♦çµ„ç”ã♦«é€£çµjã♦—ã♦ ã,<ã♦•ã♦„ã€,	
12.3ZA	Vulnerable; <a href="#">äf^äf^äf!4ã, 1 15.1M</a> æ♦§å»ºå®šã♦•ã,Œã,<ç>— 1	
12.4	Vulnerable; <a href="#">äf^äf^äf!4ã, 1 15.1M</a> æ♦§å»ºå®šã♦•ã,Œã,<ç>— 1	
12.4GC	Vulnerable; æ♦“ã♦®ã,çãf%oãf♦ã,¤ã,¶ãfºã♦®ä;®æfæ,^ã♦;ã,½ãf•ãf^ã, ã,sã,çå♦çµ„ç”ã♦«é€£çµjã♦—ã♦ ã,<ã♦•ã♦„ã€,	
12.4JA	è,,†å!4±æ€§ã♦^ã♦—	
12.4JAL	è,,†å!4±æ€§ã♦^ã♦—	
12.4JAM	è,,†å!4±æ€§ã♦^ã♦—	
12.4JAN	è,,†å!4±æ€§ã♦^ã♦—	
12.4JAX	è,,†å!4±æ€§ã♦^ã♦—	
12.4JAZ	è,,†å!4±æ€§ã♦^ã♦—	
12.4JDA	è,,†å!4±æ€§ã♦^ã♦—	
12.4JDC	è,,†å!4±æ€§ã♦^ã♦—	
12.4JDD	è,,†å!4±æ€§ã♦^ã♦—	
12.4JDE	è,,†å!4±æ€§ã♦^ã♦—	
12.4JHA	è,,†å!4±æ€§ã♦^ã♦—	
12.4JHB	è,,†å!4±æ€§ã♦^ã♦—	
12.4JHC	è,,†å!4±æ€§ã♦^ã♦—	

12.4JK	è,,†å¼±æ€§ã¤ã?
12.4JL	è,,†å¼±æ€§ã¤ã?
12.4JX	è,,†å¼±æ€§ã¤ã?
12.4JY	è,,†å¼±æ€§ã¤ã?
12.4JZ	è,,†å¼±æ€§ã¤ã?
12.4MD	è,,†å¼±æ€§ã¤ã?
12.4MDA	Vulnerable; migrate to any release in 12.4MD 12.4(22)MDA6 ä»¥å‰¤ã¤®ãƒ¤ãƒ¤f¼ã,¹ã?—è,,†å¼±ã¤§ã¤—ã¤ã¤,,ã¤ã¤
12.4MDB	12.4(24)MDB15
12.4MR	12.4(16)MR ä»¥å‰¤ã¤®ãƒ¤ãƒ¤f¼ã,¹ã?—è,,†å¼±ã¤§ã¤—ã¤ã¤,,ã¤ã¤ ã¤“ã¤®ã,çãƒ‰¤ã¤ã,¤ã,¶ãƒ¤ã¤®ä»@æfæ,^ã¤;ã,½ãƒ¤ã¤, ã,§ã,çå¤¤çµ,,ç¹”ã¤«é€£çµ;ã¤—ã¤ ã,¤ã¤•ã¤,,ã¤€,
12.4MRA	Vulnerable; ã¤“ã¤®ã,çãƒ‰¤ã¤ã,¤ã,¶ãƒ¤ã¤®ä»@æfæ,^ã¤;ã,½ãƒ¤ã¤, ã,§ã,çå¤¤çµ,,ç¹”ã¤«é€£çµ;ã¤—ã¤ ã,¤ã¤•ã¤,,ã¤€,
12.4MRB	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4SW	è,,†å¼±æ€§ã¤ã?
12.4T	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XA	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XB	è,,†å¼±æ€§ã¤ã?
12.4XC	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XD	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XE	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XF	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XG	è,,†å¼±æ€§ã¤ã?
12.4XJ	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XK	Vulnerable; <u>ãƒ¤ãƒ¤f¼ã,¹ 15.1M</u> ã¤§å›ºå®šã¤•ã,Œã,<ç¬¬ 1
12.4XL	è,,†å¼±æ€§ã¤ã?
12.4XM	è,,†å¼±æ€§ã¤ã?
12.4XN	è,,†å¼±æ€§ã¤ã?

12.4XP	è,,†å¼±æ€§ã¤°ã¤—
12.4XQ	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4XR	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4XT	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4XV	Vulnerable; ã¤°ã¤®ã,çã¤%oãf¤ã,¤ã,¶ãf¤ã¤®äç@æfæ,^ã¤°ã,½ãf¤ãf^ã, ã,§ã,çã¤çµ,,ç¹”ã¤«é€£çµ;ã¤—ã¤° ã,<ã¤•ã¤,,ã¤„ã¤€,
12.4XW	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4XY	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4XZ	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4YA	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4YB	Vulnerable; ã¤°ã¤®ã,çã¤%oãf¤ã,¤ã,¶ãf¤ã¤®äç@æfæ,^ã¤°ã,½ãf¤ãf^ã, ã,§ã,çã¤çµ,,ç¹”ã¤«é€£çµ;ã¤—ã¤° ã,<ã¤•ã¤,,ã¤„ã¤€,
12.4YD	Vulnerable; ã¤°ã¤®ã,çã¤%oãf¤ã,¤ã,¶ãf¤ã¤®äç@æfæ,^ã¤°ã,½ãf¤ãf^ã, ã,§ã,çã¤çµ,,ç¹”ã¤«é€£çµ;ã¤—ã¤° ã,<ã¤•ã¤,,ã¤„ã¤€,
12.4YE	Vulnerable; <a href="#">ãf¤ãf¤ãf¼ã,¹ 15.1M</a> ã¤°ã¤®šã¤•ã,Œã,<ç¬· 1
12.4YG	è,,†å¼±æ€§ã¤°ã¤—
å½±éŸ;ã,’ã¤—ã¤’ã,‘ 15.0 ãf™ãf¼ã,¹ã¤®ãf¤ãf¤ãf¼ã,¹	First Fixed Releaseï¼^ã¤®æfã¤•ã,Œã¤
15.0EA	è,,†å¼±æ€§ã¤°ã¤—
15.0EB	è,,†å¼±æ€§ã¤°ã¤—
15.0EC	è,,†å¼±æ€§ã¤°ã¤—
15.0ED	è,,†å¼±æ€§ã¤°ã¤—
15.0EH	è,,†å¼±æ€§ã¤°ã¤—
15.0EJ	è,,†å¼±æ€§ã¤°ã¤—
15.0EX	Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE å½ãf¤ãf^ã, ã,§ã,c å¤—ç”“æ€§ã,</a>

15.0EY	è,,†å¼±æ€§ã¤ã¤—
15.0EZ	è,,†å¼±æ€§ã¤ã¤—
15.0M	Vulnerable; <a href="#">ãf¤ãf¤f¼ã, 15.1M</a> ã¤§å›ºå®šã¤•ã, CEã, <ç¬¬ 1
15.0MR	è,,†å¼±æ€§ã¤ã¤—
15.0S	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
15.0SE	è,,†å¼±æ€§ã¤ã¤—
15.0SG	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
15.0SQA	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
15.0SQB	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
15.0SY	è,,†å¼±æ€§ã¤ã¤—
15.0XA	Vulnerable; <a href="#">ãf¤ãf¤f¼ã, 15.1M</a> ã¤§å›ºå®šã¤•ã, CEã, <ç¬¬ 1
15.0XO	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
å¼±é¥;ã,’å¤—ã¤’ã, < 15.1 ãf™ãf¼ã,¹ã¤®ãf¤ãf¤f¼ã,¹	First Fixed Release!¼^ã¤®æ£ã¤•ã, CEã¤
15.1EY	è,,†å¼±æ€§ã¤ã¤—
15.1GC	Vulnerable; <a href="#">ãf¤ãf¤f¼ã, 15.1M</a> ã¤§å›ºå®šã¤•ã, CEã, <ç¬¬ 1
15.1M	15.1(4)M7
15.1MR	è,,†å¼±æ€§ã¤ã¤—
15.1MRA	è,,†å¼±æ€§ã¤ã¤—
15.1S	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>
15.1SG	è,,†å¼±æ€§ã¤ã¤— Cisco IOS XE ãf¤ãf¤ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf¤ãf^ã, ã,§ã,¢ å¤—ç”“ æ€§ã,</a>

15.1SNG	è,,†å¼±æ€§ã¤ªã?
15.1SNH	è,,†å¼±æ€§ã¤ªã?
15.1SNI	è,,†å¼±æ€§ã¤ªã?
15.1SVD	è,,†å¼±æ€§ã¤ªã?
15.1SVE	è,,†å¼±æ€§ã¤ªã?
15.1SVF	è,,†å¼±æ€§ã¤ªã?
15.1SY	è,,†å¼±æ€§ã¤ªã?
15.1T	Vulnerable; <a href="#">äfäfäf/4ä, 1 15.1M</a> ä¤§å›ºå®šä¤•ã, CEä, <ç¬¬ 1 äf™äf¼ä, 1ä¤®äf¤äf¤äf¼ä, 1
15.1XO	è,,†å¼±æ€§ã¤ªã?
è©²å½“ä¤™ä, < 15.2 äf™äf¼ä, 1ä¤®äf¤äf¤äf¼ä, 1	<b>First Fixed Release</b> ï¼ä; ®æ£ä¤•ã, CEä¤
15.2E	è,,†å¼±æ€§ã¤ªã?
15.2GC	15.2(3)GC1 15.2(4)GC
15.2JA	è,,†å¼±æ€§ã¤ªã?
15.2JAX	è,,†å¼±æ€§ã¤ªã?
15.2JB	è,,†å¼±æ€§ã¤ªã?
15.2JN	è,,†å¼±æ€§ã¤ªã?
15.2M	15.2(4)M4
15.2S	è,,†å¼±æ€§ã¤ªã? Cisco IOS XE äf‡äf¤ä,¤ä, 1: <a href="#">Cisco IOS XE ä½äf¤ä,¤ä, §ä, ¢ å¤“ç”æ€§ä,</a>
15.2SA	è,,†å¼±æ€§ã¤ªã?
15.2SNG	è,,†å¼±æ€§ã¤ªã?
15.2SNH	è,,†å¼±æ€§ã¤ªã?

15.2SNI	è,,†å¼±æ€§ã♦ªã♦—
15.2T	15.2(2)T4 15.2(3)T3
è©²å½“ã♦™ã, < 15.3 ãf™ãf¼ã,¹ã♦®ãfãfãf¼ã,¹	First Fixed Release i¼ä;®æ£ã♦•ã,Œã♦—
15.3M	è,,†å¼±æ€§ã♦ªã♦—
15.3S	è,,†å¼±æ€§ã♦ªã♦— Cisco IOS XE ãf‡ãf♦ã,¤ã,¹: <a href="#">Cisco IOS XE ã,½ãf•ãf^ã, ã,§ã,c</a> å♦—ç”“æ€§ã,
15.3T	15.3(1)T1 15.3(2)T

\* Cisco Catalyst 4500 ã,¹ãf¼ãf‘ãf♦ã,¤ã,¶ ã, “ãf³ã,ãf³ 6-E ã♦< 6L-E ã,’æ♦è¼%oã♦™ã, < Cisco Catalyst 4500 ã,·ãf¤ãf¼ã,º ã,¹ã,¤ãffãf♦ã— [Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,c](#) ãf¤ãf¼ã,¹ 15.1SG  
ã♦«ç§»è;Œã♦§ã♦—ã♦¾ã♦™ã€,

## Cisco IOS XE ã,½ãf•ãf^ã,|ã,§ã,c

Cisco IOS XE

ã,½ãf•ãf^ã,|ã,§ã,cã♦—ã♦—ã♦“ã♦®æ–‡æ›,ã♦§è;”ã,♦ã,Œã,<è,,†å¼±æ€§ã♦•ã,‰oå½±éÝ;ã,’å♦—ã♦’ã♦¾ã♦—

## Cisco IOS XR ã,½ãf•ãf^ã,|ã,§ã,c

Cisco IOS XR

ã,½ãf•ãf^ã,|ã,§ã,cã♦—ã♦—ã♦“ã♦®æ–‡æ›,ã♦§è;”ã,♦ã,Œã,<è,,†å¼±æ€§ã♦•ã,‰oå½±éÝ;ã,’å♦—ã♦’ã♦¾ã♦—

ä,♦æ£å^©ç”“ä°¤ã♦—å...¬å¼¤ç™oè;”

Cisco Product Security Incident Response

Teami¼PSIRTi¼‰oã♦§ã♦—ã€♦æœ¬ã,Cãf‰oãf♦ã,¤ã,¶ãf¤ã♦“è”“è¼%oã♦•ã,Œã♦|ã♦,ã,<è,,†å¼±æ€

ã♦“ã♦®è,,†å¼±æ€§ã♦—ã€♦Cisco

ã♦®ç¤¾å...ãftã,¹ãf^ã♦§ç™oè|[ã♦•ã,Œã♦Ýã,,ã♦®ã♦§ã♦™ã€,](#)

## URL

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20130925-ipv6vfr>

æ”“è“,å±¥æ‘

ãf <sup>a</sup> ãf“ã, ,ãf§ãf <sup>3</sup> 1.0	2013-September- 25	å^ç%o^ãf <sup>a</sup> ãf <sup>1/4</sup> ã, <sup>1</sup>
--	-----------------------	---

å^ç”“è!ç‘,,

æœ¬ã,çãf%oãf♦ã,¤ã,¶ãf<sup>a</sup>ã♦^-ç,,¡ä¿♦è”“1/4ã♦®ã,,ã♦®ã”“ã♦—ã♦|ã♦”æ♦♦ä¾»ã♦—ã♦|ã♦|ã♦Šã,Šã€  
æœ¬ã,Cãf%oãf♦ã,¤ã,¶ãf<sup>a</sup>ã♦®æf...å ±ã♦Šã,^ã♦<sup>3</sup>ãf<sup>a</sup>f<sup>3</sup>ã,—ã♦®ä½¿ç”“ã♦«é-Cã♦™ã,<è<sup>2</sup>-ä»»ã♦®ä,€  
ã♦<sup>3/4</sup>ã♦Ýã€♦ã,·ã,<sup>1</sup>ã,<sup>3</sup>ã♦^-æœ¬ãf%oã,ãf¥ãf|ãf<sup>3</sup>ãf^ã♦®å†...å®<sup>1</sup>ã,’ä°^å’Šã♦^ã♦—ã♦«å¤%oæ>ã♦—ã♦  
æœ¬ã,çãf%oãf♦ã,¤ã,¶ãf<sup>a</sup>ã♦®è”“è;°å†...å®<sup>1</sup>ã♦«é-Cã♦—ã♦|æf...å ±é...♦ä¿jã♦® URL  
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç<-ã♦®è»Cè1/4%oã,,æ,,♦è”“<sup>3</sup>ã,’æ-½ã♦—ã♦Ýå ’å♦^ã€♦å½”ç¤¾ã♦Œç®¡ç?  
ã♦”ã♦®ãf%oã,ãf¥ãf|ãf<sup>3</sup>ãf^ã♦®æf...å ±ã♦^-ã€♦ã,·ã,<sup>1</sup>ã,<sup>3</sup>è£½å“♦ã♦®ã,“ãf<sup>3</sup>ãf%oãf|ãf<sup>1/4</sup>ã,¶ã,’å”¾è±¡ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。