

Cisco IOS S, ^ IOS XE a, 1/2af af a, | a, sa, ca IPv6 af affaf af a, maf affaf a, af af af a IPv6, maf af a, a IPv6 DoS



High
a, caf%af a, ma, af af ID : cisco-sa- [CVE-2018-20180926-ipv6hbh](#)
a^ a... -e- ca - Y : 2018-09-26 16:00
af af a, af sa f 1.0 : Final
CVSSa, 1a, 3a, c : [8.6](#)
a > ze zc - : No workarounds available
Cisco af a, ID : [CSCuz28570](#)

ae - Yae - e a za «a, ^ a, caef... a ± a - a e e ca za «a, ^ a, ca ZYae - fa IPv6 e za... - a 1/4 a

ae!, e!

Cisco IOS S, ^ IOS XE a, 1/2af af a, | a, sa, ca IPv6
a | c ta, 3af 1/4af %a IPv6 e, ta 1/4 ae sa «a, ^ a, sa e e e 1/4 a a, ca a | a, a a a, af af ca 1/4 af ae»

a a IPv6 e, ta 1/4 ae sa a e c %a a IPv6 af affaf af a, maf affaf
a, af af a, af sa f a a, e ca a fa a a | c ta ca ZY a a s c TM c Y a a 1/4 a TM a e, ae» ae fe... a IPv6

af a, ± affaf a, e e a z j a TM a, a a e a 1/4 a Y a a 1/2 ae Y a, a a a af fa af a, ma, 1 a, a a a a a

a, .a, 1a, 3a a a a e, ta 1/4 ae sa a a 3/4 a a | a TM a, a, 1/2 af af a, | a, sa, ca, ca affaf af af 1/4 af a, af af af

a a a, caf%af a, ma, af af a e ae - j a a af af a, a, ^ a, S c o e a a sa a 1/4 a TM a e,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180926-ipv6hbh>

a a a, caf%af a, ma, af af a a e 2018 a 1' 9 ae e ^ 26 ae - Y a a a... - e - a a, ca a Y 13

a a a e, ta 1/4 ae sa a e - ca TM a, < 12 a a a a, a, 1 a, 3 a, a, af af af af ta, f

a, caf%af a, ma, af af a, a e «a, e Cisco IOS a, 1/2 af af a, | a, sa, ca S, ^ IOS XE

a, 1/2 af af a, | a, sa, ca af af a 1/4 a, 1 a IPv6, a, af af af af ta, f

a, caf%af a, ma, af af a... - e - e 3 fa - TM a a e f a a sa TM a e, a, caf%af a, ma, af af a af af a, a a a

è©²â½“è£½â“

è,†â¼±æ€§ã®ã,ã,è£½â“

æœ¬è,†â¼±æ€§ã Cisco IOS ¾ã Yã IOS XE
ã,½ãfãfã,|ã,šã,çã®è,†â¼±æ€§ã Ceã~åœ¨ã™ã,ãfãf¼ã,ãfšãfã,ã@ÿè;Ceã—ã|ã,,ã
ã,çãf%ãf-ã,¹ã,æCe†ã®šã—ã|èã®šãã,ã,Ceã|ã,,ã,ãf†ãfã,ã,¹ã«ã½±éÿã,ãšã¼ã

è,†â¼±æ€§ã Ceã~åœ¨ã™ã, Cisco IOS ½ãfãfã,|ã,šã,çãšã,ã³ IOS XE
ã,½ãfãfã,|ã,šã,çã®ãfãfãf¼ã,¹ã«ãã,,ã|ã®è³ç'ãã€ãã"ã®ã,çãf%ãfã,ã

ç@;ç†è€...ãã CLI ãš show ipv6 interface brief
ã,³ãfžãf³ãf%ã,'ã½ç"ã—ã|ã€IPv6
ã,çãf%ãf-ã,¹ã,'ã%²ã,šã½"ã|ã Yã,ããfãã,çãf¼ãfã,šã,ãã,¹ã,'ç%¹ã®šãšãã¾ã™ã
ãCeæœ%ãš¹ã«ãã£ã|ã,,ã,ãf†ãfã,ã,¹ãšã®ã,³ãfžãf³ãf%ã®ã†ãšã,'çãã—ã

<#root>

router#

show ipv6 interface brief

.
. .

GigabitEthernet0/0/0 [Up/Up]

fe80::212:daff:fe62:c150
2001:DB8::1

ãf†ãfã,ã,¹ãšã®ÿè;Ceãã,Ceã|ã,,ã,ã,½ãfãfã,|ã,šã,çãfãfãf¼ã,¹ãš IPv6
ãCeã,ãfãf¼ãfãã,ã,Ceã|ã,,ãããã,ã'ã^ã€show ipv6 interface brief
ã,³ãfžãf³ãf%ã,'ã½ç"ã™ã,ããfãfã,ãfãf¼ã,ãCeç"Yæ^ããã,Ceã¾ã™ã€,ãf†ãfã,ã,¹ãš IPv6
ãCeæœ%ãš¹ã«ãã£ã|ã,,ãããã,ã'ã^ã«ã€show ipv6 interface brief
ã,³ãfžãf³ãf%ã,'ã½çã—ã|ã,,ã€IPv6
ã,çãf%ãf-ã,¹ã,'ã½çç"ã™ã,ã,ããfãã,çãf¼ãfã,šã,ãã,¹ãè;çãããã,ã,Ceã¾ããã,ã"ã€,ã©

Cisco IOS 15.5(2)T1

```
Router# show version
Cisco IOS Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team

Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
```

Router# show version

```
Cisco IOS Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
```

<#root>

Router>

show version

```
Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
```

Cisco IOS 15.5(2)T1

```
Router# show version
Cisco IOS Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
```

Cisco IOS XE 15.5(2)T1

```
Router# show version
Cisco IOS XE Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
```

afŠaf¼ã, 'ã, ç...Sã™ã, <ã"ã"ã«ã, ^ã, Šçç°èªãšããã¼ã™ã€ã,ãf†ãfã,ã,1ã
Cisco IOS XE ã,½ãf•ãf^ã, |ã,šã,çã, 'ã®ÿè;Cã—ã|ã,,ã, <ã ^ã€ã,ã,1ãftãf
ãfãfŠãf¼ã«ã€C Cisco IOS Softwareã€ã€ã€C Cisco IOS XE
Softwareã€ã€ãªã©ã®ãftã,ã,1ãf^ã€Cè; çªã•ã,Cã¼ã™ã€,

æ¬;ã«ã€Cisco IOS XR ã,½ãf•ãf^ã, |ã,šã,çããfªãf¼ã,1 16.2.1
ã€Cã®ÿè;Cãã,ã€ã|ã,,ã|ã€ã,ããf³ã,1ãf^ãf¼ãf«ã•ã,Cã|ã,,ã,ã,ããf;ãf¼ã,ããã
CAT3K_CAA-UNIVERSALK9-M
ãšã,ã,ãf†ãfã,ã,1ãšã®ã,³ãfžãf³ãf%ã®ãª°ãŠ>ã¼ã, 'çªã—ã¼ã™ã€,

<#root>

ios-xe-device#

show version

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2016 by Cisco Systems, Inc.
Compiled Sun 27-Mar-16 21:47 by mcpre
.
.
.

Cisco IOS XE ã,½ãf•ãf^ã, |ã,šã,çã
ãfªãf¼ã,1ã®ã'½ãã"ã"ãçªãªã~ãã'ã®è|ãªªãã«é-çã™ã, <èç³°ãã€ã€C [Cisco
IOS and NX-OS Software Reference Guide](#)ã€ã,ã,ç...Sã—ã|ããããããã,,ã€,

è,†ã¼±æ€šã, 'ã«ã,"ãšã,,ãªã,,ã"ã"ã"ã€çç°èªã•ã,Cãÿè£½ã"
ã"ã®ã,çãf%ãfã,ã,ã,¶ãfãã®è.†ã¼±æ€šã®ã,ã, <è£½ã"ã,»ã,ã,ã,ãfšãf³ã«è~è¼%ãããã

ã,ã,1ã,³ããã"ãã"ã®è,,†ã¼±æ€šã€C Cisco IOS XR ã,½ãf•ãf^ã, |ã,šã,çã¼ãÿã
Cisco NX-OS
ã,½ãf•ãf^ã, |ã,šã,çã«ããª±éÿã,ã,žã^ãªã,,ã"ã"ã, 'çç°èªã—ã¼ã—ãÿã€,

ã»žé¿ç-

ã"ã®è,,†ã¼±æ€šãã«ã¼ãª|ã™ã,ã»žé¿ç-ãã,ã,šã¼ãã>ã,ã€,

ã¿®æ£æ, ^ã¿ã,½ãf•ãf^ã, |ã,šã,ç

ã,ã,1ã,³ããã"ãã"ã®ã,çãf%ãfã,ã,ã,¶ãfãã«è~è¼%ãããã,Cãÿè,,†ã¼±æ€šãã«ã¼ãª|ã™ã, <ç,,i

af af14a, afSaf3a " af-a, f af14af afE

a, »affaf-a «a-34a —a | a@a z a " a a a, Sa 34a TM a e, a a a @a, a ta a a, 1/2af af a, | a, Sa,
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

a 34a Ya a Sa @ caeS a Ce a, 1/2af af a, | a, Sa, ca, af a, | af3af af14af %00 a Sa a a, a a a a a,
a, caffaf—a, °af-af14af %00 a Sa TM a e, c,, a,, Ya a a, »a, af af af ft a, E a, 1/2af af a, | a, Sa, c
a, caffaf—af+af14af a «a, ^ a E a | a e a Sa @ caeS a «ae-°a —a ,, a, 1/2af af a, | a, Sa, c
af@a, ma, »af3a, 1a e e 1/2aŠ a, 1/2af af a, | a, Sa, c af a, f af14af af E
a, »affaf a e a 34a Ya a af; a, af f af 14 af af a, afSaf3
a, caffaf—a, °af-af14af %00 a «a-34a TM a, cae " e TM a Ce a » a, Ž a a a, Ce a, a a " a " a a a, Sa 34a

a, 1/2af af a, la, ša, ca a @ a, caffaf—a, °af-af14af %00 a, 'ae xoe " Ž a TM a, eš a a a a e [a, a, 1a, 3a a @ a, »af
Security Advisories and Alerts i 14 %0]

afšaf14a, a Sa... ae %00 a Sa a a, a, a, 1a, 3e f 1/2 a " a @ a, caff %00 af a, ma, | af a, a @ sae e Ÿ ç š, a « a, ç
a, 1/2af af af 14 a, afSaf3 a, 'ç c e a a —a | a a a a a a a, a e,

a a, a Sa, Ce a @ a ' a ^ a, a e a, caffaf—a, °af-af14af %00 a TM a, a af af a, ma, 1a « a a a ^ ta a af af ca
Technical Assistance

Center i 14 TAC i 14 %00 a, a —a a a a a " a ç ' ,, a —a | a a, a, a af af 3 af ft af Š af 3 a, 1af —af af a, maf e af 14 a « a

a, af 14 af " a, 1 a ç ' ,, a, a a " a ^ c " " a Sa a a ,, a Š a @ caeS ~

a, a, 1a, 3a a a, %00 ç ' ae Ž e 3/4 a... ae a —a Ya Ce Cisco Service Contract
a, a a " a ^ c " " a ,, a Ya a a, a | a ,, a a a, a ' a ^ a e a a 34 a Ya e a, af 14 af %00 af af 14 af ft a, E af TM
POS a a, %00 a... ae %00 a Sa a a a a, a ' a ^ a a a e Cisco TAC
a « e e ç ç a —a | a, caffaf—a, °af-af14af %00 a, a... ae %00 a —a | a a a a a a a, a e,
<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,, a, Ya, caffaf—a, °af-af14af %00 a @ a -34e ± je f 1/2 a " a Sa a, a, a a " a " a, e " 14 ae Ž a —a | a a, a Ya
URL a, a a " ç " " a, a a a a a a a a, a e,

Cisco IOS a Š a, ^ a 3 IOS XE a, 1/2af af a, | a, Sa, c

a Š a @ caeS a Ce Cisco IOS a, 1/2af af a, | a, Sa, ca Š a, ^ a 3 IOS XE
a, 1/2af af a, | a, Sa, ca a @ e,, ta 14 ± ae Sa «a, ^ a, a 34 a a 3 a @ a e f 1/2 ae Sa, a ^ ae a TM a, a Ya, a e a,
Cisco IOS Software Checker
af,, af 14 af «a, ae a 34 a —a | a ,, a 34 a TM a e, a a a @ af,, af 14 af «a, a 1/2 ç " " a TM a, a a " a e ç %00 1 a @
af a af af 14 a, 1 a « e @ 2 a 1/2 a TM a, a, a, 1 a, 3 a, »a, af af af ft a, E
a, caff %00 af a, ma, | af a e a Š a, ^ a 3 a a, a, caff %00 af a, ma, | af a a s e a - ae Ž a a, Ce a | a ,, a, e,, ta 14 ±
Fixed a e i 14 %00 a, ç %00 1 a @ Š a Š a a a 34 a TM a e, a 34 a Ya e @ 2 a 1/2 a TM a, a ' a ^ a e a a a @ af af fa
First Fixed a e i 14 %00 a, ç %00 1 a @ Š a Š a a a 34 a TM a e,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。