

Cisco Small Business

ã,¹ã,ªãffãf ®ç%º¹æ¨ ©ã,çã,¬ã,»ã,¹ã ®è,,†å



ã,çãf%ãf ã,ªã,¶ãfªãf¼ID : cisco-sa-

[CVE-2018-15439](#)

20181107-sbsw-privacc

â^ ã...-é-**æ**-¥ : 2018-11-07 16:00

æœ€gæ>´æ-°æ-¥ : 2019-01-16 22:24

ãf ãf¼ã,ãfšãf³ 1.2 : Interim

CVSSã,¹ã,³ã,ç : [9.8](#)

â>žé ç- : Yes

Cisco ãf ã,º ID : [CSCvm11846](#) [CSCvk20713](#)

æ-¥æœ-èªžã «ã,^ã,æf...å ±ã ¬ãœ è±èªžã «ã,^ã,æžYæ-†ã ®é žã...-å¼ ã

æ!,è!

Cisco Small Business ã,¹ã,ªãffãf

ã,½ãfªãf^ã,|ã,šã,çã ®è,,†å¼±æœšã «ã,^ã,šãœ èª è ¼ã •ã,œã |ã „ãªã „ãfªãfçãf¼ãf^æ»ã

ã “ã ®è,,†å¼±æœšã œã~ãœ “ã ¤ã,çã †ç”±ã ¬ãœ è©²å½”ã,½ãfªãf^ã,|ã,šã,çã «ã,^ã,šãœ ç%º

ã,ã,¹ã,³ã šã ¬ãœ æœ-è,,†å¼±æœšã «ã ¼å±|ã ¤ã,ã,½ãfªãf^ã,|ã,šã,çã

ã,çãffãf—ãfªãf¼ãf^ã,ãfªãfªãf¼ã,¹ã —ã |ã „ã¼ã >ã,“ãœ,ã “ã ®ã,çãf%ãf ã,ªã,¶ãfªã ¬ãœ

1ã ¤ã ã,šã¼ã ¤ã ¤ãœ,

ã “ã ®ã,çãf%ãf ã,ªã,¶ãfªã ¬ãœ æ-ªã ®ãfªãf³ã,¬ã,^ã,šççºèª ã šã ã¼ã ¤ã ¤ãœ,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20181107-sbsw-privacc>

è©²å½”“è£½å”

è,,†å¼±æœšã ®ã ã,ã,è£½å”

ãf¬ãfªãf« 15ã «è åšã •ã,œã Yã,çã,¬ã,»ã,¹æ¨ ©éª ã ®ã ã,ã,ãf|ãf¼ã,¶ã

ã,çã,«ã,|ãf³ãf^ã œãfªãf ã,ªã,¹ã šè åšã •ã,œã |ã „ãªã „ã´ã ^ãœ ã “ã ®è,,†å¼±æœ

ãfªãfªãf¼ã,¹ã,å®Yè;œã ¤ã ¤ãœ ¬ãœ ® Cisco Small Business

è£½å” ãfªã,ãfYãfªã «å½±éYã,ã,žã ^ã¼ã ¤ã ¤ãœ,

- Cisco Small Business 200 ã,ãfªãf¼ã,ºã,ãfžãf¼ãf^ã,¹ã,ªãffãf
- Cisco Small Business 300 ã,ãfªãf¼ã,ºã

- Cisco Small Business 500
- Cisco 250
- Cisco 350
- Cisco 350X
- Cisco 550X

Cisco Small Business 1.4.9.4

Switch# show version

SW version 1.4.9.04 (date 20-Jul-2018 time 17:14:12)

Switch# show version

SW version 1.4.9.04 (date 20-Jul-2018 time 17:14:12)

1.4.9.4

```
Switch# show running-config | include privilege 15
```

```
Switch#
```

Switch# show running-config | include privilege 15

```
Switch# show running-config | include privilege 15
```

```
Switch# show running-config | include privilege 15
username <user-ID> password encrypted <encrypted-password> privilege 15
```

running-config

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

- Cisco 200E `username <user-ID> password encrypted <encrypted-password> privilege 15`
- Cisco 220 `username <user-ID> password encrypted <encrypted-password> privilege 15`

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

Running-Config

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

Running-Config

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
username <user-ID> password encrypted <encrypted-password> privilege 15
```

```
ID <user-ID> password encrypted <encrypted-password> privilege 15
```

ã«è`â®šã—ã€<strong_password>

ã®éf`â^tã,`ãf`ãf¼ã,¶ã€É,æšžã—ãÿè±é`ã°ãf`ã,¹ãf`ãf¼ãf%ã«ç½®ãœã^ã;ã,ã,ã,ã,ãf³ãf`ã,`è:½ãšã™ã,ã`ã€ãfãf`ã,©ãf«ãf`ã®ç%¹æ`©ã,ã,ã,ã,ãf³ãf`ã€ç,;ãš¹ã«

```
Switch# configure terminal
Switch(config)# username admin privilege 15 password <strong_password>
```

ã“ã,ã€ãšã€show running-config | include privilege

15ã,`ã®ÿè;ã€ã™ã,ã`ã€æ¬ã®ã±°ãšã€çÿÿæ^ããã,ã€ã¾ã™ã€,

```
Switch# show running-config | include privilege 15
username admin password encrypted <encrypted-password> privilege 15
```

ä;®æ£æ, ^ã¿ã,½ãf•ãf`ã,|ã,šã,ç

ã,ã,¹ã,³ãšãã€ã€æœèè,,tã¼±æ€šã«ã¾ã±|ã™ã,ã,½ãf•ãf`ã,|ã,šã,ç
ã,çãffãf—ãfãf¼ãf`ã,`ãf³ãf³ãf¼ã,¹ã—ã|ã„ã¾ã»ã,“ã€,

ãšã®çæš~ã€ã,±ãf³ã,¹ãf`ãf¼ãf«ã—ãÿã,šã,µãfãf¼ãf`ã,`ã—ã`ãÿã,šãšãããã,ã®ã
ãfãf¼ã,ãfšãf³ã`ãf`ã,£ãf¼ãfãf£

ã,»ãffãf`ã«ã¾ã—ã|ã®ã¿ã`ãªã,šã¾ã™ã€,ããã®ã,^ãtãªã,½ãf•ãf`ã,|ã,šã,

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã¾ãÿã€ãšã®çæš~ã€ã,½ãf•ãf`ã,|ã,šã,ã,ãf€ã,ãf³ãfãf¼ãf%ãšããã,ã®ãã€ã,
ã,±ãf¼ã,¹

ã“ã,ã€ãã€ã»¥ã%ã«è¾ã...¥ã—ãÿã,½ãf•ãf`ã,|ã,šã,ãã,ã®ãf;ãf³ãfãfšãf³ã,¹ã,çãffã.
ã,½ãf•ãf`ã,|ã,šã,ç

ã,çãffãf—ãfãf¼ãf`ã«ã,^ã£ã|ã€ãšã®çæš~ã«æ-°ã—ã„ã,½ãf•ãf`ã,|ã,šã,ç

ãf©ã,±ã,»ãf³ã,¹ã€è:½ãšã,½ãf•ãf`ã,|ã,šã,çãf`ã,£ãf¼ãfãf£

ã,»ãffãf`ã€ã¾ãÿããfã,ãf£ãf¼ãf³ãf`ã,ãfšãf³

ã,çãffãf—ã,°ãf`ãf¼ãf%ã«ã¾ã™ã,æ`©é™ã€ã€ã»ã,žã•ã,ã€ã,ã“ã`ããã,ã,šã¾ã

ã,½ãf•ãf`ã,|ã,šã,çã®ã,çãffãf—ã,°ãf`ãf¼ãf%ã,`æœœè`žã™ã,«éšã«ãã€[ã,ã,¹ã,³ã®ã,»ããf
Security Advisories and Alerts¼%]

ãfšãf¼ã,ãšã...¥ã%ããšããã,ã,ã,¹ã,³è£½ã”ã®ã,çãf%ããfã,±ã,¶ã,¶ã,ãf³ã,`ã®šæœÿçš,ã«ã,ç
ã,½ãf³ãf³ãf¼ã,ãfšãf³ã,çç°èãã—ã|ããããããã,ã€,

Technical Assistance Center

Center

Technical Assistance Center

Cisco Service Contract

Technical Assistance Center

Cisco TAC

Technical Assistance Center

<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

Technical Assistance Center

Cisco Product Security Incident Response

Team

Technical Assistance Center

Technical Assistance Center

Technical Assistance Center

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20181107-sbsw-privacc>

Technical Assistance Center

Version	Description
1.2	Technical Assistance Center
1.1	Technical Assistance Center
1.0	Technical Assistance Center

ãf ◊ãf¼ã,ãfšãf³

èª-æẏŽ

◊ã>žã...-é-<ãfªãfªãf¼ã,¹

å^©ç””è! ◊ç´,,

æœ-ã,çãf%ããf ◊ã,ãã,¶ã,¶ãfªã ◊ç,,;ã¿ ◊è"¼ã ◊@ã,,ã ◊@ã ◊"ã ◊-ã ◊|ã ◊"æ ◊◊ã¾ã ◊-ã ◊|ã ◊Šã,Šã€
æœ-ã,çãf%ããf ◊ã,ãã,¶ã,¶ãfªã ◊@æf...å ±ã ◊Šã,^ã ◊³ãfªãf³ã,ã ◊@ã½¿ç"ã ◊«é-çã ◊™ã,<è²-ã»ã ◊@ã,€
ã ◊¾ã ◊Ÿã€ ◊ã,ã,¹ã,³ã ◊-æœ-ãf%ãã,ãfãf;ãf³ãf^ã ◊@ãt...ã@¹ã,'ã^ã'Šã ◊ªã ◊-ã ◊«ã¼œ'ã ◊-ã ◊
æœ-ã,çãf%ããf ◊ã,ãã,¶ã,¶ãfªã ◊@è"~è¿ãt...ã@¹ã ◊«é-çã ◊-ã ◊|æf...å ±é... ◊ã¿ã ◊@ URL
ã,'çœ ◊ç•ã ◊-ã€ ◊å ◊~ç<-ã ◊@è»çè¼%ãã,,æ,, ◊è"³ã,'æ-½ã ◊-ã ◊Ÿã 'ã ◊^ã€ ◊å½"ç¾¾ã ◊Œç@;ç ◊
ã ◊"ã ◊@ãf%ãã,ãfãf;ãf³ãf^ã ◊@æf...å ±ã ◊-ã€ ◊ã,ã,¹ã,³è£½ã" ◊ã ◊@ã, "ãf³ãf%ããf|ãf¼ã,¶ã,ã³¼è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。