

Catalyst 9800, Cisco IOS XE

DNS DoS



High
Cisco Catalyst 9800, Cisco IOS XE
CVE-2020-3359
2020-09-24 16:00
Final
CVSS 8.6
No workarounds available
Cisco ID: CSCvr57654

[CVE-2020-3359](#)

æ—¥æèèàžā «ā, ā, æf...ā ±ā ā€èèèàžā «ā, ā, āžÿæ-ā éžā...-ā¼ā

æ!, è!

Cisco Catalyst 9800, Cisco IOS XE

ā, ½āf•āf^ā, ā, šā, çā @āfžāf«āfā, āf£ā, 1āf^

DNSi¼mDNSi¼%ā «ā Šā 'ā, è, tā¼±æ€šā «ā, ā, Šā€èè¼ā •ā, Cēā | ā, āā, āā, āfāfçā

ā "ā @è, tā¼±æ€šā ā€mDNS

āfā, ±āffāf^ā @ā, é©ā†ā āææèè¼ā «èµ·ā ā —ā¼ā™ā€ç'°ā·¥ā •ā, Cēā ÿ

mDNS

āfā, ±āffāf^ā Cè©²ā½"āf†āfā, mā, 1ā «é€ä¼ā •ā, Cēā, kā "ā "ā @è, tā¼±æ€šā Cēā, ā, çš¶æ...ā Cç™°ç"ÿā™ā, cā èf½æ€šā Cēā, ā, Šā¼ā™ā€,

ā, ā, 1ā, 3ā ā "ā @è, tā¼±æ€šā «ā¼ā† | ā™ā, ā, ½āf•āf^ā, ā, šā, çā, çāffāf—āf†āf¼āf^ā, 'āfāfāf¼

æ³: Cisco Catalyst

9800ā, āfāf¼ā, āfā, māfāfā-ā, 1ā, 3āf³āf^āfāf¼āf©ā @āf†āf•ā, ©āf«āf^è"ā @šā «ā @è, tā¼±æ€šā Cēā

ā "ā @ā, çāf%āfā, mā, ¶āfāā ā€æ-ā @āfāf³ā, ā, ā, šā, çā, çāçèèā āšā ā¼ā™ā€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-mdns-dos-3tH6cA9J>

ā "ā @ā, çāf%āfā, mā, ¶āfāā ā€2020 ā¹ 9 æèè 24 æ—¥ā «ā...-é-ā •ā, Cēā ÿ Cisco

IOS ā Šā, ā³ IOS XE ā, ½āf•āf^ā, ā, šā, çā āfāfāf¼ā, 1ā @ā, »ā, āf¥āfāfāfā, £

mDNS `af^ã,±ãffãf^ã` `CEãf%ããffãf—ã` `•ã,CEã,ã,^ã` `tã` `«è”ã@šã` `™ã,ã` `«ã` `ã€` `17.1.1t`
`ã,^ã,Šã` `ã` `„ã,½ãf•ãf^ã,|ã,šã,çãf` `ãf¼ã,ãfšãf³ç””ã` `«è”ã@šã` `•ã,CEã` `ÿã` `™ã` `ã` `|ã` `®`
WLAN `ã` `«` **mdns-sd drop**

`ã,³ãfžãf³ãf%ã,`è:½ãŠ` `ã` `—ã` `¾ã` `™ã€`,`ã,½ãf•ãf^ã,|ã,šã,çãf` `ãf¼ã,ãfšãf³` `17.1.1t`
`ã»¥é™` `ã` `®` `ã` `^ã` `ã` `ã€` **mdns-sd-interface drop** `ã,³ãfžãf³ãf%ã,`è:½ãŠ` `ã` `—ã` `¾ã` `™ã€`,

`æ³”¼šã` `”ã` `®` `è”ã@šã` `ã%ãæ` `’ã,`è:CEã` `tã%ã` `ã` `«ã€` `WLANã,`ã,ãffãffãf^ãfã,|ãf³çš` `¶æ...ã` `«ã` `™ã`

```
c9800eWLC(config-wlan)#mdns-sd drop
```

mDNS

`ã,²ãf¼ãf^ã,|ã,šã,ã` `CEã€` `ã,°ãfãf¼ãf` `ãf«ã` `ç,,|ãš¹ã` `«ã` `ã` `£ã` `|ã` `„ã,ã,ã` `”ã` `”ã,çç°èª` `ã` `™ã`

mdns summary `ã,³ãfžãf³ãf%ã,`ã½çç””ã` `—ã` `|ã€` **Disabled**

`ã` `”è:”çã°ã` `•ã,CEã,ã` `”ã` `”ã,çç°èª` `ã` `—ã` `¾ã` `™ã€`,

```
c9800eWLC#show mdns summary  
mDNS Gateway: Disabled
```

ã:®æ£æ,^ã:ã,½ãf•ãf^ã,|ã,šã,ç

`ã,ã,¹ã,³ã` `ã` `”ã` `”ã` `®ã,çãf%ããf` `ã,ã,¶ã` `¶ãfã` `«è”~è¼%ã` `•ã,CEã` `ÿã,ã` `tã¼±æ€šã` `«ã` `¾ã±|ã` `™ã,ç,,|ã`
`ãf` `ãf¼ã,ãfšãf³ã` `”ãf•ã,£ãf¼ãf` `ãf£`

`ã,»ãffãf^ã` `«ã` `¾ã` `—ã` `|ã` `®ã` `ã` `”ã` `”ã,šã` `¾ã` `™ã€`,`ã` `®ã` `ã` `®ã,^ã` `tã` `ªã,½ãf•ãf^ã,|ã,šã,`

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

`ã` `«è”~è¼%ã` `®ã,ã,¹ã,³ã` `®ã,½ãf•ãf^ã,|ã,šã,çãf` `ã,ã,»ãfã,¹ã` `®æ` `çé` `...ã` `«¾ã”ãtã` `”ã` `”ã`

`ã` `¾ã` `ÿã€` `ã` `šã` `®çæš~ã` `CEã,½ãf•ãf^ã,|ã,šã,çã,ãfã,|ãf³ãfãf¼ãf%ã` `šã` `ã`,`ã` `®ã` `ã` `ã€` `ã`,
`ã,çãffãf—ã,°ãf-ãf¼ãf%ã` `šã` `™ã€`,`ç,,|ã,ÿã` `®ã,»ã,ãfãfãfãfãfã,£ã,½ãf•ãf^ã,|ã,šã,ç`

`ã,çãffãf—ãfãf¼ãf^ã` `«ã,^ã` `£ã` `|ã€` `ã` `šã` `®çæš~ã` `«æ-°ã` `—ã` `„ã,½ãf•ãf^ã,|ã,šã,ç`

`ãf` `ã,»ãfã,¹ã€` `è:½ãŠ` `ã,½ãf•ãf^ã,|ã,šã,ç` `ãfã,£ãf¼ãf` `ãf£`

`ã,»ãffãf^ã` `ã` `¾ã` `ÿã` `ãfã,ãf£ãf¼` `ãfãfã,ãfšãf³`

`ã,çãffãf—ã,°ãf-ãf¼ãf%ã` `«ã` `¾ã` `™ã,æ””çé™` `ã` `CEã»ã,žã` `•ã,CEã,ã` `”ã` `”ã` `ã` `”ã` `ã,šã` `¾ã` `ã`

[ã,½ãf•ãf^ã,|ã,šã,çã](#) `®ã,çãffãf—ã,°ãf-ãf¼ãf%ã,`ãæãè”žã` `™ã,çéšã` `ã` `ã` `ã€` `ã,ã,¹ã,³ã`

`ã,»ã,ãfãfãfãfãfã,£ã,çãf%ããf` `ã,ã,¶ã` `¶ãfã`

`ãfšãf¼ã,ã` `šã...¥æ%ãã` `šã` `ã`,`ã,ã,¹ã,³è£½ã”` `ã` `®ã,çãf%ããf` `ã,ã,¶ã` `¶ãfã,`ã@šãæçæÿçš,ã` `«ã` `ç`

`ã,½ãfãfãfãfã,ãfšãf³ã,€ã¼ã,çç°èª` `ã` `—ã` `|ã` `ã` `ã` `ã` `ã` `•ã` `„ã€`,

Technical Assistance
Center

How to check the IOS version on a Cisco switch

1. Log in to the switch via Telnet or SSH.

2. Enter the following command in the CLI:

```
show version
```

How to check the IOS version on a Cisco router

1. Log in to the router via Telnet or SSH.

2. Enter the following command in the CLI:

```
show version
```

3. The output will show the IOS version and other details.

4. The output will show the IOS version and other details.

How to check the IOS version on a Cisco switch (continued)

5. The output will show the IOS version and other details.

- The output will show the IOS version and other details.
- The output will show the IOS version and other details.
- **show version** will show the IOS version and other details.

6. The output will show the IOS version and other details.

7. The output will show the IOS version and other details.

How to check the IOS version on a Cisco switch (continued)

8. The output will show the IOS version and other details.

9. The output will show the IOS version and other details.

10. The output will show the IOS version and other details.

11. The output will show the IOS version and other details.

af†af•ā, ©af«afˆā Sā -ā€ Cisco Software Checker ā @çµ æžœā «ā -ā€ Security Impact Ratingi¼^SIRi¼%oā CEāCEē† āµSā€ ā ¾ā Yā -ā€CE«~ā€ ā @è,,†ā¼±æ€Sā ā 'ā CEā «

SIR è,,†ā¼±æ€Sā @çµ æžœā, 'ā «ā, ā, ā «ā -ā€ Cisco.com ā «ā, ā, < Cisco Software Checker ā, 'ā½ç" " ā —ā | ā€ æµœç' çā, 'ā, «ā, 'ā, çāfžā, µā, °ā™ā, ā " ā «ā « [ā½±éYžā @è©•ā¾i¼^Impact Ratingi¼%o]

ā @ä, ā «ā, ā, āf%oāfāffāf—āfēā, | āf³āf³ā, 'āf^ā @ [ä, é-"i¼^Mediumi¼%o] āf ā, Sāffā, -āfœāffā, -ā, 'ā, 'ā, °āf³ā «ā —ā¾ā™ā€,

Cisco IOS XE ā, ½āf•āf^ā, |ā, §ā, ç āf^āf^āf¼ā, 'ā " Cisco IOS ā, ½āf•āf^ā, | ā, Sā, ç āf^āf^āf¼ā, 'ā @āfžāffāf'āf³ā, °ā «ā µā, „ā | ā -ā€ Cisco IOS XE ā, ½āf•āf^ā, | ā, Sā, çā @āf^āf^āf¼ā, 'ā «āçœā ~ā | ā€ Cisco IOS XE 2 Release Notesā€ā€ā€Cisco IOS XE 3S Release Notesā€ā€ā¾ā Yā -ā€ Cisco IOS XE 3SG Release Notesā€ā, 'ā, ç...Sā —ā | ā «ā ā •ā, „ā€,

ä, æfā^©ç" " ä<ā¾<ā " å...-ā¼ç™°èi "

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%oā -ā€ æœ-ā, çāf%oāf ā, µā, ¶āfā «è"~è¼%oā •ā, CEā | ā, „ā, è,,†ā¼±æ€Sā «

ā†°ā... ,

ā "ā @è,,†ā¼±æ€Sā - Cisco TAC

ā, µāf āf¼āf^ā, ±āf¼ā, 'ā @è£æ±°ā, ā «ç™°è | <ā •ā, CEā¾ā —ā Yā€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-mdns-dos-3tH6cA9J>

æ"¹è", ā±Yæ´

āf āf¼ā, āfSāf³	èª-æ~Ž	ā, »ā, -ā, āfšāf³	ā, 'āf†āf¼ā, çā, 'ā	æ—Yā»~
1.0	ā >žā...-é-<āf^āf^āf¼ā, 'ā	-	Final	2020-SEP-24

ā^©ç" "è! ç´ ,,

æœ-ā, çāf%oāf ā, µā, ¶āfā «ç,, | äç è "¼ā @ā,, ā @ā " ā —ā | ā "æ «¾ā —ā | ā Sā, Sā€ æœ-ā, çāf%oāf ā, µā, ¶āfā @æf...ā ±ā Sā, ^ā³āf^āf³ā, -ā @ā½ç" " ā «é-çā™ā, <è²-ā»»ā @ä, € ā¾ā Yā€ ā, ā, 'ā, °ā æœ-āf%oā, āfāf;āf^āf^ā @ā†...ā @¹ā, 'ā°ā'Sā°ā —ā «āµ%oæ'ā —ā æœ-ā, çāf%oāf ā, µā, ¶āfā @è"~è:°āt...ā @¹ā «é-çā —ā | æf...ā ±é... äjā @ URL

ã,çœç•¥ã—ã€å~ç<-ã®è»çè¼%ã,,æ,,è`³ã,'æ-½ã—ãÿå´å^ã€å½"ç³¼ãŒç®;ç
ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å±ã¯ã€ã,ã,¹ã,³è£½å"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¼è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。