

Cisco IOS XR  $\tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f^{\wedge} \tilde{a}, | \tilde{a}, \S \tilde{a}, \wp \tilde{a}, ^1 \tilde{a}, \zeta \tilde{a} f^3 \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright \tilde{a} f \ll \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \tilde{a} f - \tilde{a} f \tilde{a}, \gg \tilde{a} f f \tilde{a}, \mu \tilde{a}, \textcircled{R} \tilde{a}, - \tilde{a} f'' \tilde{a} f f \tilde{a} f^{\wedge} \tilde{a}, \blacktriangleright \tilde{a} f \frac{1}{4} \tilde{a}, \mu \tilde{a} f \blacklozenge \tilde{a} f f \tilde{a} f^{\wedge} i \frac{1}{4} \wedge 802.3 z i \frac{1}{4} \% o \wp \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \blacktriangleright \tilde{a} f^3 \tilde{a}, \zeta \tilde{a} f \frac{1}{4} \tilde{a} f \cdot \tilde{a}, \S \tilde{a}, \blacktriangleright \tilde{a}, ^1 \tilde{a}, \wp \tilde{a}, \bar{\tilde{a}}, \gg \tilde{a}, ^1 \tilde{a} f \gg \tilde{a}, ^3 \tilde{a} f^3 \tilde{a} f^{\wedge} \tilde{a} f \tilde{a} f \frac{1}{4} \tilde{a} f \ll \tilde{a} f \gg \tilde{a} f^a \tilde{a}, ^1 \tilde{a} f^{\wedge} \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright \tilde{a} f' \tilde{a}, ^1 \tilde{a} \blacklozenge \textcircled{R} \grave{e}, , \dagger \grave{a} \frac{1}{4} \pm \grave{a} \epsilon \S$



$\tilde{a}, \wp \tilde{a} f \% \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright \tilde{a}, \uparrow \tilde{a} f^a \tilde{a} f \frac{1}{4} \text{ID} : \text{cisco-sa-xracl-zbWSWREt}$

[CVE-2020-3364](#)

$\tilde{a}^{\wedge} \blacklozenge \grave{a} \dots \neg \acute{e} \neg \wp \neg \wp : 2020-06-17 16:00$

$\tilde{a} f \blacklozenge \tilde{a} f \frac{1}{4} \tilde{a}, \tilde{a} f \S \tilde{a} f^3 \mathbf{1.0} : \text{Final}$

CVSS  $\tilde{a}, ^1 \tilde{a}, ^3 \tilde{a}, \wp : \text{5.3}$

$\grave{a} \blacktriangleright \acute{z} \acute{e} \blacklozenge \zeta \wp - : \text{No workarounds available}$

Cisco  $\tilde{a} f \blacklozenge \tilde{a}, \textcircled{R} \text{ID} : \text{CSCvt55079}$

$\wp \neg \wp \neg \wp \neg \acute{e}^a \tilde{z} \tilde{a} \blacklozenge \ll \tilde{a}, \wedge \tilde{a}, \ll \wp f \dots \grave{a} \pm \tilde{a} \blacklozenge \neg \tilde{a} \epsilon \blacklozenge \grave{e} \ll \pm \acute{e}^a \tilde{z} \tilde{a} \blacklozenge \ll \tilde{a}, \wedge \tilde{a}, \ll \acute{a} \tilde{Y} \wp \neg \tilde{a} \blacklozenge \textcircled{R} \acute{e} \blacklozenge \tilde{z} \acute{a} \dots \neg \acute{a} \frac{1}{4} \blacklozenge \tilde{a} \blacklozenge$

$\wp \acute{e}, \grave{e} ! \blacklozenge$

Cisco IOS XR  $\tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f^{\wedge} \tilde{a}, | \tilde{a}, \S \tilde{a}, \wp \tilde{a} \blacklozenge \textcircled{R} \tilde{a}, ^1 \tilde{a}, \zeta \tilde{a} f^3 \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright \tilde{a} f \ll \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \tilde{a} f - \tilde{a} f \tilde{a}, \gg \tilde{a} f f \tilde{a}, \mu$

$\zeta \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \blacktriangleright \tilde{a} f^3 \tilde{a}, \zeta \tilde{a} f \frac{1}{4} \tilde{a} f \cdot \tilde{a}, \S \tilde{a}, \blacktriangleright \tilde{a}, ^1 \tilde{a} \blacklozenge \textcircled{R} \text{Access Control List } i \frac{1}{4} \wedge \text{ACL } i \frac{1}{4} \% o$

$\wp \textcircled{R} \tilde{e} f \frac{1}{2} \tilde{a} \blacklozenge \textcircled{R} \grave{e}, \dagger \grave{a} \frac{1}{4} \pm \grave{a} \epsilon \S \tilde{a} \blacklozenge \neg \tilde{a} f^a \tilde{a} f \zeta \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \wp \gg \wp \acute{e} \dots$

$\zeta \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \blacktriangleright \tilde{a} f^3 \tilde{a}, \zeta \tilde{a} f \frac{1}{4} \tilde{a} f \cdot \tilde{a}, \S \tilde{a}, \blacktriangleright \tilde{a}, ^1 \acute{e} \blacklozenge \acute{z} \acute{e} \blacklozenge \grave{e} \frac{1}{4} \tilde{a} \blacklozenge \text{C} \tilde{e} \tilde{a} \blacklozenge \textcircled{R} \grave{e} \tilde{a} \textcircled{R} \tilde{s} \tilde{a} \blacklozenge \cdot \tilde{a}, \text{C} \tilde{e} \tilde{a} \blacklozenge \tilde{Y} \text{IP}$

$\tilde{a}, \wp \tilde{a} f \% \tilde{a} f - \tilde{a}, ^1 \tilde{a} \blacklozenge \ll \tilde{a}, \wedge \tilde{a}, \zeta \tilde{a} f^3 \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright \tilde{a} f \ll \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \tilde{a} f - \tilde{a} f \tilde{a}, \gg \tilde{a} f f \tilde{a}, \mu \zeta \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \textcircled{R} \tilde{a}, - \tilde{a} f'' \tilde{a} f f \tilde{a} f^{\wedge}$

$\tilde{a}, \blacktriangleright \tilde{a} f \frac{1}{4} \tilde{a}, \mu \tilde{a} f \blacklozenge \tilde{a} f f \tilde{a} f^{\wedge} i \frac{1}{4} \wedge 802.3 z i \frac{1}{4} \% o \acute{e} \blacklozenge \tilde{a} \blacklozenge \text{TM} \tilde{a}, \ll \tilde{a}, \wedge \tilde{a} \blacklozenge \dagger \tilde{a} \blacklozenge \ll \tilde{a} \blacklozenge \text{TM} \tilde{a}, \ll \tilde{a} \blacklozenge \neg \frac{1}{2} \tilde{a} \epsilon \S \tilde{a} \blacklozenge \text{C} \tilde{e} \tilde{a} \blacklozenge, \tilde{a}, \tilde{S} \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \text{TM} \tilde{a}$

$\grave{e}, \dagger \grave{a} \frac{1}{4} \pm \grave{a} \epsilon \S \tilde{a} \blacklozenge \neg \text{Cisco IOS XR}$

$\tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f^{\wedge} \tilde{a}, | \tilde{a}, \S \tilde{a}, \wp \tilde{a} \blacklozenge \S \tilde{a}, \tilde{a} \blacklozenge \tilde{Y} \tilde{a}, \% \tilde{a} \tilde{a} \blacklozenge \cdot \tilde{a}, \text{C} \tilde{e} \tilde{a} \blacklozenge \tilde{Y} \acute{e} \ll \neg \zeta \blacklozenge t \tilde{a}, \tilde{a} \textcircled{R} \tilde{a} f \frac{1}{4} \tilde{a} \blacklozenge \text{C} \tilde{e} \tilde{a} \tilde{Y} \tilde{a} \blacklozenge \tilde{a} \blacklozenge \S \tilde{a} \blacklozenge \text{TM} \tilde{a} \epsilon \blacklozenge \tilde{a}, ^1 \tilde{a}, \zeta \tilde{a} f^3 \tilde{a} f$

$\tilde{a} f \ll \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \tilde{a} f - \tilde{a} f \tilde{a}, \gg \tilde{a} f f \tilde{a}, \mu$

$\zeta \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \blacktriangleright \tilde{a} f^3 \tilde{a}, \zeta \tilde{a} f \frac{1}{4} \tilde{a} f \cdot \tilde{a}, \S \tilde{a}, \blacktriangleright \tilde{a}, ^1 \tilde{a} \blacklozenge \ll \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \neg \tilde{a} \blacklozenge | \acute{e} \blacklozenge \textcircled{R} \tilde{a} \blacklozenge \tilde{a}, \text{C} \tilde{e} \tilde{a} \blacklozenge \tilde{Y} \tilde{a} \blacklozenge \tilde{a} \blacklozenge \blacklozenge \text{ACL}$

$\tilde{a} \blacklozenge \tilde{a} \blacklozenge \tilde{a} \blacklozenge \tilde{Y} \tilde{a}, \% \tilde{a} \tilde{a} \blacklozenge \blacklozenge \tilde{a} \blacklozenge \tilde{a} \blacklozenge \tilde{a} \blacklozenge \tilde{a} \blacklozenge \tilde{a}, \acute{e} \neg \tilde{a} \blacklozenge \blacklozenge \tilde{a} \epsilon, \wp \gg \wp \acute{e} \dots \tilde{a} \blacklozenge \tilde{a}, ^1 \tilde{a}, \zeta \tilde{a} f^3 \tilde{a} f \blacklozenge \tilde{a}, \blacktriangleright$

$\tilde{a} f \ll \tilde{a} f \frac{1}{4} \tilde{a} f^{\wedge} \tilde{a} f - \tilde{a} f \tilde{a}, \gg \tilde{a} f f \tilde{a}, \mu$

$\zeta \textcircled{R} i \zeta \blacklozenge t \tilde{a}, \blacktriangleright \tilde{a} f^3 \tilde{a}, \zeta \tilde{a} f \frac{1}{4} \tilde{a} f \cdot \tilde{a}, \S \tilde{a}, \blacktriangleright \tilde{a}, ^1 \tilde{a}, \acute{e} \epsilon \S \tilde{a} \blacklozenge \neg \tilde{a} \blacklozenge | \tilde{a} f \dagger \tilde{a} f \tilde{a} \tilde{a}, \blacktriangleright \tilde{a}, ^1 \tilde{a} \blacklozenge \ll \tilde{a}, \wp \tilde{a}, \bar{\tilde{a}}, \gg \tilde{a}, ^1 \tilde{a} \blacklozenge \text{TM} \tilde{a}, \ll \tilde{a}, \wedge \tilde{a} \blacklozenge \dagger \tilde{a} \blacklozenge \ll \tilde{e} \textcircled{R} | \tilde{a}$

$\tilde{a} \blacklozenge \tilde{a} \blacklozenge \textcircled{R} \grave{e}, \dagger \grave{a} \frac{1}{4} \pm \grave{a} \epsilon \S \tilde{a} \blacklozenge \ll \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge | \tilde{a} \blacklozenge \text{TM} \tilde{a}, \ll \tilde{a} \blacklozenge \acute{z} \acute{e} \blacklozenge \zeta \wp - \tilde{a} \blacklozenge \tilde{a} \blacklozenge, \tilde{a}, \tilde{S} \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \gg \tilde{a}, \tilde{a} \epsilon,$



```
line template vty
  access-class ingress MGMT_ACL_V4
!
vty-pool default 0 9 line-template vty
```

```
ACL
```

```
ACL
```

```
,
```

```
ACL
```

## NETCONF

```
ssh server netconf ipv4 access-list MGMT_ACL_V4
```

## SSH

```
ssh server ipv4 access-list MGMT_ACL_V4
```

## Telnet

```
telnet ipv4 server max-servers 3 access-list MGMT_ACL_V4
```

```
ACL
```

```
control-plane
management-plane
out-of-band
interface MgmtEth0/RSP0/CPU0/0
  allow all peer
  address ipv4 192.168.1.1
!
!
interface MgmtEth0/RSP1/CPU0/0
  allow all peer
  address ipv4 192.168.1.1
!
!
```

æ³: ãf†ãfã,ã,¹ãSã,çã,ã,»ã,¹ã-ëf½ãSã,ã,ã,çãf-ãfã,±ãf¼ã,ãfSãf³ã-ã¾ã

TTY

ãCEã%²ã,Šã½"ã|ã,%ã,CEã,ã,^ãtã«è|æ±,ã-ãªã,,ã,çãf-ãfã,±ãf¼ã,ãfSãf³ã,°æce%

ACL ã,éce²ã†°ã,ã,CEã¾ã™ã,µãfãf¼ãf^ã-ãªã,,ã-ã€,

## ä;®æ£æ,^ã;ã,½ãf•ãf^ã,|ã,šã,ç

ã,½ãf•ãf^ã,|ã,šã,çã®ã,çãffãf-ã,°ãf-ãf¼ãf%ã,ææceè"Žã™ã,«és>ã«ã-ã€Cisco Security  
Advisories and Alerts

[ãfšãf¼ã](#),ãSã...¥æ%ãSããã,ã,ã,¹ã,³èf½ã"ã®ã,çãf%ãfã,ã,¶ã,¶ãfãã,ã@šæceYçš,ã«ã,ç,  
ã,½ãfãf¼ã,ãfSãf³ã,çç°èªã-ã|ãããããã,ã€,

ã,,ãšã,CEã®ã'ã^ã,,ã€ã,çãffãf-ã,°ãf-ãf¼ãf%ã™ã,ãf†ãfã,ã,¹ã«ãã^ãªããfjãfçã  
ã,æ~Žãç,¹ã«ããã,,ã|ã-ã€Cisco Technical Assistance

Center¼TAC¼%ã,,ã-ãããã-ã¥ç',ã-ã|ã,,ã,ãfjãf³ãf†ãfšãf³ã,¹

ãf-ãfãfã,ããfãf¼ã«ãšã•ãã,,ã^ã,ããããããããã,ã€,

## ä;®æ£æ,^ã;ãfããfãf¼ã,¹

ä;®æ£æ,^ã;ã,½ãf•ãf^ã,|ã,šã,ç

ãfããfãf¼ã,¹ã«ããã,,ã|ã®æf...ã±ã«é-çã-ã|ã-ã€ãã"ã®ã,çãf%ãfã,ã,¶ã,¶ãfãã  
ã®è©³ç°ã,»ã,ã,ãfšãf³ã,ãç...šã-ã|ã,ããã,ã€,

## ä,æ£ã^©ç"ã°ã¾ã"ã...-ã¼ç™°èj"

Cisco Product Security Incident Response

Team¼PSIRT¼%ãSã-ã€æce-ã,çãf%ãfã,ã,¶ã,¶ãfãã«è"~è¼%ã•ã,CEã|ã,,ã,«è,†ã¼±æ€

## ã†°ã...

ã"ã®è,,†ã¼±æ€šã-ã€Cisco TACã®ã,µãfãf¼ãf^

ã,±ãf¼ã,¹ã®èš£æ±°ã,ã«ç™°è|ã•ã,CEã¾ã-ãYã€,

## URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-xracl-zbWSWREt>

## æ"¹è,ã±Yæ'

ã€"

ãfãf¼ã,ãfšãf³	èª-æ~Ž	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,ã,¹	Date
1.0	ã^ã>žã...-é-ãfããfãf¼ã,¹		æce€çç%ã^	2020-JUN-17

å^©ç””è!ç´,,

æœ-ã,çãf%ãfã,ã,ã,ã,ãfãç,,iàçè”¼ã@ã,,ã@ã”ã—ã|ã”æãã¼ã—ã|ãŠã,Šã€  
æœ-ã,çãf%ãfã,ã,ã,ã,ãfã@æf...å±ãŠã,^ã³ãfãfã,ã@½ç””ã«é-çã™ã,«è²-ä»ã@ä,€  
ã¼ãÿã€ã,ã,ã,ãæœ-ãf%ã,ãfãfãfãfã@åt...å¹ã,ã^ãŠãã—ã«å%ãæ’ã—ã  
æœ-ã,çãf%ãfã,ã,ã,ã,ãfã@è”~èç°åt...å¹ã«é-çã—ã|æf...å±é...äçjã@ URL  
ã,çœç•¥ã—ã€åç<-ã@è»çè¼%ã,,,æ,,è”³ã,æ-½ã—ãÿå’ã^ã€å½”ç¼ãÇç@çç  
ã”ã@ãf%ã,ãfãfãfãfã@æf...å±ãæã,ã,ã,ã,è£½å”ã@ã,ãfãf%ãf!ãf¼ã,ã,ã³¼è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。