

OSã,½ãf•ãfã, |ã,šã,ćã«è,,†ã¼±æ€šã«Eã~ãœ¨ã™ã,«ãfããfããf¼ã,¹ã,'ã@ÿè;Eã«—ã«|ã«,,ã«|

login block-for

CLIã,³ãfžãf³ãf%ã«Eè¨ã@šã«ã,«Eã«|ã«,,ã,«æ¬ã«@ã,¹ã,³è£¼ã"ã««ã¼±éÿ;ã,'ã,žã^ã«¾ã

- MDS 9000ã,·ãfããf¼ã,°ãfžãf«ãfãf-ã,«ãfãã,¹ã,«ãffãf«(CSCuz49095)
- Nexus 3000ã,·ãfããf¼ã,°ã,¹ã,«ãffãf«(CSCuz49095)
- Nexus 5500ãf—ãf«ãffãfãfã,«ãf¼ãfãã,¹ã,«ãffãf«(CSCvw45963)
- Nexus 5600ãf—ãf«ãffãfãfã,«ãf¼ãfãã,¹ã,«ãffãf«(CSCvw45963)
- Nexus 6000ã,·ãfããf¼ã,°ã,¹ã,«ãffãf«(CSCvw45963)
- Nexus 7000ã,·ãfããf¼ã,°ã,¹ã,«ãffãf«(CSCuz49095)
- ã,¹ã,¿ãf³ãf%ã,«ãfãf³NX-OSãf«ãf¼ãf%ã«@Nexus 9000ã,·ãfããf¼ã,°ã,¹ã,«ãffãf«(CSCuz49095)
- UCS 6200ã,·ãfããf¼ã,°ãfã,;ãf-ãfããffã,¬ã,«ãf³ã,¿ãf¼ã,³ãfã,¬ãf«(CSCvx74585)
- UCS 6300ã,·ãfããf¼ã,°ãfã,;ãf-ãfããffã,¬ã,«ãf³ã,¿ãf¼ã,³ãfã,¬ãf«(CSCvx74585)

system login block-

forã,³ãfžãf³ãf%ã«¬ã«ãfããfãã,«ãf«ãfããšã«¬ç,,iãš¹ã«ã«ã«£ã«|ã«,,ã«¾ã«™ã«,

æ³i¼šã,«éfã«@Cisco NX-

OSãf—ãf«ãffãfãfã,«ãf¼ãfãã«æ-°ã«—ã«,,ã,³ãf¼ããf%ããfãf-ã,«ãf³ã«šã«¬ã««login

block-for modeã,³ãfžãf³ãf%ã«@ã«ã%ã«Esystem login block-

forã«ã%ãæ'ãã,«Eã«|ã«,,ã«¾ã«™ã«ã...-é-«æ™,ç,¹ã«šã«¬ã«ã«ã«è,,†ã¼±æ€šã«¬ã

è,,†ã¼±æ€šã«Eã~ãœ¨ã™ã,« Cisco

ã,½ãf•ãfã, |ã,šã,ćããfããfããf¼ã,¹ã«ã«ã«ã«,,ã«|ã«¬ã«ã«ã«@ã,ćãf%ããfãã,«ã,¶ãfãã«@ã«Eã

ãfããfãã,«ã,¹è¨ã@šã«@çç°èª«

NX-OS ã,½ãf•ãfã, |ã,šã,ć

è«²ã¼"ã«™ã,«ãfããfããã,«ã,¹ã«Elogin block-forã¾ã«ÿã«¬system login block-for

CLIã,³ãfžãf³ãf%ã«šè¨ã@šã«ã,«Eã«|ã«,,ã,«ã«ã«@ã«†ã«ã,«çç°èªã«™ã,«ã«ã«¬ã«show

running-config | include block-

forã,³ãfžãf³ãf%ã, 'ã¼ç"ã«—ã«¾ã«™ã«ã,ã«ã«@ã,³ãfžãf³ãf%ã«ã,«ããã°ãšãã«Eè;ã«ã,«Eã«

running-config | include block-forã,³ãfžãf³ãf%ã, 'ã@ÿè;Eã«™ã,«ã«¬ã«Cisco NX-

OSã,½ãf•ãfã, |ã,šã,ćã,ã@ÿè;Eã«—ã«|ã«,,ã,«ãfããfããã,«ã,¹ã«šsystem login block-

forã,³ãfžãf³ãf%ã«Eè¨ã@šã«ã,«Eã«¾ã«™ã«ã,

<#root>

nexus#

show running-config | include block-for

system login block-for 30 attempts 20 within 120

UCS 3, 1/2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

UCS

6200 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

UCS Manager Web UI 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1. UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

1. UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

2. [Expand All] > [User Management] > [User Services] > [Login Profile]

2. [Expand All] > [User Management] > [User Services] > [Login Profile]

3. Workload Profile > [User Management] > [User Services] > [Login Profile]

3. Workload Profile > [User Management] > [User Services] > [Login Profile]

UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

• Firepower 1000 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• Firepower 2100 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• Firepower 4100 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• Firepower 9300 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• VMware vSphere > [User Management] > [User Services] > [Login Profile]

• Nexus 1000V Switch for Microsoft Hyper-V

• Nexus 1000V Switch for VMware vSphere

• Nexus 9000 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• Nexus 9000 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

• UCS 6400 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

© 2013 Cisco

system login block-

for UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

login block-for UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

9000 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

OS 9.3(x) for UCS Manager Web UI > [User Management] > [User Services] > [Login Profile]

ã,»ã,ãf¥ãfãf†ã,£ä¼µ®³ã®ç—•è·j

ã"ã®è,,†ã¼±æ€šãÇä,æfã^©ç""ã·ã,Çã,ã"ã€èªè"¼ã€èªãªã€ããšã,^ã³ã,çã

%SYSMGR-2-SERVICE_CRASHED: Service "AAA Daemon" (PID 22769) hasn't caught signal 11 (core will be saved)

ã"ã®ã,,ãf©ãf¼ãfjãffã,»ãf¼ã,ã«ãã€èªæªã®ãžÿãã Çè€fã^ã,%ã,Çã¼ã™ã€,

ã>žéç-

ã"ã®è,,†ã¼±æ€šã«ã³ãª!ã™ã,ã>žéç-ãã,ã,šã¼ã>ã,"ã€,

ã"ã®ãf†ãfã,ªã,¹ãã€system login block-

forã,³ãfžãf³ãf%ãÇè"ã®šãã,Çã€æ½œãœ"çš,,ãªDoSæ"»æ'fãÇæªœãªªã,Çãÿã'ã^ã
[system] login block-for seconds attempts within

secondsã,'ã½ç""ã—ã|ã"ã®ã,³ãfžãf³ãf%ã,'ã%šé™ã™ã,ã"ã€ãf†ãfã,ªã,¹ãè,,†ã¼±æ

ãÿãã—ã€system login block-

forè"ã®šã,'ã%šé™ã™ã,ã"ã€ãf†ãfã,ªã,¹ã®ã,»ã,ãf¥ãfãf†ã,£ãfã,¹ãfãfãÇã¼±ãã
Nexus 9000ã,ãfãf¼ã,°NX-

OSã,»ã,ãf¥ãfãf†ã,£ã,³ãf³ãfã,£ã,®ãf¥ãf-ãf¼ã,ãfšãf³ã,-ã,ªãf%ã€ãfããfãf¼ã,¹9.3(x)ã€ã®ã€Ç

ã"ã®ç·©'ãÇç-ããžã...¥ãã,Çã€|ãšã,šã€ãf†ã,¹ãf^ç'ãçfãšãã®ÿè"¼æ,^ãçãšã

ãç®æ£æ,^ãçã,½ãfãf^ã,|ã,šã,ç

[ã.½ãfãf^ã.lã.šã.çã®ã,çãffãf—ã,°ãf-ãf¼ãf%ã,'æªœèžã™ã,«ésã«ãã€ã.ã.lã.³](#)

[ã.ã.ãf¥ãfãf†ã.£ã.çãf%ãfã,ªã,¶ãfã](#)

[ãfšãf¼ã,ãšã...¥æ%ãšããã,ã,ã,¹ã,³è£½ã"ã®ã,çãf%ããfã,ªã,¶ãfã,'ã®šæœÿçš,,ã«ãç,](#)

ã,½ãfãf¥ãf¼ã,ãfšãf³ã,€ã¼ã,'çç°èªã—ã|ãããããã,ã€,

ã,,ãšã,Çã®ã'ãã,,ã€ã,çãffãf—ã,°ãf-ãf¼ããf%ã™ã,ãf†ãfã,ªã,¹ã«ããã^†ããfjãfçã

Technical Assistance

Centeri¼^TACi¼%ã,,ã—ãããããã¥'ç',ã—ã|ã,,ã,ãfjãf³ãf†ãfšãf³ã,¹ãf—ãfãfã,ªãfãf¼ã€

Cisco NX-OS ã,½ãfãf^ã,lã,šã,ç

ãšã®çæšãÇ Cisco NX-OS

ã,½ãfãfã,|ã,šã,çã®è,,†ã¼±æ€šã«ã,^ã,ã¼µã®³ã®ãèf½æ€šã,ã^ªæ-ãšããã,ã,^ã†ã€

[Cisco Software Checker](#)

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。