

# Catalyst 9100, Cisco IOS XE

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

Cisco IOS XE, Cisco Catalyst 9100, Cisco IOS XE

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.



Cisco Security Advisory ID : cisco-sa-wlc-udp-dos-XDyEwhNz [CVE-2022-20848](#)

Published : 2022-09-28 16:00

Version : 1.0 : Final

CVSS Score : 8.6

Workarounds : No workarounds available

Cisco ID : CSCwb18118

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

## Summary

Catalyst 9100, Cisco IOS XE

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

Cisco IOS XE, Cisco Catalyst 9100, Cisco IOS XE

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

UDP

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

DoS attack using UDP flood.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-wlc-udp-dos-XDyEwhNz>

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

High severity vulnerability in Cisco Catalyst 9100 and Cisco IOS XE routers.

Response: September 2022 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled

## Configuring EWC Redundancy

### Configuring EWC Redundancy

Configuring EWC Redundancy on Cisco IOS XE

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

show wireless ewc-ap redundancy summary CLI

Configuring EWC Redundancy on Cisco Catalyst 9100

```
<#root>
```

```
ap-hostname#
```

```
show wireless ewc-ap redundancy summary
```

```
Preferred Master: APC4F7.D54D.5698
```

Role	AP-Name	State
Active	APA453.0E7B.D78C	Ready
Standby	AP8BCD.F00B.A43C	Ready

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

Configuring EWC Redundancy on Cisco Catalyst 9100

- Catalyst 9300, Catalyst 9400, Catalyst 9500, Catalyst 9800
- Catalyst 9800
- IOS
- IOS XR
- Meraki
- NX-OS
- LAN

## ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

## ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-  
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

Cisco.com ǎžéç-  
[Cisco Support and Downloads](#)

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-

ǎžéç-ǎžéç-ǎžéç-



# Cisco Product Security Incident Response

Teami1^4PSIRTi1/4%0ã -ã€æœ-ã,ćăf%0ãfã,ã,¶ã,¶ãfãã «è~è1/4%0ã•ã,Œã |ã,,ã,«è,,†ã1/4±æ€Œãã

ã†°ã...

ã"ã®è,,†ã1/4±æ€Œã Cisco TAC

ã,µãfãf1/4ãf^ã,±ãf1/4ã,1ã®èŒæ±°ã,ã«ç™°è|ãã,Œã3/4ã—ãÿã€,

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-wlc-udp-dos-XDyEwhNz>

æ”1è”,ã±ÿæ’

ãfãf1/4ã,ãfsãf³	èª-æ~Ž	ã,»ã,-ã,ãfšãf³	ã,1ãf†ãf1/4ã,¿ã,1	æ—ÿã»~
1.0	ã^ã»ãžã...-é-ãfããfãf1/4ã,1	-	Final	2022 å1’ 9 æœ^ 28 æ—ÿ

ã^©ç”è!ç’,,

æœ-ã,ćăf%0ãfã,ã,¶ã,¶ãfãã ç,,jäç è”1/4ã®ã,,ã®ããã—ã|ã”æããã3/4ãã—ã|ãŠã,Šã€  
æœ-ã,ćăf%0ãfã,ã,¶ã,¶ãfãã®æf...ã±ãŠã,^ã³ãfããf³ã,-ã®ã1/2ç””ã«é-ćã™ã,«è²-ã»ã®ã,€  
ã3/4ãÿã€ã,ã,1ã,³ã-æœ-ãf%0ã,ãfããfãfãã®ã†...ã®1ã,’ã^ãŠããã—ã«ã%0æ’ã—ã  
æœ-ã,ćăf%0ãfã,ã,¶ã,¶ãfãã®è”~è:°ã†...ã®1ã«é-ćã—ã|æf...ã±é...ãçjã® URL  
ã,çœç•ÿã—ã€ããç<-ã®è»çè1/4%0ã,,,æ,,è”³ã,’æ-1/2ã—ãÿã’ã^ã€ã1/2”ç³3/4ãŒç®iç  
ã”ã®ãf%0ã,ãfããfãfãã®æf...ã±ã-ã€ã,ã,1ã,³è£1/2ã”ã®ã,“ãfãf%0ãf|ãf1/4ã,¶ã,ã³4è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。