

如何在ESA和CRES上設定多個公司徽標？

目錄

[簡介](#)

[如何在ESA和CRES上設定多個公司徽標？](#)

[ESA配置](#)

[CRES配置](#)

簡介

本文檔介紹如何使用AsyncOS 7.0和思科註冊信封服務(CRES)的新功能設定多個品牌。

如何在ESA和CRES上設定多個公司徽標？

ESA配置

1. 在ESA上建立新的CRES加密配置檔案。

Edit Encryption Envelope Profile

Encryption Profile Settings	
Profile Name:	Encrypt02
Key Server Settings	
Key Service Type:	Cisco Registered Envelope Service
Proxy:	A proxy server is not currently configured.
Cisco Registered Envelope Service URL:	https://res.cisco.com
Envelope Settings	
Example Envelope	
Envelope Message Security:	<input type="radio"/> High Security <i>Recipient must enter a password to open the encrypted message, even if credentials are cached ("Remember Me" selected).</i> <input checked="" type="radio"/> Medium Security <i>No password entry required if recipient credentials are cached ("Remember Me" selected).</i>
Logo Link:	<input checked="" type="radio"/> No link <input type="radio"/> Custom link URL: <input type="text"/> <i>By defining a URL, the logo in the upper left corner of the recipient envelope will become a link (example: http://www.mycompany.com/).</i>
Read Receipts:	<input checked="" type="checkbox"/> Enable Read Receipts
Advanced:	Advanced envelope settings.
Message Settings	

2. 在這種情況下，已經有一個名為Encrypt01的配置檔案，因此新配置檔案稱為Encrypt02。此品牌已設定中等安全性。此外，也會使用不同的通知文字。為此，請增加新的文本資源。

Add Text Resource

Text Resource	
Name:	<input type="text" value="Encrypt02"/>
Type:	Encryption Notification Template (HTML) ▼
Text:	<p>This field accepts HTML, but will not validate it. It is recommended you modify or write HTML in another editor.</p> <pre><tr> <td>&nbsp;&nbsp;&nbsp;</td> </tr> <tr> <th style="font-family:Verdana,sans-serif;font-weight:700; font-size:10pt;text-align:left;color:#333333"> You have received a secure message from my other brand </th> </tr> <tr> <td style="border-top:1px solid black">&nbsp;&nbsp;&nbsp;</td> </tr> <tr> <td style="font-family:Verdana,sans-serif;font-size:8pt;</pre>
Preview Text	

3. 將此內容增加到加密配置檔案中。

Message Settings	
Example Message	
End-User Controls:	<input checked="" type="checkbox"/> Enable Secure Reply All <input type="checkbox"/> Enable Secure Message Forwarding
Notification Settings	
Encrypted Message HTML Notification:	<input type="text" value="Encrypt02"/> ▼ Preview Message <small>(see Mail Policies > Text Resources > Encryption Notification Template - HTML)</small>
Encrypted Message Text Notification:	System Generated Preview Message <small>(see Mail Policies > Text Resources > Encryption Notification Template - Text)</small>
Encryption Failure Notification:	Message Subject: <input type="text" value="[[ENCRYPTION FAILURE]]"/> Message Body: System Generated Preview Message <small>(see Mail Policies > Text Resources > DSN Bounce and Encryption Failure Notification Template)</small>
<input type="button" value="Cancel"/> <input type="button" value="Submit"/>	

4. 設定新配置檔案。

IronPort Email Encryption Settings

Info — Cisco Registered Envelope Service "Encrypt02" was successfully provisioned.

Email Encryption Global Settings

IronPort Email Encryption:	Enabled
Proxy Server (optional):	Not Configured

[Edit Settings...](#)

Email Encryption Profiles

[Add Encryption Profile...](#)

Profile	Key Service	Provision Status	Delete
Encrypt01	Cisco Registered Envelope Service	Provisioned Re-provision	
Encrypt02	Cisco Registered Envelope Service	Provisioned Re-provision	

PXE Engine Updates

Type	Last Update	Current Version
PXE Engine	21 Jan 2010 21:39 (GMT)	6.7.1-003
Domain Mappings File	Never updated	1.0.0

[Update Now](#)

5. 增加傳出內容過濾器以使用新的加密配置檔案。

Edit Action

- Quarantine
- Encrypt on Delivery
- Strip Attachment by Content
- Strip Attachment by File Info
- Add Disclaimer Text
- Bypass Outbreak Filter Scanning
- Send Copy (Bcc:)
- Notify
- Change Recipient to
- Send to Alternate Destination Host
- Deliver from IP Interface
- Strip Header
- Add Header
- Encrypt and Deliver Now (Final Action)**
- Bounce (Final Action)
- Skip Remaining Content Filters (Final Action)
- Drop (Final Action)

Encrypt and Deliver Now (Final Action) [Help](#)

Encrypts the message, then delivers without further processing.

Encryption Rule: [Help](#)
(See TLS settings at Mail Policies > Destination Controls)

Encryption Profile:

Subject:

[Cancel](#) [OK](#)

6. 提交並提交更改。

CRES配置

1. 使用CRES管理員ID增加與新的ESA加密配置檔案關聯的映像。

此處的「信封配置檔案」名稱必須與ESA上的加密配置檔案相同。

Home Users Reports Accounts

Manage Accounts Manage Registered Envelopes

Account Management - A_3157 11808

Details Groups Tokens Images Features

Please load a file of size less than 100kb:
Image "customer-logo.gif" associated with profile "Encrypt02" added

Image Name*

Envelope Profile


Image File*

[Delete Images](#)

<input type="checkbox"/>	Image Name	Envelope Profile	Image	Actions
<input type="checkbox"/>	customer-logo.gif	Encrypt02		<input type="button" value="Delete"/>

2. 當您透過新內容過濾器傳送郵件時，收件人會收到新的通知文本和帶有新徽標的信封（此處左上角顯示為A）。





請注意，信封顯示不需要密碼，因為訊息安全性設定為「中」，而且您之前已經輸入密碼並設定了「記住我」Cookie。新圖志也會出現在開啟的信封中，但不會出現在安全的回覆、全部回覆或轉寄螢幕中。



3. 註冊流程仍為思科品牌。請記住，CRES使用者向思科註冊，而不是向他們傳送第一封CRES安全電子郵件的公司註冊。這是一個重要的區別，需要記住。

關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。